

## Steel wire rope veropro 10

### Product information



**Wire rope construction:** veropro 10 is a very flexible 10-strand, non-rotation resistant rope with compacted strands and a rope core covered with a plastic layer.

#### Features:

- Very high breaking strength
- Very stable rope structure and achieves excellent bending fatigue results
- Offers excellent resistance to crushing and abrasion
- Perfect spooling behavior on multilayer drum.

**ISO 4309 Rope Category No:** All Diameters **RCN.11.**

**Marking:** According to standard

**Standard:** EN 12385-4


**Note:** veropro 10 may not be used with a swivel.

**Fill factor:** 0.683

**RCN:** 11

**Tolerance Ø:** +2% to +4%

Overhead cranes



Mobile port crane



Offshore crane



Loading crane



Crawler crane



Container crane



Tower crane



Part Code	Rope Diameter, mm	Tensile strength N/mm <sup>2</sup>	Steel area mm <sup>2</sup>	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m	Delivery time
103103005070309	30	1,960	483	828	Bright	sS	415	10
103103004070309	30	1,960	483	828	Bright	sZ	415	10
103103003070309	30	1,960	483	828	Bright	zS	415	10
103103006070309	30	1,960	483	828	Bright	zZ	415	10
103103005270309	30	1,960	483	828	Galvanized	sS	415	10
103103004270309	30	1,960	483	828	Galvanized	sZ	415	10
103103003270309	30	1,960	483	828	Galvanized	zS	415	10
103103006270309	30	1,960	483	828	Galvanized	zZ	415	10
103103005100309	30	2,160	483	892	Bright	sS	415	10
103103004100309	30	2,160	483	892	Bright	sZ	415	10
103103003100309	30	2,160	483	892	Bright	zS	415	10
103103006100309	30	2,160	483	892	Bright	zZ	415	10
103103005300309	30	2,160	483	892	Galvanized	sS	415	10
103103004300309	30	2,160	483	892	Galvanized	sZ	415	10
103103003300309	30	2,160	483	892	Galvanized	zS	415	10
103103006300309	30	2,160	483	892	Galvanized	zZ	415	10
103103205070309	32	1,960	549	942	Bright	sS	472	10
103103204070309	32	1,960	549	942	Bright	sZ	472	10
103103203070309	32	1,960	549	942	Bright	zS	472	10
103103206070309	32	1,960	549	942	Bright	zZ	472	10
103103205270309	32	1,960	549	942	Galvanized	sS	472	10

103103204270309	32	1,960	549	942	Galvanized	sZ	472	10
103103203270309	32	1,960	549	942	Galvanized	zS	472	10
103103206270309	32	1,960	549	942	Galvanized	zZ	472	10
103103205100309	32	2,160	549	1,014	Bright	sS	472	10
103103204100309	32	2,160	549	1,014	Bright	sZ	472	10
103103203100309	32	2,160	549	1,014	Bright	zS	472	10
103103206100309	32	2,160	549	1,014	Bright	zZ	472	10
103103205300309	32	2,160	549	1,014	Galvanized	sS	472	10
103103204300309	32	2,160	549	1,014	Galvanized	sZ	472	10
103103203300309	32	2,160	549	1,014	Galvanized	zS	472	10
103103206300309	32	2,160	549	1,014	Galvanized	zZ	472	10
103103405070309	34	1,960	620	1,063	Bright	sS	533	10
103103404070309	34	1,960	620	1,063	Bright	sZ	533	10
103103403070309	34	1,960	620	1,063	Bright	zS	533	10
103103406070309	34	1,960	620	1,063	Bright	zZ	533	10
103103405270309	34	1,960	620	1,063	Galvanized	sS	533	10
103103404270309	34	1,960	620	1,063	Galvanized	sZ	533	10
103103403270309	34	1,960	620	1,063	Galvanized	zS	533	10
103103406270309	34	1,960	620	1,063	Galvanized	zZ	533	10
103103405100309	34	2,160	620	1,145	Bright	sS	533	10
103103404100309	34	2,160	620	1,145	Bright	sZ	533	10
103103403100309	34	2,160	620	1,145	Bright	zS	533	10
103103406100309	34	2,160	620	1,145	Bright	zZ	533	10

103103405300309	34	2,160	620	1,145	Galvanized	sS	533	10
103103404300309	34	2,160	620	1,145	Galvanized	sZ	533	10
103103403300309	34	2,160	620	1,145	Galvanized	zS	533	10
103103406300309	34	2,160	620	1,145	Galvanized	zZ	533	10
103103605070309	36	1,960	695	1,192	Bright	sS	598	10
103103604070309	36	1,960	695	1,192	Bright	sZ	598	10
103103603070309	36	1,960	695	1,192	Bright	zS	598	10
103103606070309	36	1,960	695	1,192	Bright	zZ	598	10
103103605270309	36	1,960	695	1,192	Galvanized	sS	598	10
103103604270309	36	1,960	695	1,192	Galvanized	sZ	598	10
103103603270309	36	1,960	695	1,192	Galvanized	zS	598	10
103103606270309	36	1,960	695	1,192	Galvanized	zZ	598	10
103103605100309	36	2,160	695	1,284	Bright	sS	598	10
103103604100309	36	2,160	695	1,284	Bright	sZ	598	10
103103603100309	36	2,160	695	1,284	Bright	zS	598	10
103103606100309	36	2,160	695	1,284	Bright	zZ	598	10
103103605300309	36	2,160	695	1,284	Galvanized	sS	598	10
103103604300309	36	2,160	695	1,284	Galvanized	sZ	598	10
103103603300309	36	2,160	695	1,284	Galvanized	zS	598	10
103103606300309	36	2,160	695	1,284	Galvanized	zZ	598	10
103103805070309	38	1,960	775	1,328	Bright	sS	666	10
103103804070309	38	1,960	775	1,328	Bright	sZ	666	10
103103803070309	38	1,960	775	1,328	Bright	zS	666	10

103103806070309	38	1,960	775	1,328	Bright	zZ	666	10
103103805270309	38	1,960	775	1,328	Galvanized	sS	666	10
103103804270309	38	1,960	775	1,328	Galvanized	sZ	666	10
103103803270309	38	1,960	775	1,328	Galvanized	zS	666	10
103103806270309	38	1,960	775	1,328	Galvanized	zZ	666	10
103103805100309	38	2,160	775	1,431	Bright	sS	666	10
103103804100309	38	2,160	775	1,431	Bright	sZ	666	10
103103803100309	38	2,160	775	1,431	Bright	zS	666	10
103103806100309	38	2,160	775	1,431	Bright	zZ	666	10
103103805300309	38	2,160	775	1,431	Galvanized	sS	666	10
103103804300309	38	2,160	775	1,431	Galvanized	sZ	666	10
103103803300309	38	2,160	775	1,431	Galvanized	zS	666	10
103103806300309	38	2,160	775	1,431	Galvanized	zZ	666	10
103104005070309	40	1,960	858	1,472	Bright	sS	738	10
103104004070309	40	1,960	858	1,472	Bright	sZ	738	10
103104003070309	40	1,960	858	1,472	Bright	zS	738	10
103104006070309	40	1,960	858	1,472	Bright	zZ	738	10
103104005270309	40	1,960	858	1,472	Galvanized	sS	738	10
103104004270309	40	1,960	858	1,472	Galvanized	sZ	738	10
103104003270309	40	1,960	858	1,472	Galvanized	zS	738	10
103104006270309	40	1,960	858	1,472	Galvanized	zZ	738	10
103104005100309	40	2,160	858	1,585	Bright	sS	738	10
103104004100309	40	2,160	858	1,585	Bright	sZ	738	10

103104003100309	40	2,160	858	1,585	Bright	zS	738	10
103104006100309	40	2,160	858	1,585	Bright	zZ	738	10
103104005300309	40	2,160	858	1,585	Galvanized	sS	738	10
103104004300309	40	2,160	858	1,585	Galvanized	sZ	738	10
103104003300309	40	2,160	858	1,585	Galvanized	zS	738	10
103104006300309	40	2,160	858	1,585	Galvanized	zZ	738	10
103104205070309	42	1,960	946	1,623	Bright	sS	814	10
103104204070309	42	1,960	946	1,623	Bright	sZ	814	10
103104203070309	42	1,960	946	1,623	Bright	zS	814	10
103104206070309	42	1,960	946	1,623	Bright	zZ	814	10
103104205270309	42	1,960	946	1,623	Galvanized	sS	814	10
103104204270309	42	1,960	946	1,623	Galvanized	sZ	814	10
103104203270309	42	1,960	946	1,623	Galvanized	zS	814	10
103104206270309	42	1,960	946	1,623	Galvanized	zZ	814	10
103104205100309	42	2,160	946	1,748	Bright	sS	814	10
103104204100309	42	2,160	946	1,748	Bright	sZ	814	10
103104203100309	42	2,160	946	1,748	Bright	zS	814	10
103104206100309	42	2,160	946	1,748	Bright	zZ	814	10
103104205300309	42	2,160	946	1,748	Galvanized	sS	814	10
103104204300309	42	2,160	946	1,748	Galvanized	sZ	814	10
103104203300309	42	2,160	946	1,748	Galvanized	zS	814	10
103104206300309	42	2,160	946	1,748	Galvanized	zZ	814	10
103104405070309	44	1,960	1,039	1,781	Bright	sS	893	10

103104404070309	44	1,960	1,039	1,781	Bright	sZ	893	10
103104403070309	44	1,960	1,039	1,781	Bright	zS	893	10
103104406070309	44	1,960	1,039	1,781	Bright	zZ	893	10
103104405270309	44	1,960	1,039	1,781	Galvanized	sS	893	10
103104404270309	44	1,960	1,039	1,781	Galvanized	sZ	893	10
103104403270309	44	1,960	1,039	1,781	Galvanized	zS	893	10
103104406270309	44	1,960	1,039	1,781	Galvanized	zZ	893	10
103104405100309	44	2,160	1,039	1,918	Bright	sS	893	10
103104404100309	44	2,160	1,039	1,918	Bright	sZ	893	10
103104403100309	44	2,160	1,039	1,918	Bright	zS	893	10
103104406100309	44	2,160	1,039	1,918	Bright	zZ	893	10
103104405300309	44	2,160	1,039	1,918	Galvanized	sS	893	10
103104404300309	44	2,160	1,039	1,918	Galvanized	sZ	893	10
103104403300309	44	2,160	1,039	1,918	Galvanized	zS	893	10
103104406300309	44	2,160	1,039	1,918	Galvanized	zZ	893	10
103104605070309	46	1,960	1,135	1,947	Bright	sS	976	10
103104604070309	46	1,960	1,135	1,947	Bright	sZ	976	10
103104603070309	46	1,960	1,135	1,947	Bright	zS	976	10
103104606070309	46	1,960	1,135	1,947	Bright	zZ	976	10
103104605270309	46	1,960	1,135	1,947	Galvanized	sS	976	10
103104604270309	46	1,960	1,135	1,947	Galvanized	sZ	976	10
103104603270309	46	1,960	1,135	1,947	Galvanized	zS	976	10
103104606270309	46	1,960	1,135	1,947	Galvanized	zZ	976	10

103104605100309	46	2,160	1,135	2,096	Bright	sS	976	10
103104604100309	46	2,160	1,135	2,096	Bright	sZ	976	10
103104603100309	46	2,160	1,135	2,096	Bright	zS	976	10
103104606100309	46	2,160	1,135	2,096	Bright	zZ	976	10
103104605300309	46	2,160	1,135	2,096	Galvanized	sS	976	10
103104604300309	46	2,160	1,135	2,096	Galvanized	sZ	976	10
103104603300309	46	2,160	1,135	2,096	Galvanized	zS	976	10
103104606300309	46	2,160	1,135	2,096	Galvanized	zZ	976	10
103104805070309	48	1,960	1,236	2,120	Bright	sS	1,063	10
103104804070309	48	1,960	1,236	2,120	Bright	sZ	1,063	10
103104803070309	48	1,960	1,236	2,120	Bright	zS	1,063	10
103104806070309	48	1,960	1,236	2,120	Bright	zZ	1,063	10
103104805270309	48	1,960	1,236	2,120	Galvanized	sS	1,063	10
103104804270309	48	1,960	1,236	2,120	Galvanized	sZ	1,063	10
103104803270309	48	1,960	1,236	2,120	Galvanized	zS	1,063	10
103104806270309	48	1,960	1,236	2,120	Galvanized	zZ	1,063	10
103104805100309	48	2,160	1,236	2,283	Bright	sS	1,063	10
103104804100309	48	2,160	1,236	2,283	Bright	sZ	1,063	10
103104803100309	48	2,160	1,236	2,283	Bright	zS	1,063	10
103104806100309	48	2,160	1,236	2,283	Bright	zZ	1,063	10
103104805300309	48	2,160	1,236	2,283	Galvanized	sS	1,063	10
103104804300309	48	2,160	1,236	2,283	Galvanized	sZ	1,063	10
103104803300309	48	2,160	1,236	2,283	Galvanized	zS	1,063	10



103104806300309	48	2,160	1,236	2,283	Galvanized	zZ	1,063	10
103105005070309	50	1,960	1,341	2,300	Bright	sS	1,153	10
103105004070309	50	1,960	1,341	2,300	Bright	sZ	1,153	10
103105003070309	50	1,960	1,341	2,300	Bright	zS	1,153	10
103105006070309	50	1,960	1,341	2,300	Bright	zZ	1,153	10
103105005270309	50	1,960	1,341	2,300	Galvanized	sS	1,153	10
103105004270309	50	1,960	1,341	2,300	Galvanized	sZ	1,153	10
103105003270309	50	1,960	1,341	2,300	Galvanized	zS	1,153	10
103105006270309	50	1,960	1,341	2,300	Galvanized	zZ	1,153	10
103105005100309	50	2,160	1,341	2,477	Bright	sS	1,153	10
103105004100309	50	2,160	1,341	2,477	Bright	sZ	1,153	10
103105003100309	50	2,160	1,341	2,477	Bright	zS	1,153	10
103105006100309	50	2,160	1,341	2,477	Bright	zZ	1,153	10
103105005300309	50	2,160	1,341	2,477	Galvanized	sS	1,153	10
103105004300309	50	2,160	1,341	2,477	Galvanized	sZ	1,153	10
103105003300309	50	2,160	1,341	2,477	Galvanized	zS	1,153	10
103105006300309	50	2,160	1,341	2,477	Galvanized	zZ	1,153	10
103105205070309	52	1,960	1,450	2,488	Bright	sS	1,247	10
103105204070309	52	1,960	1,450	2,488	Bright	sZ	1,247	10
103105203070309	52	1,960	1,450	2,488	Bright	zS	1,247	10
103105206070309	52	1,960	1,450	2,488	Bright	zZ	1,247	10
103105205270309	52	1,960	1,450	2,488	Galvanized	sS	1,247	10
103105204270309	52	1,960	1,450	2,488	Galvanized	sZ	1,247	10

103105203270309	52	1,960	1,450	2,488	Galvanized	zS	1,247	10
103105206270309	52	1,960	1,450	2,488	Galvanized	zZ	1,247	10
103105205100309	52	2,160	1,450	2,679	Bright	sS	1,247	10
103105204100309	52	2,160	1,450	2,679	Bright	sZ	1,247	10
103105203100309	52	2,160	1,450	2,679	Bright	zS	1,247	10
103105206100309	52	2,160	1,450	2,679	Bright	zZ	1,247	10
103105205300309	52	2,160	1,450	2,679	Galvanized	sS	1,247	10
103105204300309	52	2,160	1,450	2,679	Galvanized	sZ	1,247	10
103105203300309	52	2,160	1,450	2,679	Galvanized	zS	1,247	10
103105206300309	52	2,160	1,450	2,679	Galvanized	zZ	1,247	10
103105404070309	54	1,960	1,564	2,83	Bright	sZ	1,345	10
103105405070309	54	1,960	1,564	2,683	Bright	sS	1,345	10
103105403070309	54	1,960	1,564	2,683	Bright	zS	1,345	10
103105406070309	54	1,960	1,564	2,683	Bright	zZ	1,345	10
103105405270309	54	1,960	1,564	2,683	Galvanized	sS	1,345	10
103105404270309	54	1,960	1,564	2,683	Galvanized	sZ	1,345	10
103105403270309	54	1,960	1,564	2,683	Galvanized	zS	1,345	10
103105406270309	54	1,960	1,564	2,683	Galvanized	zZ	1,345	10
103105405100309	54	2,160	1,564	2,889	Bright	sS	1,345	10
103105404100309	54	2,160	1,564	2,889	Bright	sZ	1,345	10
103105403100309	54	2,160	1,564	2,889	Bright	zS	1,345	10
103105406100309	54	2,160	1,564	2,889	Bright	zZ	1,345	10
103105405300309	54	2,160	1,564	2,889	Galvanized	sS	1,345	10

103105404300309	54	2,160	1,564	2,889	Galvanized	sZ	1,345	10
103105403300309	54	2,160	1,564	2,889	Galvanized	zS	1,345	10
103105406300309	54	2,160	1,564	2,889	Galvanized	zZ	1,345	10
103105605070309	56	1,960	1,682	2,885	Bright	sS	1,447	10
103105604070309	56	1,960	1,682	2,885	Bright	sZ	1,447	10
103105603070309	56	1,960	1,682	2,885	Bright	zS	1,447	10
103105606070309	56	1,960	1,682	2,885	Bright	zZ	1,447	10
103105605270309	56	1,960	1,682	2,885	Galvanized	sS	1,447	10
103105604270309	56	1,960	1,682	2,885	Galvanized	sZ	1,447	10
103105603270309	56	1,960	1,682	2,885	Galvanized	zS	1,447	10
103105606270309	56	1,960	1,682	2,885	Galvanized	zZ	1,447	10
103105605100309	56	2,160	1,682	3,107	Bright	sS	1,447	10
103105604100309	56	2,160	1,682	3,107	Bright	sZ	1,447	10
103105603100309	56	2,160	1,682	3,107	Bright	zS	1,447	10
103105606100309	56	2,160	1,682	3,107	Bright	zZ	1,447	10
103105605300309	56	2,160	1,682	3,107	Galvanized	sS	1,447	10
103105604300309	56	2,160	1,682	3,107	Galvanized	sZ	1,447	10
103105603300309	56	2,160	1,682	3,107	Galvanized	zS	1,447	10
103105606300309	56	2,160	1,682	3,107	Galvanized	zZ	1,447	10
103105805070309	58	1,960	1,805	3,095	Bright	sS	1,552	10
103105804070309	58	1,960	1,805	3,095	Bright	sZ	1,552	10
103105803070309	58	1,960	1,805	3,095	Bright	zS	1,552	10
103105806070309	58	1,960	1,805	3,095	Bright	zZ	1,552	10

103105805270309	58	1,960	1,805	3,095	Galvanized	sS	1,552	10
103105804270309	58	1,960	1,805	3,095	Galvanized	sZ	1,552	10
103105803270309	58	1,960	1,805	3,095	Galvanized	zS	1,552	10
103105806270309	58	1,960	1,805	3,095	Galvanized	zZ	1,552	10
103105805100309	58	2,160	1,805	3,333	Bright	sS	1,552	10
103105804100309	58	2,160	1,805	3,333	Bright	sZ	1,552	10
103105803100309	58	2,160	1,805	3,333	Bright	zS	1,552	10
103105806100309	58	2,160	1,805	3,333	Bright	zZ	1,552	10
103105805300309	58	2,160	1,805	3,333	Galvanized	sS	1,552	10
103105804300309	58	2,160	1,805	3,333	Galvanized	sZ	1,552	10
103105803300309	58	2,160	1,805	3,333	Galvanized	zS	1,552	10
103105806300309	58	2,160	1,805	3,333	Galvanized	zZ	1,552	10
103106005070309	60	1,960	1,931	3,312	Bright	sS	1,661	10
103106004070309	60	1,960	1,931	3,312	Bright	sZ	1,661	10
103106003070309	60	1,960	1,931	3,312	Bright	zS	1,661	10
103106006070309	60	1,960	1,931	3,312	Bright	zZ	1,661	10
103106005270309	60	1,960	1,931	3,312	Galvanized	sS	1,661	10
103106004270309	60	1,960	1,931	3,312	Galvanized	sZ	1,661	10
103106003270309	60	1,960	1,931	3,312	Galvanized	zS	1,661	10
103106006270309	60	1,960	1,931	3,312	Galvanized	zZ	1,661	10
103106005100309	60	2,160	1,931	3,566	Bright	sS	1,661	10
103106004100309	60	2,160	1,931	3,566	Bright	sZ	1,661	10
103106003100309	60	2,160	1,931	3,566	Bright	zS	1,661	10

103106006100309	60	2,160	1,931	3,566	Bright	zZ	1,661	10
103106005300309	60	2,160	1,931	3,566	Galvanized	sS	1,661	10
103106004300309	60	2,160	1,931	3,566	Galvanized	sZ	1,661	10
103106003300309	60	2,160	1,931	3,566	Galvanized	zS	1,661	10
103106006300309	60	2,160	1,931	3,566	Galvanized	zZ	1,661	10
103106204300309	62	2,160	2,062	3,808	Galvanized	sZ	1,773	10
103106205070309	62	1,960	2,062	3,536	Bright	sS	1,773	10
103106204070309	62	1,960	2,062	3,536	Bright	sZ	1,773	10
103106203070309	62	1,960	2,062	3,536	Bright	zS	1,773	10
103106206070309	62	1,960	2,062	3,536	Bright	zZ	1,773	10
103106205270309	62	1,960	2,062	3,536	Galvanized	sS	1,773	10
103106204270309	62	1,960	2,062	3,536	Galvanized	sZ	1,773	10
103106203270309	62	1,960	2,062	3,536	Galvanized	zS	1,773	10
103106206270309	62	1,960	2,062	3,536	Galvanized	zZ	1,773	10
103106205100309	62	2,160	2,062	3,808	Bright	sS	1,773	10
103106204100309	62	2,160	2,062	3,808	Bright	sZ	1,773	10
103106203100309	62	2,160	2,062	3,808	Bright	zS	1,773	10
103106206100309	62	2,160	2,062	3,808	Bright	zZ	1,773	10
103106205300309	62	2,160	2,062	3,808	Galvanized	sS	1,773	10
103106203300309	62	2,160	2,062	3,808	Galvanized	zS	1,773	10
103106206300309	62	2,160	2,062	3,808	Galvanized	zZ	1,773	10
103106405070309	64	1,960	2,197	3,768	Bright	sS	1,890	10
103106404070309	64	1,960	2,197	3,768	Bright	sZ	1,890	10

103106403070309	64	1,960	2,197	3,768	Bright	zS	1,890	10
103106406070309	64	1,960	2,197	3,768	Bright	zZ	1,890	10
103106405270309	64	1,960	2,197	3,768	Galvanized	sS	1,890	10
103106404270309	64	1,960	2,197	3,768	Galvanized	sZ	1,890	10
103106403270309	64	1,960	2,197	3,768	Galvanized	zS	1,890	10
103106406270309	64	1,960	2,197	3,768	Galvanized	zZ	1,890	10
103106405100309	64	2,160	2,197	4,058	Bright	sS	1,890	10
103106404100309	64	2,160	2,197	4,058	Bright	sZ	1,890	10
103106403100309	64	2,160	2,197	4,058	Bright	zS	1,890	10
103106406100309	64	2,160	2,197	4,058	Bright	zZ	1,890	10
103106405300309	64	2,160	2,197	4,058	Galvanized	sS	1,890	10
103106404300309	64	2,160	2,197	4,058	Galvanized	sZ	1,890	10
103106403300309	64	2,160	2,197	4,058	Galvanized	zS	1,890	10
103106406300309	64	2,160	2,197	4,058	Galvanized	zZ	1,890	10
103106605070309	66	1,960	2,337	4,007	Bright	sS	2,010	10
103106604070309	66	1,960	2,337	4,007	Bright	sZ	2,010	10
103106603070309	66	1,960	2,337	4,007	Bright	zS	2,010	10
103106606070309	66	1,960	2,337	4,007	Bright	zZ	2,010	10
103106605270309	66	1,960	2,337	4,007	Galvanized	sS	2,010	10
103106604270309	66	1,960	2,337	4,007	Galvanized	sZ	2,010	10
103106603270309	66	1,960	2,337	4,007	Galvanized	zS	2,010	10
103106606270309	66	1,960	2,337	4,007	Galvanized	zZ	2,010	10
103106605100309	66	2,160	2,337	4,315	Bright	sS	2,010	10

103106604100309	66	2,160	2,337	4,315	Bright	sZ	2,010	10
103106603100309	66	2,160	2,337	4,315	Bright	zS	2,010	10
103106606100309	66	2,160	2,337	4,315	Bright	zZ	2,010	10
103106605300309	66	2,160	2,337	4,315	Galvanized	sS	2,010	10
103106604300309	66	2,160	2,337	4,315	Galvanized	sZ	2,010	10
103106603300309	66	2,160	2,337	4,315	Galvanized	zS	2,010	10
103106606300309	66	2,160	2,337	4,315	Galvanized	zZ	2,010	10
103106805070309	68	1,960	2,480	4,254	Bright	sS	2,133	10
103106804070309	68	1,960	2,480	4,254	Bright	sZ	2,133	10
103106803070309	68	1,960	2,480	4,254	Bright	zS	2,133	10
103106806070309	68	1,960	2,480	4,254	Bright	zZ	2,133	10
103106805270309	68	1,960	2,480	4,254	Galvanized	sS	2,133	10
103106804270309	68	1,960	2,480	4,254	Galvanized	sZ	2,133	10
103106803270309	68	1,960	2,480	4,254	Galvanized	zS	2,133	10
103106806270309	68	1,960	2,480	4,254	Galvanized	zZ	2,133	10
103106805100309	68	2,160	2,480	4,581	Bright	sS	2,133	10
103106804100309	68	2,160	2,480	4,581	Bright	sZ	2,133	10
103106803100309	68	2,160	2,480	4,581	Bright	zS	2,133	10
103106806100309	68	2,160	2,480	4,581	Bright	zZ	2,133	10
103106805300309	68	2,160	2,480	4,581	Galvanized	sS	2,133	10
103106804300309	68	2,160	2,480	4,581	Galvanized	sZ	2,133	10
103106803300309	68	2,160	2,480	4,581	Galvanized	zS	2,133	10
103106806300309	68	2,160	2,480	4,581	Galvanized	zZ	2,133	10

103107005070309	70	1,960	2,628	4,508	Bright	sS	2,261	10
103107004070309	70	1,960	2,628	4,508	Bright	sZ	2,261	10
103107003070309	70	1,960	2,628	4,508	Bright	zS	2,261	10
103107006070309	70	1,960	2,628	4,508	Bright	zZ	2,261	10
103107005270309	70	1,960	2,628	4,508	Galvanized	sS	2,261	10
103107004270309	70	1,960	2,628	4,508	Galvanized	sZ	2,261	10
103107003270309	70	1,960	2,628	4,508	Galvanized	zS	2,261	10
103107006270309	70	1,960	2,628	4,508	Galvanized	zZ	2,261	10
103107005100309	70	2,160	2,628	4,854	Bright	sS	2,261	10
103107004100309	70	2,160	2,628	4,854	Bright	sZ	2,261	10
103107003100309	70	2,160	2,628	4,854	Bright	zS	2,261	10
103107006100309	70	2,160	2,628	4,854	Bright	zZ	2,261	10
103107005300309	70	2,160	2,628	4,854	Galvanized	sS	2,261	10
103107004300309	70	2,160	2,628	4,854	Galvanized	sZ	2,261	10
103107003300309	70	2,160	2,628	4,854	Galvanized	zS	2,261	10
103107006300309	70	2,160	2,628	4,854	Galvanized	zZ	2,261	10