



Steel wire rope Diepa PZ299

Product information



Diepa PZ299 is a non-rotation resistant wire rope with compacted outer strands and plastic insert.

Applications: Universal use for single and multiple layer coiling on the drum.

Lay: Ordinary lay with internal plastic component.

ISO 4309 Rope Category No: 4-6mm **RCN.01**, 7-60mm **RCN.09**

Marking: According to standard

Finish: Galvanized or bright.

Standard: EN 12385-4

Warning: Not to be used with a swivel.

Fill factor: 0.6526

RCN: 01

Part Code	Rope Diameter, mm	Tensile strength N/mm ²	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m	Delivery time
103100404250249	4	1,770	12.2	Galvanized	sZ	7	10
103100403250249	4	1,770	12.2	Galvanized	zS	7	10
103100404050249	4	1,770	12.2	Bright	sZ	7	10
103100403050249	4	1,770	12.2	Bright	zS	7	10
103100404270249	4	1,960	13.5	Galvanized	sZ	7	10
103100403270249	4	1,960	13.5	Galvanized	zS	7	10

103100404070249	4	1,960	13.5	Bright	sZ	7	10
103100403070249	4	1,960	13.5	Bright	zS	7	10
103100404300249	4	2,160	14.7	Galvanized	sZ	7	10
103100403300249	4	2,160	14.7	Galvanized	zS	7	10
103100404100249	4	2,160	14.7	Bright	sZ	7	10
103100403100249	4	2,160	14.7	Bright	zS	7	10
103100504250249	5	1,770	19.1	Galvanized	sZ	11	10
103100503250249	5	1,770	19.1	Galvanized	zS	11	10
103100504050249	5	1,770	19.1	Bright	sZ	11	10
103100503050249	5	1,770	19.1	Bright	zS	11	10
103100504270249	5	1,960	21.1	Galvanized	sZ	11	10
103100503270249	5	1,960	21.1	Galvanized	zS	11	10
103100504070249	5	1,960	21.1	Bright	sZ	11	10
103100503070249	5	1,960	21.1	Bright	zS	11	10
103100504300249	5	2,160	22.9	Galvanized	sZ	11	10
103100503300249	5	2,160	22.9	Galvanized	zS	11	10
103100504100249	5	2,160	22.9	Bright	sZ	11	10
103100503100249	5	2,160	22.9	Bright	zS	11	10
103100604250249	6	1,770	27.5	Galvanized	sZ	16	10
103100603250249	6	1,770	27.5	Galvanized	zS	16	10
103100604050249	6	1,770	27.5	Bright	sZ	16	10
103100603050249	6	1,770	27.5	Bright	zS	16	10
103100604270249	6	1,960	30.5	Galvanized	sZ	16	10

103100603270249	6	1,960	30.5	Galvanized	zS	16	10
103100604070249	6	1,960	30.5	Bright	sZ	16	10
103100603070249	6	1,960	30.5	Bright	zS	16	10
103100604300249	6	2,160	33.2	Galvanized	sZ	16	10
103100603300249	6	2,160	33.2	Galvanized	zS	16	10
103100604100249	6	2,160	33.2	Bright	sZ	16	10
103100603100249	6	2,160	33.2	Bright	zS	16	10
103100654250249	6.5	1,770	32.2	Galvanized	sZ	19	10
103100653250249	6.5	1,770	32.2	Galvanized	zS	19	10
103100654050249	6.5	1,770	32.2	Bright	sZ	19	10
103100653050249	6.5	1,770	32.2	Bright	zS	19	10
103100654270249	6.5	1,960	35.7	Galvanized	sZ	19	10
103100653270249	6.5	1,960	35.7	Galvanized	zS	19	10
103100654070249	6.5	1,960	35.7	Bright	sZ	19	10
103100653070249	6.5	1,960	35.7	Bright	zS	19	10
103100654300249	6.5	2,160	38.8	Galvanized	sZ	19	10
103100653300249	6.5	2,160	38.8	Galvanized	zS	19	10
103100654100249	6.5	2,160	38.8	Bright	sZ	19	10
103100653100249	6.5	2,160	38.8	Bright	zS	19	10
103100704250249	7	1,770	37.3	Galvanized	sZ	22	10
103100703250249	7	1,770	37.3	Galvanized	zS	22	10
103100704050249	7	1,770	37.3	Bright	sZ	22	10
103100703050249	7	1,770	37.3	Bright	zS	22	10

103100704270249	7	1,960	41.3	Galvanized	sZ	22	10
103100703270249	7	1,960	41.3	Galvanized	zS	22	10
103100704070249	7	1,960	41.3	Bright	sZ	22	10
103100703070249	7	1,960	41.3	Bright	zS	22	10
103100704300249	7	2,160	45	Galvanized	sZ	22	10
103100703300249	7	2,160	45	Galvanized	zS	22	10
103100704100249	7	2,160	45	Bright	sZ	22	10
103100703100249	7	2,160	45	Bright	zS	22	10
103100754250249	7.5	1,770	42.9	Galvanized	sZ	26	10
103100753250249	7.5	1,770	42.9	Galvanized	zS	26	10
103100754050249	7.5	1,770	42.9	Bright	sZ	26	10
103100753050249	7.5	1,770	42.9	Bright	zS	26	10
103100754270249	7.5	1,960	47.5	Galvanized	sZ	26	10
103100753270249	7.5	1,960	47.5	Galvanized	zS	26	10
103100754070249	7.5	1,960	47.5	Bright	sZ	26	10
103100753070249	7.5	1,960	47.5	Bright	zS	26	10
103100754300249	7.5	2,160	51.7	Galvanized	sZ	26	10
103100753300249	7.5	2,160	51.7	Galvanized	zS	26	10
103100754100249	7.5	2,160	51.7	Bright	sZ	26	10
103100753100249	7.5	2,160	51.7	Bright	zS	26	10
103100804250249	8	1,770	48.8	Galvanized	sZ	29	10
103100803250249	8	1,770	48.8	Galvanized	zS	29	10
103100804050249	8	1,770	48.8	Bright	sZ	29	10

103100803050249	8	1,770	48.8	Bright	zS	29	10
103100804270249	8	1,960	54	Galvanized	sZ	29	10
103100803270249	8	1,960	54	Galvanized	zS	29	10
103100804070249	8	1,960	54	Bright	sZ	29	10
103100803070249	8	1,960	54	Bright	zS	29	10
103100804300249	8	2,160	58.8	Galvanized	sZ	29	10
103100803300249	8	2,160	58.8	Galvanized	zS	29	10
103100804100249	8	2,160	58.8	Bright	sZ	29	10
103100803100249	8	2,160	58.8	Bright	zS	29	10
103100854250249	8.5	1,770	55.1	Galvanized	sZ	33	10
103100853250249	8.5	1,770	55.1	Galvanized	zS	33	10
103100854050249	8.5	1,770	55.1	Bright	sZ	33	10
103100853050249	8.5	1,770	55.1	Bright	zS	33	10
103100854270249	8.5	1,960	61	Galvanized	sZ	33	10
103100853270249	8.5	1,960	61	Galvanized	zS	33	10
103100854070249	8.5	1,960	61	Bright	sZ	33	10
103100853070249	8.5	1,960	61	Bright	zS	33	10
103100854300249	8.5	2,160	66.4	Galvanized	sZ	33	10
103100853300249	8.5	2,160	66.4	Galvanized	zS	33	10
103100854100249	8.5	2,160	66.4	Bright	sZ	33	10
103100853100249	8.5	2,160	66.4	Bright	zS	33	10
103100904250249	9	1,770	61.7	Galvanized	sZ	37	10
103100903250249	9	1,770	61.7	Galvanized	zS	37	10

103100904050249	9	1,770	61.7	Bright	sZ	37	10
103100903050249	9	1,770	61.7	Bright	zS	37	10
103100904270249	9	1,960	68.3	Galvanized	sZ	37	10
103100903270249	9	1,960	68.3	Galvanized	zS	37	10
103100904070249	9	1,960	68.3	Bright	sZ	37	10
103100903070249	9	1,960	68.3	Bright	zS	37	10
103100904300249	9	2,160	74.4	Galvanized	sZ	37	10
103100903300249	9	2,160	74.4	Galvanized	zS	37	10
103100904100249	9	2,160	74.4	Bright	sZ	37	10
103100903100249	9	2,160	74.4	Bright	zS	37	10
103100954250249	9.5	1,770	68.8	Galvanized	sZ	41	10
103100953250249	9.5	1,770	68.8	Galvanized	zS	41	10
103100954050249	9.5	1,770	68.8	Bright	sZ	41	10
103100953050249	9.5	1,770	68.8	Bright	zS	41	10
103100954270249	9.5	1,960	76.2	Galvanized	sZ	41	10
103100953270249	9.5	1,960	76.2	Galvanized	zS	41	10
103100954070249	9.5	1,960	76.2	Bright	sZ	41	10
103100953070249	9.5	1,960	76.2	Bright	zS	41	10
103100954300249	9.5	2,160	82.9	Galvanized	sZ	41	10
103100953300249	9.5	2,160	82.9	Galvanized	zS	41	10
103100954100249	9.5	2,160	82.9	Bright	sZ	41	10
103100953100249	9.5	2,160	82.9	Bright	zS	41	10
103101004250249	10	1,770	76.2	Galvanized	sZ	46	10

103101003250249	10	1,770	76.2	Galvanized	zS	46	10
103101004050249	10	1,770	76.2	Bright	sZ	46	10
103101003050249	10	1,770	76.2	Bright	zS	46	10
103101004270249	10	1,960	84	Galvanized	sZ	46	10
103101003270249	10	1,960	84	Galvanized	zS	46	10
103101004070249	10	1,960	84	Bright	sZ	46	10
103101003070249	10	1,960	84	Bright	zS	46	10
103101004300249	10	2,160	92.1	Galvanized	sZ	46	10
103101003300249	10	2,160	92.1	Galvanized	zS	46	10
103101004100249	10	2,160	92.1	Bright	sZ	46	10
103101003100249	10	2,160	92.1	Bright	zS	46	10
103101104250249	11	1,770	92.4	Galvanized	sZ	55	10
103101103250249	11	1,770	92.4	Galvanized	zS	55	10
103101104050249	11	1,770	92.4	Bright	sZ	55	10
103101103050249	11	1,770	92.4	Bright	zS	55	10
103101104270249	11	1,960	102	Galvanized	sZ	55	10
103101103270249	11	1,960	102	Galvanized	zS	55	10
103101104070249	11	1,960	102	Bright	sZ	55	10
103101103070249	11	1,960	102	Bright	zS	55	10
103101104300249	11	2,160	111	Galvanized	sZ	55	10
103101103300249	11	2,160	111	Galvanized	zS	55	10
103101104100249	11	2,160	111	Bright	sZ	55	10
103101103100249	11	2,160	111	Bright	zS	55	10

103101204250249	12	1,770	110	Galvanized	sZ	66	10
103101203250249	12	1,770	110	Galvanized	zS	66	10
103101204050249	12	1,770	110	Bright	sZ	66	10
103101203050249	12	1,770	110	Bright	zS	66	10
103101204270249	12	1,960	122	Galvanized	sZ	66	10
103101203270249	12	1,960	122	Galvanized	zS	66	10
103101204070249	12	1,960	122	Bright	sZ	66	10
103101203070249	12	1,960	122	Bright	zS	66	10
103101204300249	12	2,160	132	Galvanized	sZ	66	10
103101203300249	12	2,160	132	Galvanized	zS	66	10
103101204100249	12	2,160	132	Bright	sZ	66	10
103101203100249	12	2,160	132	Bright	zS	66	10
103101304250249	13	1,770	129	Galvanized	sZ	77	10
103101303250249	13	1,770	129	Galvanized	zS	77	10
103101304050249	13	1,770	129	Bright	sZ	77	10
103101303050249	13	1,770	129	Bright	zS	77	10
103101304270249	13	1,960	143	Galvanized	sZ	77	10
103101303270249	13	1,960	143	Galvanized	zS	77	10
103101304070249	13	1,960	143	Bright	sZ	77	10
103101303070249	13	1,960	143	Bright	zS	77	10
103101304300249	13	2,160	155	Galvanized	sZ	77	10
103101303300249	13	2,160	155	Galvanized	zS	77	10
103101304100249	13	2,160	155	Bright	sZ	77	10

103101303100249	13	2,160	155	Bright	zS	77	10
103101404250249	14	1,770	150	Galvanized	sZ	89	10
103101403250249	14	1,770	150	Galvanized	zS	89	10
103101404050249	14	1,770	150	Bright	sZ	89	10
103101403050249	14	1,770	150	Bright	zS	89	10
103101404270249	14	1,960	165	Galvanized	sZ	89	10
103101403270249	14	1,960	165	Galvanized	zS	89	10
103101404070249	14	1,960	165	Bright	sZ	89	10
103101403070249	14	1,960	165	Bright	zS	89	10
103101404300249	14	2,160	180	Galvanized	sZ	89	10
103101403300249	14	2,160	180	Galvanized	zS	89	10
103101404100249	14	2,160	180	Bright	sZ	89	10
103101403100249	14	2,160	180	Bright	zS	89	10
103101504250249	15	1,770	171	Galvanized	sZ	103	10
103101503250249	15	1,770	171	Galvanized	zS	103	10
103101504050249	15	1,770	171	Bright	sZ	103	10
103101503050249	15	1,770	171	Bright	zS	103	10
103101504270249	15	1,960	190	Galvanized	sZ	103	10
103101503270249	15	1,960	190	Galvanized	zS	103	10
103101504070249	15	1,960	190	Bright	sZ	103	10
103101503070249	15	1,960	190	Bright	zS	103	10
103101504300249	15	2,160	207	Galvanized	sZ	103	10
103101503300249	15	2,160	207	Galvanized	zS	103	10

103101504100249	15	2,160	207	Bright	sZ	103	10
103101503100249	15	2,160	207	Bright	zS	103	10
103101604250249	16	1,770	195	Galvanized	sZ	117	10
103101603250249	16	1,770	195	Galvanized	zS	117	10
103101604050249	16	1,770	195	Bright	sZ	117	10
103101603050249	16	1,770	195	Bright	zS	117	10
103101604270249	16	1,960	216	Galvanized	sZ	117	10
103101603270249	16	1,960	216	Galvanized	zS	117	10
103101604070249	16	1,960	216	Bright	sZ	117	10
103101603070249	16	1,960	216	Bright	zS	117	10
103101604300249	16	2,160	235	Galvanized	sZ	117	10
103101603300249	16	2,160	235	Galvanized	zS	117	10
103101604100249	16	2,160	235	Bright	sZ	117	10
103101603100249	16	2,160	235	Bright	zS	117	10
103101704250249	17	1,770	220	Galvanized	sZ	132	10
103101703250249	17	1,770	220	Galvanized	zS	132	10
103101704050249	17	1,770	220	Bright	sZ	132	10
103101703050249	17	1,770	220	Bright	zS	132	10
103101704270249	17	1,960	244	Galvanized	sZ	132	10
103101703270249	17	1,960	244	Galvanized	zS	132	10
103101704070249	17	1,960	244	Bright	sZ	132	10
103101703070249	17	1,960	244	Bright	zS	132	10
103101704300249	17	2,160	266	Galvanized	sZ	132	10

103101703300249	17	2,160	266	Galvanized	zS	132	10
103101704100249	17	2,160	266	Bright	sZ	132	10
103101703100249	17	2,160	266	Bright	zS	132	10
103101804250249	18	1,770	247	Galvanized	sZ	148	10
103101803250249	18	1,770	247	Galvanized	zS	148	10
103101804050249	18	1,770	247	Bright	sZ	148	10
103101803050249	18	1,770	247	Bright	zS	148	10
103101804270249	18	1,960	274	Galvanized	sZ	148	10
103101803270249	18	1,960	274	Galvanized	zS	148	10
103101804070249	18	1,960	274	Bright	sZ	148	10
103101803070249	18	1,960	274	Bright	zS	148	10
103101804300249	18	2,160	298	Galvanized	sZ	148	10
103101803300249	18	2,160	298	Galvanized	zS	148	10
103101804100249	18	2,160	298	Bright	sZ	148	10
103101803100249	18	2,160	298	Bright	zS	148	10
103101904250249	19	1,770	275	Galvanized	sZ	165	10
103101903250249	19	1,770	275	Galvanized	zS	165	10
103101904050249	19	1,770	275	Bright	sZ	165	10
103101903050249	19	1,770	275	Bright	zS	165	10
103101904270249	19	1,960	305	Galvanized	sZ	165	10
103101903270249	19	1,960	305	Galvanized	zS	165	10
103101904070249	19	1,960	305	Bright	sZ	165	10
103101903070249	19	1,960	305	Bright	zS	165	10

103101904300249	19	2,160	332	Galvanized	sZ	165	10
103101903300249	19	2,160	332	Galvanized	zS	165	10
103101904100249	19	2,160	332	Bright	sZ	165	10
103101903100249	19	2,160	332	Bright	zS	165	10
103102004250249	20	1,770	305	Galvanized	sZ	182	10
103102003250249	20	1,770	305	Galvanized	zS	182	10
103102004050249	20	1,770	305	Bright	sZ	182	10
103102003050249	20	1,770	305	Bright	zS	182	10
103102004270249	20	1,960	338	Galvanized	sZ	182	10
103102003270249	20	1,960	338	Galvanized	zS	182	10
103102004070249	20	1,960	338	Bright	sZ	182	10
103102003070249	20	1,960	338	Bright	zS	182	10
103102004300249	20	2,160	369	Galvanized	sZ	182	10
103102003300249	20	2,160	369	Galvanized	zS	182	10
103102004100249	20	2,160	369	Bright	sZ	182	10
103102003100249	20	2,160	369	Bright	zS	182	10
103102104250249	21	1,770	336	Galvanized	sZ	201	10
103102103250249	21	1,770	336	Galvanized	zS	201	10
103102104050249	21	1,770	336	Bright	sZ	201	10
103102103050249	21	1,770	336	Bright	zS	201	10
103102104270249	21	1,960	372	Galvanized	sZ	201	10
103102103270249	21	1,960	372	Galvanized	zS	201	10
103102104070249	21	1,960	372	Bright	sZ	201	10

103102103070249	21	1,960	372	Bright	zS	201	10
103102104300249	21	2,160	405	Galvanized	sZ	201	10
103102103300249	21	2,160	405	Galvanized	zS	201	10
103102104100249	21	2,160	405	Bright	sZ	201	10
103102103100249	21	2,160	405	Bright	zS	201	10
103102204250249	22	1,770	369	Galvanized	sZ	221	10
103102203250249	22	1,770	369	Galvanized	zS	221	10
103102204050249	22	1,770	369	Bright	sZ	221	10
103102203050249	22	1,770	369	Bright	zS	221	10
103102204270249	22	1,960	408	Galvanized	sZ	221	10
103102203270249	22	1,960	408	Galvanized	zS	221	10
103102204070249	22	1,960	408	Bright	sZ	221	10
103102203070249	22	1,960	408	Bright	zS	221	10
103102204300249	22	2,160	445	Galvanized	sZ	221	10
103102203300249	22	2,160	445	Galvanized	zS	221	10
103102204100249	22	2,160	445	Bright	sZ	221	10
103102203100249	22	2,160	445	Bright	zS	221	10
103102304250249	23	1,770	403	Galvanized	sZ	241	10
103102303250249	23	1,770	403	Galvanized	zS	241	10
103102304050249	23	1,770	403	Bright	sZ	241	10
103102303050249	23	1,770	403	Bright	zS	241	10
103102304270249	23	1,960	446	Galvanized	sZ	241	10
103102303270249	23	1,960	446	Galvanized	zS	241	10

103102304070249	23	1,960	446	Bright	sZ	241	10
103102303070249	23	1,960	446	Bright	zS	241	10
103102304300249	23	2,160	486	Galvanized	sZ	241	10
103102303300249	23	2,160	486	Galvanized	zS	241	10
103102304100249	23	2,160	486	Bright	sZ	241	10
103102303100249	23	2,160	486	Bright	zS	241	10
103102404250249	24	1,770	439	Galvanized	sZ	263	10
103102403250249	24	1,770	439	Galvanized	zS	263	10
103102404050249	24	1,770	439	Bright	sZ	263	10
103102403050249	24	1,770	439	Bright	zS	263	10
103102404270249	24	1,960	486	Galvanized	sZ	263	10
103102403270249	24	1,960	486	Galvanized	zS	263	10
103102404070249	24	1,960	486	Bright	sZ	263	10
103102403070249	24	1,960	486	Bright	zS	263	10
103102404300249	24	2,160	530	Galvanized	sZ	263	10
103102403300249	24	2,160	530	Galvanized	zS	263	10
103102404100249	24	2,160	530	Bright	sZ	263	10
103102403100249	24	2,160	530	Bright	zS	263	10
103102504250249	25	1,770	176	Galvanized	sZ	285	10
103102503250249	25	1,770	176	Galvanized	zS	285	10
103102504050249	25	1,770	176	Bright	sZ	285	10
103102503050249	25	1,770	176	Bright	zS	285	10
103102504270249	25	1,960	528	Galvanized	sZ	285	10

103102503270249	25	1,960	528	Galvanized	zS	285	10
103102504070249	25	1,960	528	Bright	sZ	285	10
103102503070249	25	1,960	528	Bright	zS	285	10
103102504300249	25	2,160	574	Galvanized	sZ	285	10
103102503300249	25	2,160	574	Galvanized	zS	285	10
103102504100249	25	2,160	574	Bright	sZ	285	10
103102503100249	25	2,160	574	Bright	zS	285	10
103102604250249	26	1,770	515	Galvanized	sZ	308	10
103102603250249	26	1,770	515	Galvanized	zS	308	10
103102604050249	26	1,770	515	Bright	sZ	308	10
103102603050249	26	1,770	515	Bright	zS	308	10
103102604270249	26	1,960	570	Galvanized	sZ	308	10
103102603270249	26	1,960	570	Galvanized	zS	308	10
103102604070249	26	1,960	570	Bright	sZ	308	10
103102603070249	26	1,960	570	Bright	zS	308	10
103102604300249	26	2,160	621	Galvanized	sZ	308	10
103102603300249	26	2,160	621	Galvanized	zS	308	10
103102604100249	26	2,160	621	Bright	sZ	308	10
103102603100249	26	2,160	621	Bright	zS	308	10
103102704250249	27	1,770	555	Galvanized	sZ	333	10
103102703250249	27	1,770	555	Galvanized	zS	333	10
103102704050249	27	1,770	555	Bright	sZ	333	10
103102703050249	27	1,770	555	Bright	zS	333	10

103102704270249	27	1,960	615	Galvanized	sZ	333	10
103102703270249	27	1,960	615	Galvanized	zS	333	10
103102704070249	27	1,960	615	Bright	sZ	333	10
103102703070249	27	1,960	615	Bright	zS	333	10
103102704300249	27	2,160	670	Galvanized	sZ	333	10
103102703300249	27	2,160	670	Galvanized	zS	333	10
103102704100249	27	2,160	670	Bright	sZ	333	10
103102703100249	27	2,160	670	Bright	zS	333	10
103102804250249	28	1,770	515	Galvanized	sZ	358	10
103102803250249	28	1,770	515	Galvanized	zS	358	10
103102804050249	28	1,770	515	Bright	sZ	358	10
103102803050249	28	1,770	515	Bright	zS	358	10
103102804270249	28	1,960	662	Galvanized	sZ	358	10
103102803270249	28	1,960	662	Galvanized	zS	358	10
103102804070249	28	1,960	662	Bright	sZ	358	10
103102803070249	28	1,960	662	Bright	zS	358	10
103102804300249	28	2,160	720	Galvanized	sZ	358	10
103102803300249	28	2,160	720	Galvanized	zS	358	10
103102804100249	28	2,160	720	Bright	sZ	358	10
103102803100249	28	2,160	720	Bright	zS	358	10
103102904250249	29	1,770	641	Galvanized	sZ	384	10
103102903250249	29	1,770	641	Galvanized	zS	384	10
103102904050249	29	1,770	641	Bright	sZ	384	10

103102903050249	29	1,770	641	Bright	zS	384	10
103102904270249	29	1,960	710	Galvanized	sZ	384	10
103102903270249	29	1,960	710	Galvanized	zS	384	10
103102904070249	29	1,960	710	Bright	sZ	384	10
103102903070249	29	1,960	710	Bright	zS	384	10
103102904300249	29	2,160	773	Galvanized	sZ	384	10
103102903300249	29	2,160	773	Galvanized	zS	384	10
103102904100249	29	2,160	773	Bright	sZ	384	10
103102903100249	29	2,160	773	Bright	zS	384	10
103103004250249	30	1,770	686	Galvanized	sZ	411	10
103103003250249	30	1,770	686	Galvanized	zS	411	10
103103004050249	30	1,770	686	Bright	sZ	411	10
103103003050249	30	1,770	686	Bright	zS	411	10
103103004270249	30	1,960	759	Galvanized	sZ	411	10
103103003270249	30	1,960	759	Galvanized	zS	411	10
103103004070249	30	1,960	759	Bright	sZ	411	10
103103003070249	30	1,960	759	Bright	zS	411	10
103103004300249	30	2,160	827	Galvanized	sZ	411	10
103103003300249	30	2,160	827	Galvanized	zS	411	10
103103004100249	30	2,160	827	Bright	sZ	411	10
103103003100249	30	2,160	827	Bright	zS	411	10
103103104250249	31	1,770	732	Galvanized	sZ	438	10
103103103250249	31	1,770	732	Galvanized	zS	438	10

103103104050249	31	1,770	732	Bright	sZ	438	10
103103103050249	31	1,770	732	Bright	zS	438	10
103103104270249	31	1,960	811	Galvanized	sZ	438	10
103103103270249	31	1,960	811	Galvanized	zS	438	10
103103104070249	31	1,960	811	Bright	sZ	438	10
103103103070249	31	1,960	811	Bright	zS	438	10
103103104300249	31	2,160	883	Galvanized	sZ	438	10
103103103300249	31	2,160	883	Galvanized	zS	438	10
103103104100249	31	2,160	883	Bright	sZ	438	10
103103103100249	31	2,160	883	Bright	zS	438	10
103103204250249	32	1,770	780	Galvanized	sZ	467	10
103103203250249	32	1,770	780	Galvanized	zS	467	10
103103204050249	32	1,770	780	Bright	sZ	467	10
103103203050249	32	1,770	780	Bright	zS	467	10
103103204270249	32	1,960	864	Galvanized	sZ	467	10
103103203270249	32	1,960	864	Galvanized	zS	467	10
103103204070249	32	1,960	864	Bright	sZ	467	10
103103203070249	32	1,960	864	Bright	zS	467	10
103103204300249	32	2,160	941	Galvanized	sZ	467	10
103103203300249	32	2,160	941	Galvanized	zS	467	10
103103204100249	32	2,160	941	Bright	sZ	467	10
103103203100249	32	2,160	941	Bright	zS	467	10
103103304250249	33	1,770	830	Galvanized	sZ	497	10

103103303250249	33	1,770	830	Galvanized	zS	497	10
103103304050249	33	1,770	830	Bright	sZ	497	10
103103303050249	33	1,770	830	Bright	zS	497	10
103103304270249	33	1,960	919	Galvanized	sZ	497	10
103103303270249	33	1,960	919	Galvanized	zS	497	10
103103304070249	33	1,960	919	Bright	sZ	497	10
103103303070249	33	1,960	919	Bright	zS	497	10
103103304300249	33	2,160	1,001	Galvanized	sZ	497	10
103103303300249	33	2,160	1,001	Galvanized	zS	497	10
103103304100249	33	2,160	1,001	Bright	sZ	497	10
103103303100249	33	2,160	1,001	Bright	zS	497	10
103103404250249	34	1,770	881	Galvanized	sZ	527	10
103103403250249	34	1,770	881	Galvanized	zS	527	10
103103404050249	34	1,770	881	Bright	sZ	527	10
103103403050249	34	1,770	881	Bright	zS	527	10
103103404270249	34	1,960	975	Galvanized	sZ	527	10
103103403270249	34	1,960	975	Galvanized	zS	527	10
103103404070249	34	1,960	975	Bright	sZ	527	10
103103403070249	34	1,960	975	Bright	zS	527	10
103103404300249	34	2,160	1,062	Galvanized	sZ	527	10
103103403300249	34	2,160	1,062	Galvanized	zS	527	10
103103404100249	34	2,160	1,062	Bright	sZ	527	10
103103403100249	34	2,160	1,062	Bright	zS	527	10

103103504250249	35	1,770	933	Galvanized	sZ	559	10
103103503250249	35	1,770	933	Galvanized	zS	559	10
103103504050249	35	1,770	933	Bright	sZ	559	10
103103503050249	35	1,770	933	Bright	zS	559	10
103103504270249	35	1,960	1,034	Galvanized	sZ	559	10
103103503270249	35	1,960	1,034	Galvanized	zS	559	10
103103504070249	35	1,960	1,034	Bright	sZ	559	10
103103503070249	35	1,960	1,034	Bright	zS	559	10
103103504300249	35	2,160	1,125	Galvanized	sZ	559	10
103103503300249	35	2,160	1,125	Galvanized	zS	559	10
103103504100249	35	2,160	1,125	Bright	sZ	559	10
103103503100249	35	2,160	1,125	Bright	zS	559	10
103103604250249	36	1,770	988	Galvanized	sZ	591	10
103103603250249	36	1,770	988	Galvanized	zS	591	10
103103604050249	36	1,770	988	Bright	sZ	591	10
103103603050249	36	1,770	988	Bright	zS	591	10
103103604270249	36	1,960	1,094	Galvanized	sZ	591	10
103103603270249	36	1,960	1,094	Galvanized	zS	591	10
103103604070249	36	1,960	1,094	Bright	sZ	591	10
103103603070249	36	1,960	1,094	Bright	zS	591	10
103103604300249	36	2,160	1,191	Galvanized	sZ	591	10
103103603300249	36	2,160	1,191	Galvanized	zS	591	10
103103604100249	36	2,160	1,191	Bright	sZ	591	10

103103603100249	36	2,160	1,191	Bright	zS	591	10
103103704250249	37	1,770	1,043	Galvanized	sZ	625	10
103103703250249	37	1,770	1,043	Galvanized	zS	625	10
103103704050249	37	1,770	1,043	Bright	sZ	625	10
103103703050249	37	1,770	1,043	Bright	zS	625	10
103103704270249	37	1,960	1,155	Galvanized	sZ	625	10
103103703270249	37	1,960	1,155	Galvanized	zS	625	10
103103704070249	37	1,960	1,155	Bright	sZ	625	10
103103703070249	37	1,960	1,155	Bright	zS	625	10
103103704300249	37	2,160	1,258	Galvanized	sZ	625	10
103103703300249	37	2,160	1,258	Galvanized	zS	625	10
103103704100249	37	2,160	1,258	Bright	sZ	625	10
103103703100249	37	2,160	1,258	Bright	zS	625	10
103103804250249	38	1,770	1,100	Galvanized	sZ	659	10
103103803250249	38	1,770	1,100	Galvanized	zS	659	10
103103804050249	38	1,770	1,100	Bright	sZ	659	10
103103803050249	38	1,770	1,100	Bright	zS	659	10
103103804270249	38	1,960	1,219	Galvanized	sZ	659	10
103103803270249	38	1,960	1,219	Galvanized	zS	659	10
103103804070249	38	1,960	1,219	Bright	sZ	659	10
103103803070249	38	1,960	1,219	Bright	zS	659	10
103103804300249	38	2,160	1,327	Galvanized	sZ	659	10
103103803300249	38	2,160	1,327	Galvanized	zS	659	10

103103804100249	38	2,160	1,327	Bright	sZ	659	10
103103803100249	38	2,160	1,327	Bright	zS	659	10
103103904250249	39	1,770	1,159	Galvanized	sZ	694	10
103103903250249	39	1,770	1,159	Galvanized	zS	694	10
103103904050249	39	1,770	1,159	Bright	sZ	694	10
103103903050249	39	1,770	1,159	Bright	zS	694	10
103103904270249	39	1,960	1,284	Galvanized	sZ	694	10
103103903270249	39	1,960	1,284	Galvanized	zS	694	10
103103904070249	39	1,960	1,284	Bright	sZ	694	10
103103903070249	39	1,960	1,284	Bright	zS	694	10
103103904300249	39	2,160	1,398	Galvanized	sZ	694	10
103103903300249	39	2,160	1,398	Galvanized	zS	694	10
103103904100249	39	2,160	1,398	Bright	sZ	694	10
103103903100249	39	2,160	1,398	Bright	zS	694	10
103104004250249	40	1,770	1,220	Galvanized	sZ	730	10
103104003250249	40	1,770	1,220	Galvanized	zS	730	10
103104004050249	40	1,770	1,220	Bright	sZ	730	10
103104003050249	40	1,770	1,220	Bright	zS	730	10
103104004270249	40	1,960	1,350	Galvanized	sZ	730	10
103104003270249	40	1,960	1,350	Galvanized	zS	730	10
103104004070249	40	1,960	1,350	Bright	sZ	730	10
103104003070249	40	1,960	1,350	Bright	zS	730	10
103104004300249	40	2,160	1,470	Galvanized	sZ	730	10

103104003300249	40	2,160	1,470	Galvanized	zS	730	10
103104004100249	40	2,160	1,470	Bright	sZ	730	10
103104003100249	40	2,160	1,470	Bright	zS	730	10
103104104250249	41	1,770	1,281	Galvanized	sZ	767	10
103104103250249	41	1,770	1,281	Galvanized	zS	767	10
103104104050249	41	1,770	1,281	Bright	sZ	767	10
103104103050249	41	1,770	1,281	Bright	zS	767	10
103104104270249	41	1,960	1,419	Galvanized	sZ	767	10
103104103270249	41	1,960	1,419	Galvanized	zS	767	10
103104104070249	41	1,960	1,419	Bright	sZ	767	10
103104103070249	41	1,960	1,419	Bright	zS	767	10
103104104300249	41	2,160	1,545	Galvanized	sZ	767	10
103104103300249	41	2,160	1,545	Galvanized	zS	767	10
103104104100249	41	2,160	1,545	Bright	sZ	767	10
103104103100249	41	2,160	1,545	Bright	zS	767	10
103104204250249	42	1,770	1,344	Galvanized	sZ	805	10
103104203250249	42	1,770	1,344	Galvanized	zS	805	10
103104204050249	42	1,770	1,344	Bright	sZ	805	10
103104203050249	42	1,770	1,344	Bright	zS	805	10
103104204270249	42	1,960	1,488	Galvanized	sZ	805	10
103104203270249	42	1,960	1,488	Galvanized	zS	805	10
103104204070249	42	1,960	1,488	Bright	sZ	805	10
103104203070249	42	1,960	1,488	Bright	zS	805	10

103104204300249	42	2,160	1,621	Galvanized	sZ	805	10
103104203300249	42	2,160	1,621	Galvanized	zS	805	10
103104204100249	42	2,160	1,621	Bright	sZ	805	10
103104203100249	42	2,160	1,621	Bright	zS	805	10
103104404250249	44	1,770	1,475	Galvanized	sZ	883	10
103104403250249	44	1,770	1,475	Galvanized	zS	883	10
103104404050249	44	1,770	1,475	Bright	sZ	883	10
103104403050249	44	1,770	1,475	Bright	zS	883	10
103104404270249	44	1,960	1,634	Galvanized	sZ	883	10
103104403270249	44	1,960	1,634	Galvanized	zS	883	10
103104404070249	44	1,960	1,634	Bright	sZ	883	10
103104403070249	44	1,960	1,634	Bright	zS	883	10
103104404300249	44	2,160	1,779	Galvanized	sZ	883	10
103104403300249	44	2,160	1,779	Galvanized	zS	883	10
103104404100249	44	2,160	1,779	Bright	sZ	883	10
103104403100249	44	2,160	1,779	Bright	zS	883	10
103104504250249	45	1,770	1,543	Galvanized	sZ	924	10
103104503250249	45	1,770	1,543	Galvanized	zS	924	10
103104504050249	45	1,770	1,543	Bright	sZ	924	10
103104503050249	45	1,770	1,543	Bright	zS	924	10
103104504270249	45	1,960	1,709	Galvanized	sZ	924	10
103104503270249	45	1,960	1,709	Galvanized	zS	924	10
103104504070249	45	1,960	1,709	Bright	sZ	924	10

103104503070249	45	1,960	1,709	Bright	zS	924	10
103104504300249	45	2,160	1,861	Galvanized	sZ	924	10
103104503300249	45	2,160	1,861	Galvanized	zS	924	10
103104504100249	45	2,160	1,861	Bright	sZ	924	10
103104503100249	45	2,160	1,861	Bright	zS	924	10
103104604250249	46	1,770	1,613	Galvanized	sZ	965	10
103104603250249	46	1,770	1,613	Galvanized	zS	965	10
103104604050249	46	1,770	1,613	Bright	sZ	965	10
103104603050249	46	1,770	1,613	Bright	zS	965	10
103104604270249	46	1,960	1,786	Galvanized	sZ	965	10
103104603270249	46	1,960	1,786	Galvanized	zS	965	10
103104604070249	46	1,960	1,786	Bright	sZ	965	10
103104603070249	46	1,960	1,786	Bright	zS	965	10
103104604300249	46	2,160	1,945	Galvanized	sZ	965	10
103104603300249	46	2,160	1,945	Galvanized	zS	965	10
103104604100249	46	2,160	1,945	Bright	sZ	965	10
103104603100249	46	2,160	1,945	Bright	zS	965	10
103104704250249	47	1,770	1,683	Galvanized	sZ	1,008	10
103104703250249	47	1,770	1,683	Galvanized	zS	1,008	10
103104704050249	47	1,770	1,683	Bright	sZ	1,008	10
103104703050249	47	1,770	1,683	Bright	zS	1,008	10
103104704270249	47	1,960	1,864	Galvanized	sZ	1,008	10
103104703270249	47	1,960	1,864	Galvanized	zS	1,008	10

103104704070249	47	1,960	1,864	Bright	sZ	1,008	10
103104703070249	47	1,960	1,864	Bright	zS	1,008	10
103104704300249	47	2,160	2,030	Galvanized	sZ	1,008	10
103104703300249	47	2,160	2,030	Galvanized	zS	1,008	10
103104704100249	47	2,160	2,030	Bright	sZ	1,008	10
103104703100249	47	2,160	2,030	Bright	zS	1,008	10
103104804250249	48	1,770	1,756	Galvanized	sZ	1,051	10
103104803250249	48	1,770	1,756	Galvanized	zS	1,051	10
103104804050249	48	1,770	1,756	Bright	sZ	1,051	10
103104803050249	48	1,770	1,756	Bright	zS	1,051	10
103104804270249	48	1,960	1,945	Galvanized	sZ	1,051	10
103104803270249	48	1,960	1,945	Galvanized	zS	1,051	10
103104804070249	48	1,960	1,945	Bright	sZ	1,051	10
103104803070249	48	1,960	1,945	Bright	zS	1,051	10
103104804300249	48	2,160	2,117	Galvanized	sZ	1,051	10
103104803300249	48	2,160	2,117	Galvanized	zS	1,051	10
103104804100249	48	2,160	2,117	Bright	sZ	1,051	10
103104803100249	48	2,160	2,117	Bright	zS	1,051	10
103104904250249	49	1,770	1,830	Galvanized	sZ	1,095	10
103104903250249	49	1,770	1,830	Galvanized	zS	1,095	10
103104904050249	49	1,770	1,830	Bright	sZ	1,095	10
103104903050249	49	1,770	1,830	Bright	zS	1,095	10
103104904270249	49	1,960	2,026	Galvanized	sZ	1,095	10

103104903270249	49	1,960	2,026	Galvanized	zS	1,095	10
103104904070249	49	1,960	2,026	Bright	sZ	1,095	10
103104903070249	49	1,960	2,026	Bright	zS	1,095	10
103104904300249	49	2,160	2,206	Galvanized	sZ	1,095	10
103104903300249	49	2,160	2,206	Galvanized	zS	1,095	10
103104904100249	49	2,160	2,206	Bright	sZ	1,095	10
103104903100249	49	2,160	2,206	Bright	zS	1,095	10
103105004250249	50	1,770	1,905	Galvanized	sZ	1,140	10
103105003250249	50	1,770	1,905	Galvanized	zS	1,140	10
103105004050249	50	1,770	1,905	Bright	sZ	1,140	10
103105003050249	50	1,770	1,905	Bright	zS	1,140	10
103105004270249	50	1,960	2,110	Galvanized	sZ	1,140	10
103105003270249	50	1,960	2,110	Galvanized	zS	1,140	10
103105004070249	50	1,960	2,110	Bright	sZ	1,140	10
103105003070249	50	1,960	2,110	Bright	zS	1,140	10
103105004300249	50	2,160	2,297	Galvanized	sZ	1,140	10
103105003300249	50	2,160	2,297	Galvanized	zS	1,140	10
103105004100249	50	2,160	2,297	Bright	sZ	1,140	10
103105003100249	50	2,160	2,297	Bright	zS	1,140	10
103105104250249	51	1,770	1,982	Galvanized	sZ	1,187	10
103105103250249	51	1,770	1,982	Galvanized	zS	1,187	10
103105104050249	51	1,770	1,982	Bright	sZ	1,187	10
103105103050249	51	1,770	1,982	Bright	zS	1,187	10

103105104270249	51	1,960	2,195	Galvanized	sZ	1,187	10
103105103270249	51	1,960	2,195	Galvanized	zS	1,187	10
103105104070249	51	1,960	2,195	Bright	sZ	1,187	10
103105103070249	51	1,960	2,195	Bright	zS	1,187	10
103105104300249	51	2,160	2,390	Galvanized	sZ	1,187	10
103105103300249	51	2,160	2,390	Galvanized	zS	1,187	10
103105104100249	51	2,160	2,390	Bright	sZ	1,187	10
103105103100249	51	2,160	2,390	Bright	zS	1,187	10
103105204250249	52	1,770	2,061	Galvanized	sZ	1,233	10
103105203250249	52	1,770	2,061	Galvanized	zS	1,233	10
103105204050249	52	1,770	2,061	Bright	sZ	1,233	10
103105203050249	52	1,770	2,061	Bright	zS	1,233	10
103105204270249	52	1,960	2,281	Galvanized	sZ	1,233	10
103105203270249	52	1,960	2,281	Galvanized	zS	1,233	10
103105204070249	52	1,960	2,281	Bright	sZ	1,233	10
103105203070249	52	1,960	2,281	Bright	zS	1,233	10
103105204300249	52	2,160	2,485	Galvanized	sZ	1,233	10
103105203300249	52	2,160	2,485	Galvanized	zS	1,233	10
103105204100249	52	2,160	2,485	Bright	sZ	1,233	10
103105203100249	52	2,160	2,485	Bright	zS	1,233	10
103105304250249	53	1,770	2,140	Galvanized	sZ	1,281	10
103105303250249	53	1,770	2,140	Galvanized	zS	1,281	10
103105304050249	53	1,770	2,140	Bright	sZ	1,281	10

103105303050249	53	1,770	2,140	Bright	zS	1,281	10
103105304270249	53	1,960	2,370	Galvanized	sZ	1,281	10
103105303270249	53	1,960	2,370	Galvanized	zS	1,281	10
103105304070249	53	1,960	2,370	Bright	sZ	1,281	10
103105303070249	53	1,960	2,370	Bright	zS	1,281	10
103105304300249	53	2,160	2,581	Galvanized	sZ	1,281	10
103105303300249	53	2,160	2,581	Galvanized	zS	1,281	10
103105304100249	53	2,160	2,581	Bright	sZ	1,281	10
103105303100249	53	2,160	2,581	Bright	zS	1,281	10
103105404250249	54	1,770	2,222	Galvanized	sZ	1,330	10
103105403250249	54	1,770	2,222	Galvanized	zS	1,330	10
103105404050249	54	1,770	2,222	Bright	sZ	1,330	10
103105403050249	54	1,770	2,222	Bright	zS	1,330	10
103105404270249	54	1,960	2,460	Galvanized	sZ	1,330	10
103105403270249	54	1,960	2,460	Galvanized	zS	1,330	10
103105404070249	54	1,960	2,460	Bright	sZ	1,330	10
103105403070249	54	1,960	2,460	Bright	zS	1,330	10
103105404300249	54	2,160	2,679	Galvanized	sZ	1,330	10
103105403300249	54	2,160	2,679	Galvanized	zS	1,330	10
103105404100249	54	2,160	2,679	Bright	sZ	1,330	10
103105403100249	54	2,160	2,679	Bright	zS	1,330	10
103105504250249	55	1,770	2,305	Galvanized	sZ	1,380	10
103105503250249	55	1,770	2,305	Galvanized	zS	1,380	10

103105504050249	55	1,770	2,305	Bright	sZ	1,380	10
103105503050249	55	1,770	2,305	Bright	zS	1,380	10
103105504270249	55	1,960	2,553	Galvanized	sZ	1,380	10
103105503270249	55	1,960	2,553	Galvanized	zS	1,380	10
103105504070249	55	1,960	2,553	Bright	sZ	1,380	10
103105503070249	55	1,960	2,553	Bright	zS	1,380	10
103105504300249	55	2,160	2,780	Galvanized	sZ	1,380	10
103105503300249	55	2,160	2,780	Galvanized	zS	1,380	10
103105504100249	55	2,160	2,780	Bright	sZ	1,380	10
103105503100249	55	2,160	2,780	Bright	zS	1,380	10
103105604250249	56	1,770	2,390	Galvanized	sZ	1,431	10
103105603250249	56	1,770	2,390	Galvanized	zS	1,431	10
103105604050249	56	1,770	2,390	Bright	sZ	1,431	10
103105603050249	56	1,770	2,390	Bright	zS	1,431	10
103105604270249	56	1,960	2,647	Galvanized	sZ	1,431	10
103105603270249	56	1,960	2,647	Galvanized	zS	1,431	10
103105604070249	56	1,960	2,647	Bright	sZ	1,431	10
103105603070249	56	1,960	2,647	Bright	zS	1,431	10
103105604300249	56	2,160	2,882	Galvanized	sZ	1,431	10
103105603300249	56	2,160	2,882	Galvanized	zS	1,431	10
103105604100249	56	2,160	2,882	Bright	sZ	1,431	10
103105603100249	56	2,160	2,882	Bright	zS	1,431	10
103105704250249	57	1,770	2,476	Galvanized	sZ	1,482	10

103105703250249	57	1,770	2,476	Galvanized	zS	1,482	10
103105704050249	57	1,770	2,476	Bright	sZ	1,482	10
103105703050249	57	1,770	2,476	Bright	zS	1,482	10
103105704270249	57	1,960	2,742	Galvanized	sZ	1,482	10
103105703270249	57	1,960	2,742	Galvanized	zS	1,482	10
103105704070249	57	1,960	2,742	Bright	sZ	1,482	10
103105703070249	57	1,960	2,742	Bright	zS	1,482	10
103105704300249	57	2,160	2,986	Galvanized	sZ	1,482	10
103105703300249	57	2,160	2,986	Galvanized	zS	1,482	10
103105704100249	57	2,160	2,986	Bright	sZ	1,482	10
103105703100249	57	2,160	2,986	Bright	zS	1,482	10
103105804250249	58	1,770	2,584	Galvanized	sZ	1,535	10
103105803250249	58	1,770	2,584	Galvanized	zS	1,535	10
103105804050249	58	1,770	2,584	Bright	sZ	1,535	10
103105803050249	58	1,770	2,584	Bright	zS	1,535	10
103105804270249	58	1,960	2,838	Galvanized	sZ	1,535	10
103105803270249	58	1,960	2,838	Galvanized	zS	1,535	10
103105804070249	58	1,960	2,838	Bright	sZ	1,535	10
103105803070249	58	1,960	2,838	Bright	zS	1,535	10
103105804300249	58	2,160	3,091	Galvanized	sZ	1,535	10
103105803300249	58	2,160	3,091	Galvanized	zS	1,535	10
103105804100249	58	2,160	3,091	Bright	sZ	1,535	10
103105803100249	58	2,160	3,091	Bright	zS	1,535	10

103105904250249	59	1,770	2,653	Galvanized	sZ	1,588	10
103105903250249	59	1,770	2,653	Galvanized	zS	1,588	10
103105904050249	59	1,770	2,653	Bright	sZ	1,588	10
103105903050249	59	1,770	2,653	Bright	zS	1,588	10
103105904270249	59	1,960	2,937	Galvanized	sZ	1,588	10
103105903270249	59	1,960	2,937	Galvanized	zS	1,588	10
103105904070249	59	1,960	2,937	Bright	sZ	1,588	10
103105903070249	59	1,960	2,937	Bright	zS	1,588	10
103105904300249	59	2,160	3,199	Galvanized	sZ	1,588	10
103105903300249	59	2,160	3,199	Galvanized	zS	1,588	10
103105904100249	59	2,160	3,199	Bright	sZ	1,588	10
103105903100249	59	2,160	3,199	Bright	zS	1,588	10
103106004250249	60	1,770	2,743	Galvanized	sZ	1,642	10
103106003250249	60	1,770	2,743	Galvanized	zS	1,642	10
103106004050249	60	1,770	2,743	Bright	sZ	1,642	10
103106003050249	60	1,770	2,743	Bright	zS	1,642	10
103106004270249	60	1,960	3,038	Galvanized	sZ	1,642	10
103106003270249	60	1,960	3,038	Galvanized	zS	1,642	10
103106004070249	60	1,960	3,038	Bright	sZ	1,642	10
103106003070249	60	1,960	3,038	Bright	zS	1,642	10
103106004300249	60	2,160	3,308	Galvanized	sZ	1,642	10
103106003300249	60	2,160	3,308	Galvanized	zS	1,642	10
103106004100249	60	2,160	3,308	Bright	sZ	1,642	10

103106003100249

60

2,160

3,308

Bright

zS

1,642

10