



Steel wire rope Diepa X43

Product information



Diepa X43 is a non-rotation resistant, 8 strand wire rope with plastic insert.

Applications: For all different types of cranes where rotation resistant steel wire rope is not required, for example overhead travel cranes, floating dredges, mill's work cranes. For single-layer coiling on the drum.

Lay: Ordinary lay with internal plastic component.

Total number of wires: 4-14mm 201, 15-49mm 321, 50-69mm 409, 70-100mm 580.

ISO 4309 Rope Category No: 4-49mm **RCN.06**, 50-100mm **RCN.13**

Marking: According to standard

Finish: Galvanized or bright.

Standard: EN 12385-4

Warning: Not to be used with a swivel.

Fill factor: 0.6226

RCN: 06

Part Code	Rope Diameter, mm	Tensile strength N/mm ²	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m	Delivery time
103100404250259	4	1,770	11.7	Galvanized	sZ	7	10
103100403250259	4	1,770	11.7	Galvanized	zS	7	10
103100404050259	4	1,770	11.7	Bright	sZ	7	10
103100403050259	4	1,770	11.7	Bright	zS	7	10
103100404270259	4	1,960	13	Galvanized	sZ	7	10

103100403270259	4	1,960	13	Galvanized	zS	7	10
103100404070259	4	1,960	13	Bright	sZ	7	10
103100403070259	4	1,960	13	Bright	zS	7	10
103100404300259	4	2,160	14.1	Galvanized	sZ	7	10
103100403300259	4	2,160	14.1	Galvanized	zS	7	10
103100404100259	4	2,160	14.1	Bright	sZ	7	10
103100403100259	4	2,160	14.1	Bright	zS	7	10
103100504250259	5	1,770	18.3	Galvanized	sZ	11	10
103100503250259	5	1,770	18.3	Galvanized	zS	11	10
103100504050259	5	1,770	18.3	Bright	sZ	11	10
103100503050259	5	1,770	18.3	Bright	zS	11	10
103100504270259	5	1,960	20.2	Galvanized	sZ	11	10
103100503270259	5	1,960	20.2	Galvanized	zS	11	10
103100504070259	5	1,960	20.2	Bright	sZ	11	10
103100503070259	5	1,960	20.2	Bright	zS	11	10
103100504300259	5	2,160	22	Galvanized	sZ	11	10
103100503300259	5	2,160	22	Galvanized	zS	11	10
103100504100259	5	2,160	22	Bright	sZ	11	10
103100503100259	5	2,160	22	Bright	zS	11	10
103100604250259	6	1,770	26.3	Galvanized	sZ	16	10
103100603250259	6	1,770	26.3	Galvanized	zS	16	10
103100604050259	6	1,770	26.3	Bright	sZ	16	10
103100603050259	6	1,770	26.3	Bright	zS	16	10

103100604270259	6	1,960	29.2	Galvanized	sZ	16	10
103100603270259	6	1,960	29.2	Galvanized	zS	16	10
103100604070259	6	1,960	29.2	Bright	sZ	16	10
103100603070259	6	1,960	29.2	Bright	zS	16	10
103100604300259	6	2,160	31.7	Galvanized	sZ	16	10
103100603300259	6	2,160	31.7	Galvanized	zS	16	10
103100604100259	6	2,160	31.7	Bright	sZ	16	10
103100603100259	6	2,160	31.7	Bright	zS	16	10
103100654250259	6.5	1,770	30.9	Galvanized	sZ	19	10
103100653250259	6.5	1,770	30.9	Galvanized	zS	19	10
103100654050259	6.5	1,770	30.9	Bright	sZ	19	10
103100653050259	6.5	1,770	30.9	Bright	zS	19	10
103100654270259	6.5	1,960	34.2	Galvanized	sZ	19	10
103100653270259	6.5	1,960	34.2	Galvanized	zS	19	10
103100654070259	6.5	1,960	34.2	Bright	sZ	19	10
103100653070259	6.5	1,960	34.2	Bright	zS	19	10
103100654300259	6.5	2,160	37.3	Galvanized	sZ	19	10
103100653300259	6.5	2,160	37.3	Galvanized	zS	19	10
103100654100259	6.5	2,160	37.3	Bright	sZ	19	10
103100653100259	6.5	2,160	37.3	Bright	zS	19	10
103100704250259	7	1,770	35.8	Galvanized	sZ	22	10
103100703250259	7	1,770	35.8	Galvanized	zS	22	10
103100704050259	7	1,770	35.8	Bright	sZ	22	10

103100703050259	7	1,770	35.8	Bright	zS	22	10
103100704270259	7	1,960	39.7	Galvanized	sZ	22	10
103100703270259	7	1,960	39.7	Galvanized	zS	22	10
103100704070259	7	1,960	39.7	Bright	sZ	22	10
103100703070259	7	1,960	39.7	Bright	zS	22	10
103100704300259	7	2,160	43.2	Galvanized	sZ	22	10
103100703300259	7	2,160	43.2	Galvanized	zS	22	10
103100704100259	7	2,160	43.2	Bright	sZ	22	10
103100703100259	7	2,160	43.2	Bright	zS	22	10
103100754250259	7.5	1,770	41.1	Galvanized	sZ	25	10
103100753250259	7.5	1,770	41.1	Galvanized	zS	25	10
103100754050259	7.5	1,770	41.1	Bright	sZ	25	10
103100753050259	7.5	1,770	41.1	Bright	zS	25	10
103100754270259	7.5	1,960	45.6	Galvanized	sZ	25	10
103100753270259	7.5	1,960	45.6	Galvanized	zS	25	10
103100754070259	7.5	1,960	45.6	Bright	sZ	25	10
103100753070259	7.5	1,960	45.6	Bright	zS	25	10
103100754300259	7.5	2,160	49.6	Galvanized	sZ	25	10
103100753300259	7.5	2,160	49.6	Galvanized	zS	25	10
103100754100259	7.5	2,160	49.6	Bright	sZ	25	10
103100753100259	7.5	2,160	49.6	Bright	zS	25	10
103100804250259	8	1,770	43.7	Galvanized	sZ	27	10
103100803250259	8	1,770	43.7	Galvanized	zS	27	10

103100804050259	8	1,770	43.7	Bright	sZ	27	10
103100803050259	8	1,770	43.7	Bright	zS	27	10
103100804270259	8	1,960	48.6	Galvanized	sZ	27	10
103100803270259	8	1,960	48.6	Galvanized	zS	27	10
103100804070259	8	1,960	48.6	Bright	sZ	27	10
103100803070259	8	1,960	48.6	Bright	zS	27	10
103100804300259	8	2,160	53.4	Galvanized	sZ	27	10
103100803300259	8	2,160	53.4	Galvanized	zS	27	10
103100804100259	8	2,160	53.4	Bright	sZ	27	10
103100803100259	8	2,160	53.4	Bright	zS	27	10
103100854250259	8.5	1,770	52.8	Galvanized	sZ	33	10
103100853250259	8.5	1,770	52.8	Galvanized	zS	33	10
103100854050259	8.5	1,770	52.8	Bright	sZ	33	10
103100853050259	8.5	1,770	52.8	Bright	zS	33	10
103100854270259	8.5	1,960	58.5	Galvanized	sZ	33	10
103100853270259	8.5	1,960	58.5	Galvanized	zS	33	10
103100854070259	8.5	1,960	58.5	Bright	sZ	33	10
103100853070259	8.5	1,960	58.5	Bright	zS	33	10
103100854300259	8.5	2,160	63.7	Galvanized	sZ	33	10
103100853300259	8.5	2,160	63.7	Galvanized	zS	33	10
103100854100259	8.5	2,160	63.7	Bright	sZ	33	10
103100853100259	8.5	2,160	63.7	Bright	zS	33	10
103100904250259	9	1,770	56.9	Galvanized	sZ	35	10

103100903250259	9	1,770	56.9	Galvanized	zS	35	10
103100904050259	9	1,770	56.9	Bright	sZ	35	10
103100903050259	9	1,770	56.9	Bright	zS	35	10
103100904270259	9	1,960	63.3	Galvanized	sZ	35	10
103100903270259	9	1,960	63.3	Galvanized	zS	35	10
103100904070259	9	1,960	63.3	Bright	sZ	35	10
103100903070259	9	1,960	63.3	Bright	zS	35	10
103100904300259	9	2,160	69.3	Galvanized	sZ	35	10
103100903300259	9	2,160	69.3	Galvanized	zS	35	10
103100904100259	9	2,160	69.3	Bright	sZ	35	10
103100903100259	9	2,160	69.3	Bright	zS	35	10
103100954250259	9.5	1,770	66	Galvanized	sZ	41	10
103100953250259	9.5	1,770	66	Galvanized	zS	41	10
103100954050259	9.5	1,770	66	Bright	sZ	41	10
103100953050259	9.5	1,770	66	Bright	zS	41	10
103100954270259	9.5	1,960	73.1	Galvanized	sZ	41	10
103100953270259	9.5	1,960	73.1	Galvanized	zS	41	10
103100954070259	9.5	1,960	73.1	Bright	sZ	41	10
103100953070259	9.5	1,960	73.1	Bright	zS	41	10
103100954300259	9.5	2,160	79.6	Galvanized	sZ	41	10
103100953300259	9.5	2,160	79.6	Galvanized	zS	41	10
103100954100259	9.5	2,160	79.6	Bright	sZ	41	10
103100953100259	9.5	2,160	79.6	Bright	zS	41	10

103101004250259	10	1,770	68.2	Galvanized	sZ	42	10
103101003250259	10	1,770	68.2	Galvanized	zS	42	10
103101004050259	10	1,770	68.2	Bright	sZ	42	10
103101003050259	10	1,770	68.2	Bright	zS	42	10
103101004270259	10	1,960	76	Galvanized	sZ	42	10
103101003270259	10	1,960	76	Galvanized	zS	42	10
103101004070259	10	1,960	76	Bright	sZ	42	10
103101003070259	10	1,960	76	Bright	zS	42	10
103101004300259	10	2,160	83	Galvanized	sZ	42	10
103101003300259	10	2,160	83	Galvanized	zS	42	10
103101004100259	10	2,160	83	Bright	sZ	42	10
103101003100259	10	2,160	83	Bright	zS	42	10
103101104250259	11	1,770	86.3	Galvanized	sZ	54	10
103101103250259	11	1,770	86.3	Galvanized	zS	54	10
103101104050259	11	1,770	86.3	Bright	sZ	54	10
103101103050259	11	1,770	86.3	Bright	zS	54	10
103101104270259	11	1,960	96.1	Galvanized	sZ	54	10
103101103270259	11	1,960	96.1	Galvanized	zS	54	10
103101104070259	11	1,960	96.1	Bright	sZ	54	10
103101103070259	11	1,960	96.1	Bright	zS	54	10
103101104300259	11	2,160	105	Galvanized	sZ	54	10
103101103300259	11	2,160	105	Galvanized	zS	54	10
103101104100259	11	2,160	105	Bright	sZ	54	10

103101103100259	11	2,160	105	Bright	zS	54	10
103101204250259	12	1,770	106	Galvanized	sZ	65	10
103101203250259	12	1,770	106	Galvanized	zS	65	10
103101204050259	12	1,770	106	Bright	sZ	65	10
103101203050259	12	1,770	106	Bright	zS	65	10
103101204270259	12	1,960	118	Galvanized	sZ	65	10
103101203270259	12	1,960	118	Galvanized	zS	65	10
103101204070259	12	1,960	118	Bright	sZ	65	10
103101203070259	12	1,960	118	Bright	zS	65	10
103101204300259	12	2,160	129	Galvanized	sZ	65	10
103101203300259	12	2,160	129	Galvanized	zS	65	10
103101204100259	12	2,160	129	Bright	sZ	65	10
103101203100259	12	2,160	129	Bright	zS	65	10
103101304250259	13	1,770	122	Galvanized	sZ	76	10
103101303250259	13	1,770	122	Galvanized	zS	76	10
103101304050259	13	1,770	122	Bright	sZ	76	10
103101303050259	13	1,770	122	Bright	zS	76	10
103101304270259	13	1,960	136	Galvanized	sZ	76	10
103101303270259	13	1,960	136	Galvanized	zS	76	10
103101304070259	13	1,960	136	Bright	sZ	76	10
103101303070259	13	1,960	136	Bright	zS	76	10
103101304300259	13	2,160	148	Galvanized	sZ	76	10
103101303300259	13	2,160	148	Galvanized	zS	76	10

103101304100259	13	2,160	148	Bright	sZ	76	10
103101303100259	13	2,160	148	Bright	zS	76	10
103101404250259	14	1,770	137	Galvanized	sZ	85	10
103101403250259	14	1,770	137	Galvanized	zS	85	10
103101404050259	14	1,770	137	Bright	sZ	85	10
103101403050259	14	1,770	137	Bright	zS	85	10
103101404270259	14	1,960	152	Galvanized	sZ	85	10
103101403270259	14	1,960	152	Galvanized	zS	85	10
103101404070259	14	1,960	152	Bright	sZ	85	10
103101403070259	14	1,960	152	Bright	zS	85	10
103101404300259	14	2,160	166	Galvanized	sZ	85	10
103101403300259	14	2,160	166	Galvanized	zS	85	10
103101404100259	14	2,160	166	Bright	sZ	85	10
103101403100259	14	2,160	166	Bright	zS	85	10
103101504250259	15	1,770	166	Galvanized	sZ	103	10
103101503250259	15	1,770	166	Galvanized	zS	103	10
103101504050259	15	1,770	166	Bright	sZ	103	10
103101503050259	15	1,770	166	Bright	zS	103	10
103101504270259	15	1,960	184	Galvanized	sZ	103	10
103101503270259	15	1,960	184	Galvanized	zS	103	10
103101504070259	15	1,960	184	Bright	sZ	103	10
103101503070259	15	1,960	184	Bright	zS	103	10
103101504300259	15	2,160	201	Galvanized	sZ	103	10

103101503300259	15	2,160	201	Galvanized	zS	103	10
103101504100259	15	2,160	201	Bright	sZ	103	10
103101503100259	15	2,160	201	Bright	zS	103	10
103101604250259	16	1,770	187	Galvanized	sZ	116	10
103101603250259	16	1,770	187	Galvanized	zS	116	10
103101604050259	16	1,770	187	Bright	sZ	116	10
103101603050259	16	1,770	187	Bright	zS	116	10
103101604270259	16	1,960	208	Galvanized	sZ	116	10
103101603270259	16	1,960	208	Galvanized	zS	116	10
103101604070259	16	1,960	208	Bright	sZ	116	10
103101603070259	16	1,960	208	Bright	zS	116	10
103101604300259	16	2,160	227	Galvanized	sZ	116	10
103101603300259	16	2,160	227	Galvanized	zS	116	10
103101604100259	16	2,160	227	Bright	sZ	116	10
103101603100259	16	2,160	227	Bright	zS	116	10
103101704250259	17	1,770	210	Galvanized	sZ	130	10
103101703250259	17	1,770	210	Galvanized	zS	130	10
103101704050259	17	1,770	210	Bright	sZ	130	10
103101703050259	17	1,770	210	Bright	zS	130	10
103101704270259	17	1,960	233	Galvanized	sZ	130	10
103101703270259	17	1,960	233	Galvanized	zS	130	10
103101704070259	17	1,960	233	Bright	sZ	130	10
103101703070259	17	1,960	233	Bright	zS	130	10

103101704300259	17	2,160	254	Galvanized	sZ	130	10
103101703300259	17	2,160	254	Galvanized	zS	130	10
103101704100259	17	2,160	254	Bright	sZ	130	10
103101703100259	17	2,160	254	Bright	zS	130	10
103101804250259	18	1,770	236	Galvanized	sZ	146	10
103101803250259	18	1,770	236	Galvanized	zS	146	10
103101804050259	18	1,770	236	Bright	sZ	146	10
103101803050259	18	1,770	236	Bright	zS	146	10
103101804270259	18	1,960	262	Galvanized	sZ	146	10
103101803270259	18	1,960	262	Galvanized	zS	146	10
103101804070259	18	1,960	262	Bright	sZ	146	10
103101803070259	18	1,960	262	Bright	zS	146	10
103101804300259	18	2,160	286	Galvanized	sZ	146	10
103101803300259	18	2,160	286	Galvanized	zS	146	10
103101804100259	18	2,160	286	Bright	sZ	146	10
103101803100259	18	2,160	286	Bright	zS	146	10
103101904250259	19	1,770	260	Galvanized	sZ	161	10
103101903250259	19	1,770	260	Galvanized	zS	161	10
103101904050259	19	1,770	260	Bright	sZ	161	10
103101903050259	19	1,770	260	Bright	zS	161	10
103101904270259	19	1,960	289	Galvanized	sZ	161	10
103101903270259	19	1,960	289	Galvanized	zS	161	10
103101904070259	19	1,960	289	Bright	sZ	161	10

103101903070259	19	1,960	289	Bright	zS	161	10
103101904300259	19	2,160	316	Galvanized	sZ	161	10
103101903300259	19	2,160	316	Galvanized	zS	161	10
103101904100259	19	2,160	316	Bright	sZ	161	10
103101903100259	19	2,160	316	Bright	zS	161	10
103102004250259	20	1,770	288	Galvanized	sZ	178	10
103102003250259	20	1,770	288	Galvanized	zS	178	10
103102004050259	20	1,770	288	Bright	sZ	178	10
103102003050259	20	1,770	288	Bright	zS	178	10
103102004270259	20	1,960	320	Galvanized	sZ	178	10
103102003270259	20	1,960	320	Galvanized	zS	178	10
103102004070259	20	1,960	320	Bright	sZ	178	10
103102003070259	20	1,960	320	Bright	zS	178	10
103102004300259	20	2,160	348	Galvanized	sZ	178	10
103102003300259	20	2,160	348	Galvanized	zS	178	10
103102004100259	20	2,160	348	Bright	sZ	178	10
103102003100259	20	2,160	348	Bright	zS	178	10
103102104250259	21	1,770	315	Galvanized	sZ	195	10
103102103250259	21	1,770	315	Galvanized	zS	195	10
103102104050259	21	1,770	315	Bright	sZ	195	10
103102103050259	21	1,770	315	Bright	zS	195	10
103102104270259	21	1,960	351	Galvanized	sZ	195	10
103102103270259	21	1,960	351	Galvanized	zS	195	10

103102104070259	21	1,960	351	Bright	sZ	195	10
103102103070259	21	1,960	351	Bright	zS	195	10
103102104300259	21	2,160	382	Galvanized	sZ	195	10
103102103300259	21	2,160	382	Galvanized	zS	195	10
103102104100259	21	2,160	382	Bright	sZ	195	10
103102103100259	21	2,160	382	Bright	zS	195	10
103102204250259	22	1,770	361	Galvanized	sZ	223	10
103102203250259	22	1,770	361	Galvanized	zS	223	10
103102204050259	22	1,770	361	Bright	sZ	223	10
103102203050259	22	1,770	361	Bright	zS	223	10
103102204270259	22	1,960	401	Galvanized	sZ	223	10
103102203270259	22	1,960	401	Galvanized	zS	223	10
103102204070259	22	1,960	401	Bright	sZ	223	10
103102203070259	22	1,960	401	Bright	zS	223	10
103102204300259	22	2,160	437	Galvanized	sZ	223	10
103102203300259	22	2,160	437	Galvanized	zS	223	10
103102204100259	22	2,160	437	Bright	sZ	223	10
103102203100259	22	2,160	437	Bright	zS	223	10
103102304250259	23	1,770	390	Galvanized	sZ	241	10
103102303250259	23	1,770	390	Galvanized	zS	241	10
103102304050259	23	1,770	390	Bright	sZ	241	10
103102303050259	23	1,770	390	Bright	zS	241	10
103102304270259	23	1,960	434	Galvanized	sZ	241	10

103102303270259	23	1,960	434	Galvanized	zS	241	10
103102304070259	23	1,960	434	Bright	sZ	241	10
103102303070259	23	1,960	434	Bright	zS	241	10
103102304300259	23	2,160	473	Galvanized	sZ	241	10
103102303300259	23	2,160	473	Galvanized	zS	241	10
103102304100259	23	2,160	473	Bright	sZ	241	10
103102303100259	23	2,160	473	Bright	zS	241	10
103102404250259	24	1,770	422	Galvanized	sZ	261	10
103102403250259	24	1,770	422	Galvanized	zS	261	10
103102404050259	24	1,770	422	Bright	sZ	261	10
103102403050259	24	1,770	422	Bright	zS	261	10
103102404270259	24	1,960	469	Galvanized	sZ	261	10
103102403270259	24	1,960	469	Galvanized	zS	261	10
103102404070259	24	1,960	469	Bright	sZ	261	10
103102403070259	24	1,960	469	Bright	zS	261	10
103102404300259	24	2,160	511	Galvanized	sZ	261	10
103102403300259	24	2,160	511	Galvanized	zS	261	10
103102404100259	24	2,160	511	Bright	sZ	261	10
103102403100259	24	2,160	511	Bright	zS	261	10
103102504250259	25	1,770	462	Galvanized	sZ	285	10
103102503250259	25	1,770	462	Galvanized	zS	285	10
103102504050259	25	1,770	462	Bright	sZ	285	10
103102503050259	25	1,770	462	Bright	zS	285	10

103102504270259	25	1,960	513	Galvanized	sZ	285	10
103102503270259	25	1,960	513	Galvanized	zS	285	10
103102504070259	25	1,960	513	Bright	sZ	285	10
103102503070259	25	1,960	513	Bright	zS	285	10
103102504300259	25	2,160	559	Galvanized	sZ	285	10
103102503300259	25	2,160	559	Galvanized	zS	285	10
103102504100259	25	2,160	559	Bright	sZ	285	10
103102503100259	25	2,160	559	Bright	zS	285	10
103102604250259	26	1,770	497	Galvanized	sZ	307	10
103102603250259	26	1,770	497	Galvanized	zS	307	10
103102604050259	26	1,770	497	Bright	sZ	307	10
103102603050259	26	1,770	497	Bright	zS	307	10
103102604270259	26	1,960	552	Galvanized	sZ	307	10
103102603270259	26	1,960	552	Galvanized	zS	307	10
103102604070259	26	1,960	552	Bright	sZ	307	10
103102603070259	26	1,960	552	Bright	zS	307	10
103102604300259	26	2,160	601	Galvanized	sZ	307	10
103102603300259	26	2,160	601	Galvanized	zS	307	10
103102604100259	26	2,160	601	Bright	sZ	307	10
103102603100259	26	2,160	601	Bright	zS	307	10
103102704250259	27	1,770	528	Galvanized	sZ	326	10
103102703250259	27	1,770	528	Galvanized	zS	326	10
103102704050259	27	1,770	528	Bright	sZ	326	10

103102703050259	27	1,770	528	Bright	zS	326	10
103102704270259	27	1,960	587	Galvanized	sZ	326	10
103102703270259	27	1,960	587	Galvanized	zS	326	10
103102704070259	27	1,960	587	Bright	sZ	326	10
103102703070259	27	1,960	587	Bright	zS	326	10
103102704300259	27	2,160	640	Galvanized	sZ	326	10
103102703300259	27	2,160	640	Galvanized	zS	326	10
103102704100259	27	2,160	640	Bright	sZ	326	10
103102703100259	27	2,160	640	Bright	zS	326	10
103102804250259	28	1,770	580	Galvanized	sZ	358	10
103102803250259	28	1,770	580	Galvanized	zS	358	10
103102804050259	28	1,770	580	Bright	sZ	358	10
103102803050259	28	1,770	580	Bright	zS	358	10
103102804270259	28	1,960	645	Galvanized	sZ	358	10
103102803270259	28	1,960	645	Galvanized	zS	358	10
103102804070259	28	1,960	645	Bright	sZ	358	10
103102803070259	28	1,960	645	Bright	zS	358	10
103102804300259	28	2,160	701	Galvanized	sZ	358	10
103102803300259	28	2,160	701	Galvanized	zS	358	10
103102804100259	28	2,160	701	Bright	sZ	358	10
103102803100259	28	2,160	701	Bright	zS	358	10
103102904250259	29	1,770	620	Galvanized	sZ	382	10
103102903250259	29	1,770	620	Galvanized	zS	382	10

103102904050259	29	1,770	620	Bright	sZ	382	10
103102903050259	29	1,770	620	Bright	zS	382	10
103102904270259	29	1,960	689	Galvanized	sZ	382	10
103102903270259	29	1,960	689	Galvanized	zS	382	10
103102904070259	29	1,960	689	Bright	sZ	382	10
103102903070259	29	1,960	689	Bright	zS	382	10
103102904300259	29	2,160	749	Galvanized	sZ	382	10
103102903300259	29	2,160	749	Galvanized	zS	382	10
103102904100259	29	2,160	749	Bright	sZ	382	10
103102903100259	29	2,160	749	Bright	zS	382	10
103103004250259	30	1,770	663	Galvanized	sZ	409	10
103103003250259	30	1,770	663	Galvanized	zS	409	10
103103004050259	30	1,770	663	Bright	sZ	409	10
103103003050259	30	1,770	663	Bright	zS	409	10
103103004270259	30	1,960	736	Galvanized	sZ	409	10
103103003270259	30	1,960	736	Galvanized	zS	409	10
103103004070259	30	1,960	736	Bright	sZ	409	10
103103003070259	30	1,960	736	Bright	zS	409	10
103103004300259	30	2,160	802	Galvanized	sZ	409	10
103103003300259	30	2,160	802	Galvanized	zS	409	10
103103004100259	30	2,160	802	Bright	sZ	409	10
103103003100259	30	2,160	802	Bright	zS	409	10
103103104250259	31	1,770	703	Galvanized	sZ	434	10

103103103250259	31	1,770	703	Galvanized	zS	434	10
103103104050259	31	1,770	703	Bright	sZ	434	10
103103103050259	31	1,770	703	Bright	zS	434	10
103103104270259	31	1,960	781	Galvanized	sZ	434	10
103103103270259	31	1,960	781	Galvanized	zS	434	10
103103104070259	31	1,960	781	Bright	sZ	434	10
103103103070259	31	1,960	781	Bright	zS	434	10
103103104300259	31	2,160	850	Galvanized	sZ	434	10
103103103300259	31	2,160	850	Galvanized	zS	434	10
103103104100259	31	2,160	850	Bright	sZ	434	10
103103103100259	31	2,160	850	Bright	zS	434	10
103103204250259	32	1,770	745	Galvanized	sZ	459	10
103103203250259	32	1,770	745	Galvanized	zS	459	10
103103204050259	32	1,770	745	Bright	sZ	459	10
103103203050259	32	1,770	745	Bright	zS	459	10
103103204270259	32	1,960	827	Galvanized	sZ	459	10
103103203270259	32	1,960	827	Galvanized	zS	459	10
103103204070259	32	1,960	827	Bright	sZ	459	10
103103203070259	32	1,960	827	Bright	zS	459	10
103103204300259	32	2,160	901	Galvanized	sZ	459	10
103103203300259	32	2,160	901	Galvanized	zS	459	10
103103204100259	32	2,160	901	Bright	sZ	459	10
103103203100259	32	2,160	901	Bright	zS	459	10

103103304250259	33	1,770	806	Galvanized	sZ	497	10
103103303250259	33	1,770	806	Galvanized	zS	497	10
103103304050259	33	1,770	806	Bright	sZ	497	10
103103303050259	33	1,770	806	Bright	zS	497	10
103103304270259	33	1,960	896	Galvanized	sZ	497	10
103103303270259	33	1,960	896	Galvanized	zS	497	10
103103304070259	33	1,960	896	Bright	sZ	497	10
103103303070259	33	1,960	896	Bright	zS	497	10
103103304300259	33	2,160	975	Galvanized	sZ	497	10
103103303300259	33	2,160	975	Galvanized	zS	497	10
103103304100259	33	2,160	975	Bright	sZ	497	10
103103303100259	33	2,160	975	Bright	zS	497	10
103103404250259	34	1,770	855	Galvanized	sZ	528	10
103103403250259	34	1,770	855	Galvanized	zS	528	10
103103404050259	34	1,770	855	Bright	sZ	528	10
103103403050259	34	1,770	855	Bright	zS	528	10
103103404270259	34	1,960	951	Galvanized	sZ	528	10
103103403270259	34	1,960	951	Galvanized	zS	528	10
103103404070259	34	1,960	951	Bright	sZ	528	10
103103403070259	34	1,960	951	Bright	zS	528	10
103103404300259	34	2,160	1,035	Galvanized	sZ	528	10
103103403300259	34	2,160	1,035	Galvanized	zS	528	10
103103404100259	34	2,160	1,035	Bright	sZ	528	10

103103403100259	34	2,160	1,035	Bright	zS	528	10
103103504250259	35	1,770	884	Galvanized	sZ	549	10
103103503250259	35	1,770	884	Galvanized	zS	549	10
103103504050259	35	1,770	884	Bright	sZ	549	10
103103503050259	35	1,770	884	Bright	zS	549	10
103103504270259	35	1,960	982	Galvanized	sZ	549	10
103103503270259	35	1,960	982	Galvanized	zS	549	10
103103504070259	35	1,960	982	Bright	sZ	549	10
103103503070259	35	1,960	982	Bright	zS	549	10
103103504300259	35	2,160	1,069	Galvanized	sZ	549	10
103103503300259	35	2,160	1,069	Galvanized	zS	549	10
103103504100259	35	2,160	1,069	Bright	sZ	549	10
103103503100259	35	2,160	1,069	Bright	zS	549	10
103103604250259	36	1,770	953	Galvanized	sZ	588	10
103103603250259	36	1,770	953	Galvanized	zS	588	10
103103604050259	36	1,770	953	Bright	sZ	588	10
103103603050259	36	1,770	953	Bright	zS	588	10
103103604270259	36	1,960	1,058	Galvanized	sZ	588	10
103103603270259	36	1,960	1,058	Galvanized	zS	588	10
103103604070259	36	1,960	1,058	Bright	sZ	588	10
103103603070259	36	1,960	1,058	Bright	zS	588	10
103103604300259	36	2,160	1,152	Galvanized	sZ	588	10
103103603300259	36	2,160	1,152	Galvanized	zS	588	10

103103604100259	36	2,160	1,152	Bright	sZ	588	10
103103603100259	36	2,160	1,152	Bright	zS	588	10
103103704250259	37	1,770	1,002	Galvanized	sZ	618	10
103103703250259	37	1,770	1,002	Galvanized	zS	618	10
103103704050259	37	1,770	1,002	Bright	sZ	618	10
103103703050259	37	1,770	1,002	Bright	zS	618	10
103103704270259	37	1,960	1,113	Galvanized	sZ	618	10
103103703270259	37	1,960	1,113	Galvanized	zS	618	10
103103704070259	37	1,960	1,113	Bright	sZ	618	10
103103703070259	37	1,960	1,113	Bright	zS	618	10
103103704300259	37	2,160	1,212	Galvanized	sZ	618	10
103103703300259	37	2,160	1,212	Galvanized	zS	618	10
103103704100259	37	2,160	1,212	Bright	sZ	618	10
103103703100259	37	2,160	1,212	Bright	zS	618	10
103103804250259	38	1,770	1,069	Galvanized	sZ	653	10
103103803250259	38	1,770	1,069	Galvanized	zS	653	10
103103804050259	38	1,770	1,069	Bright	sZ	653	10
103103803050259	38	1,770	1,069	Bright	zS	653	10
103103804270259	38	1,960	1,188	Galvanized	sZ	653	10
103103803270259	38	1,960	1,188	Galvanized	zS	653	10
103103804070259	38	1,960	1,188	Bright	sZ	653	10
103103803070259	38	1,960	1,188	Bright	zS	653	10
103103804300259	38	2,160	1,293	Galvanized	sZ	653	10

103103803300259	38	2,160	1,293	Galvanized	zS	653	10
103103804100259	38	2,160	1,293	Bright	sZ	653	10
103103803100259	38	2,160	1,293	Bright	zS	653	10
103103904250259	39	1,770	1,120	Galvanized	sZ	691	10
103103903250259	39	1,770	1,120	Galvanized	zS	691	10
103103904050259	39	1,770	1,120	Bright	sZ	691	10
103103903050259	39	1,770	1,120	Bright	zS	691	10
103103904270259	39	1,960	1,244	Galvanized	sZ	691	10
103103903270259	39	1,960	1,244	Galvanized	zS	691	10
103103904070259	39	1,960	1,244	Bright	sZ	691	10
103103903070259	39	1,960	1,244	Bright	zS	691	10
103103904300259	39	2,160	1,354	Galvanized	sZ	691	10
103103903300259	39	2,160	1,354	Galvanized	zS	691	10
103103904100259	39	2,160	1,354	Bright	sZ	691	10
103103903100259	39	2,160	1,354	Bright	zS	691	10
103104004250259	40	1,770	1,180	Galvanized	sZ	728	10
103104003250259	40	1,770	1,180	Galvanized	zS	728	10
103104004050259	40	1,770	1,180	Bright	sZ	728	10
103104003050259	40	1,770	1,180	Bright	zS	728	10
103104004270259	40	1,960	1,311	Galvanized	sZ	728	10
103104003270259	40	1,960	1,311	Galvanized	zS	728	10
103104004070259	40	1,960	1,311	Bright	sZ	728	10
103104003070259	40	1,960	1,311	Bright	zS	728	10

103104004300259	40	2,160	1,427	Galvanized	sZ	728	10
103104003300259	40	2,160	1,427	Galvanized	zS	728	10
103104004100259	40	2,160	1,427	Bright	sZ	728	10
103104003100259	40	2,160	1,427	Bright	zS	728	10
103104104250259	41	1,770	1,232	Galvanized	sZ	760	10
103104103250259	41	1,770	1,232	Galvanized	zS	760	10
103104104050259	41	1,770	1,232	Bright	sZ	760	10
103104103050259	41	1,770	1,232	Bright	zS	760	10
103104104270259	41	1,960	1,369	Galvanized	sZ	760	10
103104103270259	41	1,960	1,369	Galvanized	zS	760	10
103104104070259	41	1,960	1,369	Bright	sZ	760	10
103104103070259	41	1,960	1,369	Bright	zS	760	10
103104104300259	41	2,160	1,490	Galvanized	sZ	760	10
103104103300259	41	2,160	1,490	Galvanized	zS	760	10
103104104100259	41	2,160	1,490	Bright	sZ	760	10
103104103100259	41	2,160	1,490	Bright	zS	760	10
103104204250259	42	1,770	1,307	Galvanized	sZ	806	10
103104203250259	42	1,770	1,307	Galvanized	zS	806	10
103104204050259	42	1,770	1,307	Bright	sZ	806	10
103104203050259	42	1,770	1,307	Bright	zS	806	10
103104204270259	42	1,960	1,452	Galvanized	sZ	806	10
103104203270259	42	1,960	1,452	Galvanized	zS	806	10
103104204070259	42	1,960	1,452	Bright	sZ	806	10

103104203070259	42	1,960	1,452	Bright	zS	806	10
103104204300259	42	2,160	1,581	Galvanized	sZ	806	10
103104203300259	42	2,160	1,581	Galvanized	zS	806	10
103104204100259	42	2,160	1,581	Bright	sZ	806	10
103104203100259	42	2,160	1,581	Bright	zS	806	10
103104304250259	43	1,770	1,368	Galvanized	sZ	844	10
103104303250259	43	1,770	1,368	Galvanized	zS	844	10
103104304050259	43	1,770	1,368	Bright	sZ	844	10
103104303050259	43	1,770	1,368	Bright	zS	844	10
103104304270259	43	1,960	1,520	Galvanized	sZ	844	10
103104303270259	43	1,960	1,520	Galvanized	zS	844	10
103104304070259	43	1,960	1,520	Bright	sZ	844	10
103104303070259	43	1,960	1,520	Bright	zS	844	10
103104304300259	43	2,160	1,654	Galvanized	sZ	844	10
103104303300259	43	2,160	1,654	Galvanized	zS	844	10
103104304100259	43	2,160	1,654	Bright	sZ	844	10
103104303100259	43	2,160	1,654	Bright	zS	844	10
103104404250259	44	1,770	1,434	Galvanized	sZ	885	10
103104403250259	44	1,770	1,434	Galvanized	zS	885	10
103104404050259	44	1,770	1,434	Bright	sZ	885	10
103104403050259	44	1,770	1,434	Bright	zS	885	10
103104404270259	44	1,960	1,594	Galvanized	sZ	885	10
103104403270259	44	1,960	1,594	Galvanized	zS	885	10

103104404070259	44	1,960	1,594	Bright	sZ	885	10
103104403070259	44	1,960	1,594	Bright	zS	885	10
103104404300259	44	2,160	1,734	Galvanized	sZ	885	10
103104403300259	44	2,160	1,734	Galvanized	zS	885	10
103104404100259	44	2,160	1,734	Bright	sZ	885	10
103104403100259	44	2,160	1,734	Bright	zS	885	10
103104504250259	45	1,770	1,481	Galvanized	sZ	911	10
103104503250259	45	1,770	1,481	Galvanized	zS	911	10
103104504050259	45	1,770	1,481	Bright	sZ	911	10
103104503050259	45	1,770	1,481	Bright	zS	911	10
103104504270259	45	1,960	1,640	Galvanized	sZ	911	10
103104503270259	45	1,960	1,640	Galvanized	zS	911	10
103104504070259	45	1,960	1,640	Bright	sZ	911	10
103104503070259	45	1,960	1,640	Bright	zS	911	10
103104504300259	45	2,160	1,786	Galvanized	sZ	911	10
103104503300259	45	2,160	1,786	Galvanized	zS	911	10
103104504100259	45	2,160	1,786	Bright	sZ	911	10
103104503100259	45	2,160	1,786	Bright	zS	911	10
103104604250259	46	1,770	1,550	Galvanized	sZ	956	10
103104603250259	46	1,770	1,550	Galvanized	zS	956	10
103104604050259	46	1,770	1,550	Bright	sZ	956	10
103104603050259	46	1,770	1,550	Bright	zS	956	10
103104604270259	46	1,960	1,723	Galvanized	sZ	956	10

103104603270259	46	1,960	1,723	Galvanized	zS	956	10
103104604070259	46	1,960	1,723	Bright	sZ	956	10
103104603070259	46	1,960	1,723	Bright	zS	956	10
103104604300259	46	2,160	1,875	Galvanized	sZ	956	10
103104603300259	46	2,160	1,875	Galvanized	zS	956	10
103104604100259	46	2,160	1,875	Bright	sZ	956	10
103104603100259	46	2,160	1,875	Bright	zS	956	10
103104704250259	47	1,770	1,616	Galvanized	sZ	994	10
103104703250259	47	1,770	1,616	Galvanized	zS	994	10
103104704050259	47	1,770	1,616	Bright	sZ	994	10
103104703050259	47	1,770	1,616	Bright	zS	994	10
103104704270259	47	1,960	1,789	Galvanized	sZ	994	10
103104703270259	47	1,960	1,789	Galvanized	zS	994	10
103104704070259	47	1,960	1,789	Bright	sZ	994	10
103104703070259	47	1,960	1,789	Bright	zS	994	10
103104704300259	47	2,160	1,948	Galvanized	sZ	994	10
103104703300259	47	2,160	1,948	Galvanized	zS	994	10
103104704100259	47	2,160	1,948	Bright	sZ	994	10
103104703100259	47	2,160	1,948	Bright	zS	994	10
103104804250259	48	1,770	1,678	Galvanized	sZ	1,035	10
103104803250259	48	1,770	1,678	Galvanized	zS	1,035	10
103104804050259	48	1,770	1,678	Bright	sZ	1,035	10
103104803050259	48	1,770	1,678	Bright	zS	1,035	10

103104804270259	48	1,960	1,864	Galvanized	sZ	1,035	10
103104803270259	48	1,960	1,864	Galvanized	zS	1,035	10
103104804070259	48	1,960	1,864	Bright	sZ	1,035	10
103104803070259	48	1,960	1,864	Bright	zS	1,035	10
103104804300259	48	2,160	2,029	Galvanized	sZ	1,035	10
103104803300259	48	2,160	2,029	Galvanized	zS	1,035	10
103104804100259	48	2,160	2,029	Bright	sZ	1,035	10
103104803100259	48	2,160	2,029	Bright	zS	1,035	10
103104904250259	49	1,770	1,756	Galvanized	sZ	1,080	10
103104903250259	49	1,770	1,756	Galvanized	zS	1,080	10
103104904050259	49	1,770	1,756	Bright	sZ	1,080	10
103104903050259	49	1,770	1,756	Bright	zS	1,080	10
103104904270259	49	1,960	1,944	Galvanized	sZ	1,080	10
103104903270259	49	1,960	1,944	Galvanized	zS	1,080	10
103104904070259	49	1,960	1,944	Bright	sZ	1,080	10
103104903070259	49	1,960	1,944	Bright	zS	1,080	10
103104904300259	49	2,160	2,118	Galvanized	sZ	1,080	10
103104903300259	49	2,160	2,118	Galvanized	zS	1,080	10
103104904100259	49	2,160	2,118	Bright	sZ	1,080	10
103104903100259	49	2,160	2,118	Bright	zS	1,080	10
103105004250259	50	1,770	1,824	Galvanized	sZ	1,125	10
103105003250259	50	1,770	1,824	Galvanized	zS	1,125	10
103105004050259	50	1,770	1,824	Bright	sZ	1,125	10

103105003050259	50	1,770	1,824	Bright	zS	1,125	10
103105004270259	50	1,960	2,027	Galvanized	sZ	1,125	10
103105003270259	50	1,960	2,027	Galvanized	zS	1,125	10
103105004070259	50	1,960	2,027	Bright	sZ	1,125	10
103105003070259	50	1,960	2,027	Bright	zS	1,125	10
103105004300259	50	2,160	2,206	Galvanized	sZ	1,125	10
103105003300259	50	2,160	2,206	Galvanized	zS	1,125	10
103105004100259	50	2,160	2,206	Bright	sZ	1,125	10
103105003100259	50	2,160	2,206	Bright	zS	1,125	10
103105104250259	51	1,770	1,902	Galvanized	sZ	1,170	10
103105103250259	51	1,770	1,902	Galvanized	zS	1,170	10
103105104050259	51	1,770	1,902	Bright	sZ	1,170	10
103105103050259	51	1,770	1,902	Bright	zS	1,170	10
103105104270259	51	1,960	2,107	Galvanized	sZ	1,170	10
103105103270259	51	1,960	2,107	Galvanized	zS	1,170	10
103105104070259	51	1,960	2,107	Bright	sZ	1,170	10
103105103070259	51	1,960	2,107	Bright	zS	1,170	10
103105104300259	51	2,160	2,294	Galvanized	sZ	1,170	10
103105103300259	51	2,160	2,294	Galvanized	zS	1,170	10
103105104100259	51	2,160	2,294	Bright	sZ	1,170	10
103105103100259	51	2,160	2,294	Bright	zS	1,170	10
103105204250259	52	1,770	1,951	Galvanized	sZ	1,203	10
103105203250259	52	1,770	1,951	Galvanized	zS	1,203	10

103105204050259	52	1,770	1,951	Bright	sZ	1,203	10
103105203050259	52	1,770	1,951	Bright	zS	1,203	10
103105204270259	52	1,960	2,168	Galvanized	sZ	1,203	10
103105203270259	52	1,960	2,168	Galvanized	zS	1,203	10
103105204070259	52	1,960	2,168	Bright	sZ	1,203	10
103105203070259	52	1,960	2,168	Bright	zS	1,203	10
103105204300259	52	2,160	2,359	Galvanized	sZ	1,203	10
103105203300259	52	2,160	2,359	Galvanized	zS	1,203	10
103105204100259	52	2,160	2,359	Bright	sZ	1,203	10
103105203100259	52	2,160	2,359	Bright	zS	1,203	10
103105304250259	53	1,770	2,054	Galvanized	sZ	1,264	10
103105303250259	53	1,770	2,054	Galvanized	zS	1,264	10
103105304050259	53	1,770	2,054	Bright	sZ	1,264	10
103105303050259	53	1,770	2,054	Bright	zS	1,264	10
103105304270259	53	1,960	2,275	Galvanized	sZ	1,264	10
103105303270259	53	1,960	2,275	Galvanized	zS	1,264	10
103105304070259	53	1,960	2,275	Bright	sZ	1,264	10
103105303070259	53	1,960	2,275	Bright	zS	1,264	10
103105304300259	53	2,160	2,477	Galvanized	sZ	1,264	10
103105303300259	53	2,160	2,477	Galvanized	zS	1,264	10
103105304100259	53	2,160	2,477	Bright	sZ	1,264	10
103105303100259	53	2,160	2,477	Bright	zS	1,264	10
103105404250259	54	1,770	2,133	Galvanized	sZ	1,315	10

103105403250259	54	1,770	2,133	Galvanized	zS	1,315	10
103105404050259	54	1,770	2,133	Bright	sZ	1,315	10
103105403050259	54	1,770	2,133	Bright	zS	1,315	10
103105404270259	54	1,960	2,369	Galvanized	sZ	1,315	10
103105403270259	54	1,960	2,369	Galvanized	zS	1,315	10
103105404070259	54	1,960	2,369	Bright	sZ	1,315	10
103105403070259	54	1,960	2,369	Bright	zS	1,315	10
103105404300259	54	2,160	2,578	Galvanized	sZ	1,315	10
103105403300259	54	2,160	2,578	Galvanized	zS	1,315	10
103105404100259	54	2,160	2,578	Bright	sZ	1,315	10
103105403100259	54	2,160	2,578	Bright	zS	1,315	10
103105504250259	55	1,770	2,212	Galvanized	sZ	1,361	10
103105503250259	55	1,770	2,212	Galvanized	zS	1,361	10
103105504050259	55	1,770	2,212	Bright	sZ	1,361	10
103105503050259	55	1,770	2,212	Bright	zS	1,361	10
103105504270259	55	1,960	2,450	Galvanized	sZ	1,361	10
103105503270259	55	1,960	2,450	Galvanized	zS	1,361	10
103105504070259	55	1,960	2,450	Bright	sZ	1,361	10
103105503070259	55	1,960	2,450	Bright	zS	1,361	10
103105504300259	55	2,160	2,668	Galvanized	sZ	1,361	10
103105503300259	55	2,160	2,668	Galvanized	zS	1,361	10
103105504100259	55	2,160	2,668	Bright	sZ	1,361	10
103105503100259	55	2,160	2,668	Bright	zS	1,361	10

103105604250259	56	1,770	2,323	Galvanized	sZ	1,432	10
103105603250259	56	1,770	2,323	Galvanized	zS	1,432	10
103105604050259	56	1,770	2,323	Bright	sZ	1,432	10
103105603050259	56	1,770	2,323	Bright	zS	1,432	10
103105604270259	56	1,960	2,581	Galvanized	sZ	1,432	10
103105603270259	56	1,960	2,581	Galvanized	zS	1,432	10
103105604070259	56	1,960	2,581	Bright	sZ	1,432	10
103105603070259	56	1,960	2,581	Bright	zS	1,432	10
103105604300259	56	2,160	2,808	Galvanized	sZ	1,432	10
103105603300259	56	2,160	2,808	Galvanized	zS	1,432	10
103105604100259	56	2,160	2,808	Bright	sZ	1,432	10
103105603100259	56	2,160	2,808	Bright	zS	1,432	10
103105704250259	57	1,770	2,376	Galvanized	sZ	1,462	10
103105703250259	57	1,770	2,376	Galvanized	zS	1,462	10
103105704050259	57	1,770	2,376	Bright	sZ	1,462	10
103105703050259	57	1,770	2,376	Bright	zS	1,462	10
103105704270259	57	1,960	2,631	Galvanized	sZ	1,462	10
103105703270259	57	1,960	2,631	Galvanized	zS	1,462	10
103105704070259	57	1,960	2,631	Bright	sZ	1,462	10
103105703070259	57	1,960	2,631	Bright	zS	1,462	10
103105704300259	57	2,160	2,866	Galvanized	sZ	1,462	10
103105703300259	57	2,160	2,866	Galvanized	zS	1,462	10
103105704100259	57	2,160	2,866	Bright	sZ	1,462	10

103105703100259	57	2,160	2,866	Bright	zS	1,462	10
103105804250259	58	1,770	2,482	Galvanized	sZ	1,531	10
103105803250259	58	1,770	2,482	Galvanized	zS	1,531	10
103105804050259	58	1,770	2,482	Bright	sZ	1,531	10
103105803050259	58	1,770	2,482	Bright	zS	1,531	10
103105804270259	58	1,960	2,758	Galvanized	sZ	1,531	10
103105803270259	58	1,960	2,758	Galvanized	zS	1,531	10
103105804070259	58	1,960	2,758	Bright	sZ	1,531	10
103105803070259	58	1,960	2,758	Bright	zS	1,531	10
103105804300259	58	2,160	3,001	Galvanized	sZ	1,531	10
103105803300259	58	2,160	3,001	Galvanized	zS	1,531	10
103105804100259	58	2,160	3,001	Bright	sZ	1,531	10
103105803100259	58	2,160	3,001	Bright	zS	1,531	10
103105904250259	59	1,770	2,546	Galvanized	sZ	1,566	10
103105903250259	59	1,770	2,546	Galvanized	zS	1,566	10
103105904050259	59	1,770	2,546	Bright	sZ	1,566	10
103105903050259	59	1,770	2,546	Bright	zS	1,566	10
103105904270259	59	1,960	2,819	Galvanized	sZ	1,566	10
103105903270259	59	1,960	2,819	Galvanized	zS	1,566	10
103105904070259	59	1,960	2,819	Bright	sZ	1,566	10
103105903070259	59	1,960	2,819	Bright	zS	1,566	10
103105904300259	59	2,160	3,070	Galvanized	sZ	1,566	10
103105903300259	59	2,160	3,070	Galvanized	zS	1,566	10

103105904100259	59	2,160	3,070	Bright	sZ	1,566	10
103105903100259	59	2,160	3,070	Bright	zS	1,566	10
103106004250259	60	1,770	2,659	Galvanized	sZ	1,640	10
103106003250259	60	1,770	2,659	Galvanized	zS	1,640	10
103106004050259	60	1,770	2,659	Bright	sZ	1,640	10
103106003050259	60	1,770	2,659	Bright	zS	1,640	10
103106004270259	60	1,960	2,954	Galvanized	sZ	1,640	10
103106003270259	60	1,960	2,954	Galvanized	zS	1,640	10
103106004070259	60	1,960	2,954	Bright	sZ	1,640	10
103106003070259	60	1,960	2,954	Bright	zS	1,640	10
103106004300259	60	2,160	3,214	Galvanized	sZ	1,640	10
103106003300259	60	2,160	3,214	Galvanized	zS	1,640	10
103106004100259	60	2,160	3,214	Bright	sZ	1,640	10
103106003100259	60	2,160	3,214	Bright	zS	1,640	10
103106104250259	61	1,770	2,722	Galvanized	sZ	1,674	10
103106103250259	61	1,770	2,722	Galvanized	zS	1,674	10
103106104050259	61	1,770	2,722	Bright	sZ	1,674	10
103106103050259	61	1,770	2,722	Bright	zS	1,674	10
103106104270259	61	1,960	3,013	Galvanized	sZ	1,674	10
103106103270259	61	1,960	3,013	Galvanized	zS	1,674	10
103106104070259	61	1,960	3,013	Bright	sZ	1,674	10
103106103070259	61	1,960	3,013	Bright	zS	1,674	10
103106104300259	61	2,160	3,282	Galvanized	sZ	1,674	10

103106103300259	61	2,160	3,282	Galvanized	zS	1,674	10
103106104100259	61	2,160	3,282	Bright	sZ	1,674	10
103106103100259	61	2,160	3,282	Bright	zS	1,674	10
103106204250259	62	1,770	2,811	Galvanized	sZ	1,729	10
103106203250259	62	1,770	2,811	Galvanized	zS	1,729	10
103106204050259	62	1,770	2,811	Bright	sZ	1,729	10
103106203050259	62	1,770	2,811	Bright	zS	1,729	10
103106204270259	62	1,960	3,113	Galvanized	sZ	1,729	10
103106203270259	62	1,960	3,113	Galvanized	zS	1,729	10
103106204070259	62	1,960	3,113	Bright	sZ	1,729	10
103106203070259	62	1,960	3,113	Bright	zS	1,729	10
103106204300259	62	2,160	3,390	Galvanized	sZ	1,729	10
103106203300259	62	2,160	3,390	Galvanized	zS	1,729	10
103106204100259	62	2,160	3,390	Bright	sZ	1,729	10
103106203100259	62	2,160	3,390	Bright	zS	1,729	10
103106304250259	63	1,770	2,903	Galvanized	sZ	1,786	10
103106303250259	63	1,770	2,903	Galvanized	zS	1,786	10
103106304050259	63	1,770	2,903	Bright	sZ	1,786	10
103106303050259	63	1,770	2,903	Bright	zS	1,786	10
103106304270259	63	1,960	3,214	Galvanized	sZ	1,786	10
103106303270259	63	1,960	3,214	Galvanized	zS	1,786	10
103106304070259	63	1,960	3,214	Bright	sZ	1,786	10
103106303070259	63	1,960	3,214	Bright	zS	1,786	10

103106304300259	63	2,160	3,500	Galvanized	sZ	1,786	10
103106303300259	63	2,160	3,500	Galvanized	zS	1,786	10
103106304100259	63	2,160	3,500	Bright	sZ	1,786	10
103106303100259	63	2,160	3,500	Bright	zS	1,786	10
103106404250259	64	1,770	2,996	Galvanized	sZ	1,843	10
103106403250259	64	1,770	2,996	Galvanized	zS	1,843	10
103106404050259	64	1,770	2,996	Bright	sZ	1,843	10
103106403050259	64	1,770	2,996	Bright	zS	1,843	10
103106404270259	64	1,960	3,317	Galvanized	sZ	1,843	10
103106403270259	64	1,960	3,317	Galvanized	zS	1,843	10
103106404070259	64	1,960	3,317	Bright	sZ	1,843	10
103106403070259	64	1,960	3,317	Bright	zS	1,843	10
103106404300259	64	2,160	3,612	Galvanized	sZ	1,843	10
103106403300259	64	2,160	3,612	Galvanized	zS	1,843	10
103106404100259	64	2,160	3,612	Bright	sZ	1,843	10
103106403100259	64	2,160	3,612	Bright	zS	1,843	10
103106504250259	65	1,770	3,090	Galvanized	sZ	1,901	10
103106503250259	65	1,770	3,090	Galvanized	zS	1,901	10
103106504050259	65	1,770	3,090	Bright	sZ	1,901	10
103106503050259	65	1,770	3,090	Bright	zS	1,901	10
103106504270259	65	1,960	3,421	Galvanized	sZ	1,901	10
103106503270259	65	1,960	3,421	Galvanized	zS	1,901	10
103106504070259	65	1,960	3,421	Bright	sZ	1,901	10

103106503070259	65	1,960	3,421	Bright	zS	1,901	10
103106504300259	65	2,160	3,727	Galvanized	sZ	1,901	10
103106503300259	65	2,160	3,727	Galvanized	zS	1,901	10
103106504100259	65	2,160	3,727	Bright	sZ	1,901	10
103106503100259	65	2,160	3,727	Bright	zS	1,901	10
103106604250259	66	1,770	3,186	Galvanized	sZ	1,960	10
103106603250259	66	1,770	3,186	Galvanized	zS	1,960	10
103106604050259	66	1,770	3,186	Bright	sZ	1,960	10
103106603050259	66	1,770	3,186	Bright	zS	1,960	10
103106604270259	66	1,960	3,528	Galvanized	sZ	1,960	10
103106603270259	66	1,960	3,528	Galvanized	zS	1,960	10
103106604070259	66	1,960	3,528	Bright	sZ	1,960	10
103106603070259	66	1,960	3,528	Bright	zS	1,960	10
103106604300259	66	2,160	3,842	Galvanized	sZ	1,960	10
103106603300259	66	2,160	3,842	Galvanized	zS	1,960	10
103106604100259	66	2,160	3,842	Bright	sZ	1,960	10
103106603100259	66	2,160	3,842	Bright	zS	1,960	10
103106704250259	67	1,770	3,283	Galvanized	sZ	2,019	10
103106703250259	67	1,770	3,283	Galvanized	zS	2,019	10
103106704050259	67	1,770	3,283	Bright	sZ	2,019	10
103106703050259	67	1,770	3,283	Bright	zS	2,019	10
103106704270259	67	1,960	3,635	Galvanized	sZ	2,019	10
103106703270259	67	1,960	3,635	Galvanized	zS	2,019	10

103106704070259	67	1,960	3,635	Bright	sZ	2,019	10
103106703070259	67	1,960	3,635	Bright	zS	2,019	10
103106704300259	67	2,160	3,959	Galvanized	sZ	2,019	10
103106703300259	67	2,160	3,959	Galvanized	zS	2,019	10
103106704100259	67	2,160	3,959	Bright	sZ	2,019	10
103106703100259	67	2,160	3,959	Bright	zS	2,019	10
103106804250259	68	1,770	3,382	Galvanized	sZ	2,080	10
103106803250259	68	1,770	3,382	Galvanized	zS	2,080	10
103106804050259	68	1,770	3,382	Bright	sZ	2,080	10
103106803050259	68	1,770	3,382	Bright	zS	2,080	10
103106804270259	68	1,960	3,745	Galvanized	sZ	2,080	10
103106803270259	68	1,960	3,745	Galvanized	zS	2,080	10
103106804070259	68	1,960	3,745	Bright	sZ	2,080	10
103106803070259	68	1,960	3,745	Bright	zS	2,080	10
103106804300259	68	2,160	4,078	Galvanized	sZ	2,080	10
103106803300259	68	2,160	4,078	Galvanized	zS	2,080	10
103106804100259	68	2,160	4,078	Bright	sZ	2,080	10
103106803100259	68	2,160	4,078	Bright	zS	2,080	10
103106904250259	69	1,770	3,482	Galvanized	sZ	2,142	10
103106903250259	69	1,770	3,482	Galvanized	zS	2,142	10
103106904050259	69	1,770	3,482	Bright	sZ	2,142	10
103106903050259	69	1,770	3,482	Bright	zS	2,142	10
103106904270259	69	1,960	3,856	Galvanized	sZ	2,142	10

103106903270259	69	1,960	3,856	Galvanized	zS	2,142	10
103106904070259	69	1,960	3,856	Bright	sZ	2,142	10
103106903070259	69	1,960	3,856	Bright	zS	2,142	10
103106904300259	69	2,160	4,199	Galvanized	sZ	2,142	10
103106903300259	69	2,160	4,199	Galvanized	zS	2,142	10
103106904100259	69	2,160	4,199	Bright	sZ	2,142	10
103106903100259	69	2,160	4,199	Bright	zS	2,142	10
103107004250259	70	1,770	3,584	Galvanized	sZ	2,204	10
103107003250259	70	1,770	3,584	Galvanized	zS	2,204	10
103107004050259	70	1,770	3,584	Bright	sZ	2,204	10
103107003050259	70	1,770	3,584	Bright	zS	2,204	10
103107004270259	70	1,960	3,968	Galvanized	sZ	2,204	10
103107003270259	70	1,960	3,968	Galvanized	zS	2,204	10
103107004070259	70	1,960	3,968	Bright	sZ	2,204	10
103107003070259	70	1,960	3,968	Bright	zS	2,204	10
103107004300259	70	2,160	4,321	Galvanized	sZ	2,204	10
103107003300259	70	2,160	4,321	Galvanized	zS	2,204	10
103107004100259	70	2,160	4,321	Bright	sZ	2,204	10
103107003100259	70	2,160	4,321	Bright	zS	2,204	10
103107104250259	71	1,770	3,687	Galvanized	sZ	2,268	10
103107103250259	71	1,770	3,687	Galvanized	zS	2,268	10
103107104050259	71	1,770	3,687	Bright	sZ	2,268	10
103107103050259	71	1,770	3,687	Bright	zS	2,268	10

103107104270259	71	1,960	4,082	Galvanized	sZ	2,268	10
103107103270259	71	1,960	4,082	Galvanized	zS	2,268	10
103107104070259	71	1,960	4,082	Bright	sZ	2,268	10
103107103070259	71	1,960	4,082	Bright	zS	2,268	10
103107104300259	71	2,160	4,446	Galvanized	sZ	2,268	10
103107103300259	71	2,160	4,446	Galvanized	zS	2,268	10
103107104100259	71	2,160	4,446	Bright	sZ	2,268	10
103107103100259	71	2,160	4,446	Bright	zS	2,268	10
103107204250259	72	1,770	3,792	Galvanized	sZ	2,332	10
103107203250259	72	1,770	3,792	Galvanized	zS	2,332	10
103107204050259	72	1,770	3,792	Bright	sZ	2,332	10
103107203050259	72	1,770	3,792	Bright	zS	2,332	10
103107204270259	72	1,960	4,198	Galvanized	sZ	2,332	10
103107203270259	72	1,960	4,198	Galvanized	zS	2,332	10
103107204070259	72	1,960	4,198	Bright	sZ	2,332	10
103107203070259	72	1,960	4,198	Bright	zS	2,332	10
103107204300259	72	2,160	4,572	Galvanized	sZ	2,332	10
103107203300259	72	2,160	4,572	Galvanized	zS	2,332	10
103107204100259	72	2,160	4,572	Bright	sZ	2,332	10
103107203100259	72	2,160	4,572	Bright	zS	2,332	10
103107304250259	73	1,770	3,897	Galvanized	sZ	2,397	10
103107303250259	73	1,770	3,897	Galvanized	zS	2,397	10
103107304050259	73	1,770	3,897	Bright	sZ	2,397	10

103107303050259	73	1,770	3,897	Bright	zS	2,397	10
103107304270259	73	1,960	4,315	Galvanized	sZ	2,397	10
103107303270259	73	1,960	4,315	Galvanized	zS	2,397	10
103107304070259	73	1,960	4,315	Bright	sZ	2,397	10
103107303070259	73	1,960	4,315	Bright	zS	2,397	10
103107304300259	73	2,160	4,700	Galvanized	sZ	2,397	10
103107303300259	73	2,160	4,700	Galvanized	zS	2,397	10
103107304100259	73	2,160	4,700	Bright	sZ	2,397	10
103107303100259	73	2,160	4,700	Bright	zS	2,397	10
103107404250259	74	1,770	4,005	Galvanized	sZ	2,463	10
103107403250259	74	1,770	4,005	Galvanized	zS	2,463	10
103107404050259	74	1,770	4,005	Bright	sZ	2,463	10
103107403050259	74	1,770	4,005	Bright	zS	2,463	10
103107404270259	74	1,960	4,435	Galvanized	sZ	2,463	10
103107403270259	74	1,960	4,435	Galvanized	zS	2,463	10
103107404070259	74	1,960	4,435	Bright	sZ	2,463	10
103107403070259	74	1,960	4,435	Bright	zS	2,463	10
103107404300259	74	2,160	4,830	Galvanized	sZ	2,463	10
103107403300259	74	2,160	4,830	Galvanized	zS	2,463	10
103107404100259	74	2,160	4,830	Bright	sZ	2,463	10
103107403100259	74	2,160	4,830	Bright	zS	2,463	10
103107504250259	75	1,770	4,114	Galvanized	sZ	2,531	10
103107503250259	75	1,770	4,114	Galvanized	zS	2,531	10

103107504050259	75	1,770	4,114	Bright	sZ	2,531	10
103107503050259	75	1,770	4,114	Bright	zS	2,531	10
103107504270259	75	1,960	4,555	Galvanized	sZ	2,531	10
103107503270259	75	1,960	4,555	Galvanized	zS	2,531	10
103107504070259	75	1,960	4,555	Bright	sZ	2,531	10
103107503070259	75	1,960	4,555	Bright	zS	2,531	10
103107504300259	75	2,160	4,961	Galvanized	sZ	2,531	10
103107503300259	75	2,160	4,961	Galvanized	zS	2,531	10
103107504100259	75	2,160	4,961	Bright	sZ	2,531	10
103107503100259	75	2,160	4,961	Bright	zS	2,531	10