



Steel wire rope Diepa B55 (D 1315 CZ) , rotation resistant

Product information



Diepa B55 is a rotation-resistant wire rope with compacted outer strands and with a high breaking force.

Applications: Tower cranes, hoisting rope for mobile cranes, telescopic cranes, crawlers, off-shore cranes, EOTs with a single fall, ship deck cranes, etc.

For multi-layer coiling on the drum.

Lay: Lang lay.

Total numbers of wires: ϕ 6-10mm - **238**, 11-49mm - **328**, 50-99mm - **549**, 100-120mm **1053**.

ISO 4309 Rope Category No: 4-49mm **RCN.23-2**, 50-99mm **RCN.27**, 100-120mm **RCN.31**

Optional: B50 - Ordinary Lay, B58 - Lang Lay with plastic insert, B53 - Ordinary Lay with plastic insert.

B55 from 72mm tensile strength 2160 N/mm² on request

Marking: According to standard

Finish: Galvanized or bright.

Standard: EN 12385-4

Fill factor: 0.7145

RCN: 23-2

Part Code	Rope Diameter, mm	Tensile strength N/mm ²	Min. Breaking force kN	Finish	Rope lay.	Weight kg/100m	Delivery time
104100605050089	6	1,770	29.9	Bright	sS	17	10
104100606050089	6	1,770	29.9	Bright	zZ	17	10

104100605250089	6	1,770	29.9	Galvanized	sS	17	10
104100606250089	6	1,770	29.9	Galvanized	zZ	17	10
104100605070089	6	1,960	33.1	Bright	sS	17	10
104100606070089	6	1,960	33.1	Bright	zZ	17	10
104100605270089	6	1,960	33.1	Galvanized	sS	17	10
104100606270089	6	1,960	33.1	Galvanized	zZ	17	10
104100605100089	6	2,160	35.6	Bright	sS	17	10
104100606100089	6	2,160	35.6	Bright	zZ	17	10
104100605300089	6	2,160	35.6	Galvanized	sS	17	10
104100606300089	6	2,160	35.6	Galvanized	zZ	17	10
104100805050089	8	1,770	53.1	Bright	sS	31	10
104100806050089	8	1,770	53.1	Bright	zZ	31	10
104100805250089	8	1,770	53.1	Galvanized	sS	31	10
104100806250089	8	1,770	53.1	Galvanized	zZ	31	10
104100805070089	8	1,960	58.8	Bright	sS	31	10
104100806070089	8	1,960	58.8	Bright	zZ	31	10
104100805270089	8	1,960	58.8	Galvanized	sS	31	10
104100806270089	8	1,960	58.8	Galvanized	zZ	31	10
104100805100089	8	2,160	63.2	Bright	sS	31	10
104100806100089	8	2,160	63.2	Bright	zZ	31	10
104100805300089	8	2,160	63.2	Galvanized	sS	31	10
104100806300089	8	2,160	63.2	Galvanized	zZ	31	10
104101005050089	10	1,770	82.4	Bright	sS	49	10

104101006050089	10	1,770	82.4	Bright	zZ	49	10
104101005250089	10	1,770	82.4	Galvanized	sS	49	10
104101006250089	10	1,770	82.4	Galvanized	zZ	49	10
104101005070089	10	1,960	91.7	Bright	sS	49	10
104101006070089	10	1,960	91.7	Bright	zZ	49	10
104101005270089	10	1,960	91.7	Galvanized	sS	49	10
104101006270089	10	1,960	91.7	Galvanized	zZ	49	10
104101005100089	10	2,160	98.6	Bright	sS	49	10
104101006100089	10	2,160	98.6	Bright	zZ	49	10
104101005300089	10	2,160	98.6	Galvanized	sS	49	10
104101006300089	10	2,160	98.6	Galvanized	zZ	49	10
104101105050089	11	1,770	101	Bright	sS	59	10
104101106050089	11	1,770	101	Bright	zZ	59	10
104101105250089	11	1,770	101	Galvanized	sS	59	10
104101106250089	11	1,770	101	Galvanized	zZ	59	10
104101105070089	11	1,960	112	Bright	sS	59	10
104101106070089	11	1,960	112	Bright	zZ	59	10
104101105270089	11	1,960	112	Galvanized	sS	59	10
104101106270089	11	1,960	112	Galvanized	zZ	59	10
104101105100089	11	2,160	120	Bright	sS	59	10
104101106100089	11	2,160	120	Bright	zZ	59	10
104101105300089	11	2,160	120	Galvanized	sS	59	10
104101106300089	11	2,160	120	Galvanized	zZ	59	10

104101205050089	12	1,770	119	Bright	sS	70	10
104101206050089	12	1,770	119	Bright	zZ	70	10
104101205250089	12	1,770	119	Galvanized	sS	70	10
104101206250089	12	1,770	119	Galvanized	zZ	70	10
104101205070089	12	1,960	132	Bright	sS	70	10
104101206070089	12	1,960	132	Bright	zZ	70	10
104101205270089	12	1,960	132	Galvanized	sS	70	10
104101206270089	12	1,960	132	Galvanized	zZ	70	10
104101205100089	12	2,160	142	Bright	sS	70	10
104101206100089	12	2,160	142	Bright	zZ	70	10
104101205300089	12	2,160	142	Galvanized	sS	70	10
104101206300089	12	2,160	142	Galvanized	zZ	70	10
104101305050089	13	1,770	141	Bright	sS	83	10
104101306050089	13	1,770	141	Bright	zZ	83	10
104101305250089	13	1,770	141	Galvanized	sS	83	10
104101306250089	13	1,770	141	Galvanized	zZ	83	10
104101305070089	13	1,960	156	Bright	sS	83	10
104101306070089	13	1,960	156	Bright	zZ	83	10
104101305270089	13	1,960	156	Galvanized	sS	83	10
104101306270089	13	1,960	156	Galvanized	zZ	83	2
104101305100089	13	2,160	168	Bright	sS	83	10
104101306100089	13	2,160	168	Bright	zZ	83	10
104101305300089	13	2,160	168	Galvanized	sS	83	10

104101306300089	13	2,160	168	Galvanized	zZ	83	10
104101405050089	14	1,770	162	Bright	sS	95	10
104101406050089	14	1,770	162	Bright	zZ	95	10
104101405250089	14	1,770	162	Galvanized	sS	95	10
104101406250089	14	1,770	162	Galvanized	zZ	95	10
104101405070089	14	1,960	181	Bright	sS	95	10
104101406070089	14	1,960	181	Bright	zZ	95	10
104101405270089	14	1,960	181	Galvanized	sS	95	10
104101406270089	14	1,960	181	Galvanized	zZ	95	10
104101405100089	14	2,160	194	Bright	sS	95	10
104101406100089	14	2,160	194	Bright	zZ	95	10
104101405300089	14	2,160	194	Galvanized	sS	95	10
104101406300089	14	2,160	194	Galvanized	zZ	95	10
104101505050089	15	1,770	186	Bright	sS	109	10
104101506050089	15	1,770	186	Bright	zZ	109	10
104101505250089	15	1,770	186	Galvanized	sS	109	10
104101506250089	15	1,770	186	Galvanized	zZ	109	10
104101505070089	15	1,960	207	Bright	sS	109	10
104101506070089	15	1,960	207	Bright	zZ	109	10
104101505270089	15	1,960	207	Galvanized	sS	109	10
104101506270089	15	1,960	207	Galvanized	zZ	109	10
104101505100089	15	2,160	222	Bright	sS	109	10
104101506100089	15	2,160	222	Bright	zZ	109	10

104101505300089	15	2,160	222	Galvanized	sS	109	10
104101506300089	15	2,160	222	Galvanized	zZ	109	10
104101605050089	16	1,770	214	Bright	sS	126	10
104101606050089	16	1,770	214	Bright	zZ	126	10
104101605250089	16	1,770	214	Galvanized	sS	126	10
104101606250089	16	1,770	214	Galvanized	zZ	126	10
104101605070089	16	1,960	238	Bright	sS	126	10
104101606070089	16	1,960	238	Bright	zZ	126	10
104101605270089	16	1,960	238	Galvanized	sS	126	10
104101606270089	16	1,960	238	Galvanized	zZ	126	2
104101605100089	16	2,160	256	Bright	sS	126	10
104101606100089	16	2,160	256	Bright	zZ	126	10
104101605300089	16	2,160	256	Galvanized	sS	126	10
104101606300089	16	2,160	256	Galvanized	zZ	126	10
104101705050089	17	1,770	240	Bright	sS	141	10
104101706050089	17	1,770	240	Bright	zZ	141	10
104101705250089	17	1,770	240	Galvanized	sS	141	10
104101706250089	17	1,770	240	Galvanized	zZ	141	10
104101705070089	17	1,960	267	Bright	sS	141	10
104101706070089	17	1,960	267	Bright	zZ	141	10
104101705270089	17	1,960	267	Galvanized	sS	141	10
104101706270089	17	1,960	267	Galvanized	zZ	141	10
104101705100089	17	2,160	287	Bright	sS	141	10

104101706100089	17	2,160	287	Bright	zZ	141	10
104101705300089	17	2,160	287	Galvanized	sS	141	10
104101706300089	17	2,160	287	Galvanized	zZ	141	10
104101805050089	18	1,770	271	Bright	sS	159	10
104101806050089	18	1,770	271	Bright	zZ	159	10
104101805250089	18	1,770	271	Galvanized	sS	159	10
104101806250089	18	1,770	271	Galvanized	zZ	159	10
104101805070089	18	1,960	301	Bright	sS	159	10
104101806070089	18	1,960	301	Bright	zZ	159	10
104101805270089	18	1,960	301	Galvanized	sS	159	10
104101806270089	18	1,960	301	Galvanized	zZ	159	2
104101805100089	18	2,160	323	Bright	sS	159	10
104101806100089	18	2,160	323	Bright	zZ	159	10
104101805300089	18	2,160	323	Galvanized	sS	159	10
104101806300089	18	2,160	323	Galvanized	zZ	159	10
104101905050089	19	1,770	300	Bright	sS	176	10
104101906050089	19	1,770	300	Bright	zZ	176	10
104101905250089	19	1,770	300	Galvanized	sS	176	10
104101906250089	19	1,770	300	Galvanized	zZ	176	2
104101905070089	19	1,960	333	Bright	sS	176	10
104101906070089	19	1,960	333	Bright	zZ	176	10
104101905270089	19	1,960	333	Galvanized	sS	176	10
104101906270089	19	1,960	333	Galvanized	zZ	176	10

104101905100089	19	2,160	358	Bright	sS	176	10
104101906100089	19	2,160	358	Bright	zZ	176	10
104101905300089	19	2,160	358	Galvanized	sS	176	10
104101906300089	19	2,160	358	Galvanized	zZ	176	10
104102005050089	20	1,770	334	Bright	sS	196	10
104102006050089	20	1,770	334	Bright	zZ	196	10
104102005250089	20	1,770	334	Galvanized	sS	196	10
104102006250089	20	1,770	334	Galvanized	zZ	196	10
104102005070089	20	1,960	371	Bright	sS	196	10
104102006070089	20	1,960	371	Bright	zZ	196	10
104102005270089	20	1,960	371	Galvanized	sS	196	10
104102006270089	20	1,960	371	Galvanized	zZ	196	10
104102005100089	20	2,160	398	Bright	sS	196	10
104102006100089	20	2,160	398	Bright	zZ	196	10
104102005300089	20	2,160	398	Galvanized	sS	196	10
104102006300089	20	2,160	398	Galvanized	zZ	196	10
104102105050089	21	1,770	371	Bright	sS	218	10
104102106050089	21	1,770	371	Bright	zZ	218	10
104102105250089	21	1,770	371	Galvanized	sS	218	10
104102106250089	21	1,770	371	Galvanized	zZ	218	10
104102105070089	21	1,960	412	Bright	sS	218	10
104102106070089	21	1,960	412	Bright	zZ	218	10
104102105270089	21	1,960	412	Galvanized	sS	218	10

104102106270089	21	1,960	412	Galvanized	zZ	218	10
104102105100089	21	2,160	442	Bright	sS	218	10
104102106100089	21	2,160	442	Bright	zZ	218	10
104102105300089	21	2,160	442	Galvanized	sS	218	10
104102106300089	21	2,160	442	Galvanized	zZ	218	10
104102205050089	22	1,770	406	Bright	sS	238	10
104102206050089	22	1,770	406	Bright	zZ	238	10
104102205250089	22	1,770	406	Galvanized	sS	238	10
104102206250089	22	1,770	406	Galvanized	zZ	238	10
104102205070089	22	1,960	451	Bright	sS	238	10
104102206070089	22	1,960	451	Bright	zZ	238	10
104102205270089	22	1,960	451	Galvanized	sS	238	10
104102206270089	22	1,960	451	Galvanized	zZ	238	2
104102205100089	22	2,160	485	Bright	sS	238	10
104102206100089	22	2,160	485	Bright	zZ	238	10
104102205300089	22	2,160	485	Galvanized	sS	238	10
104102206300089	22	2,160	485	Galvanized	zZ	238	10
104102305050089	23	1,770	442	Bright	sS	260	10
104102306050089	23	1,770	442	Bright	zZ	260	10
104102305250089	23	1,770	442	Galvanized	sS	260	10
104102306250089	23	1,770	442	Galvanized	zZ	260	10
104102305070089	23	1,960	491	Bright	sS	260	10
104102306070089	23	1,960	491	Bright	zZ	260	10

104102305270089	23	1,960	491	Galvanized	sS	260	10
104102306270089	23	1,960	491	Galvanized	zZ	260	10
104102305100089	23	2,160	528	Bright	sS	260	10
104102306100089	23	2,160	528	Bright	zZ	260	10
104102305300089	23	2,160	528	Galvanized	sS	260	10
104102306300089	23	2,160	528	Galvanized	zZ	260	10
104102405050089	24	1,770	481	Bright	sS	282	10
104102406050089	24	1,770	481	Bright	zZ	282	10
104102405250089	24	1,770	481	Galvanized	sS	282	2
104102406250089	24	1,770	481	Galvanized	zZ	282	10
104102405070089	24	1,960	534	Bright	sS	282	10
104102406070089	24	1,960	534	Bright	zZ	282	10
104102405270089	24	1,960	534	Galvanized	sS	282	10
104102406270089	24	1,960	534	Galvanized	zZ	282	10
104102405100089	24	2,160	573	Bright	sS	282	10
104102406100089	24	2,160	573	Bright	zZ	282	10
104102405300089	24	2,160	573	Galvanized	sS	282	10
104102406300089	24	2,160	573	Galvanized	zZ	282	10
104102505050089	25	1,770	512	Bright	sS	301	10
104102506050089	25	1,770	512	Bright	zZ	301	10
104102505250089	25	1,770	512	Galvanized	sS	301	10
104102506250089	25	1,770	512	Galvanized	zZ	301	10
104102505070089	25	1,960	569	Bright	sS	301	10

104102506070089	25	1,960	569	Bright	zZ	301	10
104102505270089	25	1,960	569	Galvanized	sS	301	10
104102506270089	25	1,960	569	Galvanized	zZ	301	10
104102505100089	25	2,160	611	Bright	sS	301	10
104102506100089	25	2,160	611	Bright	zZ	301	10
104102505300089	25	2,160	611	Galvanized	sS	301	10
104102506300089	25	2,160	611	Galvanized	zZ	301	10
104102605050089	26	1,770	554	Bright	sS	325	10
104102606050089	26	1,770	554	Bright	zZ	325	10
104102605250089	26	1,770	554	Galvanized	sS	325	10
104102606250089	26	1,770	554	Galvanized	zZ	325	10
104102605070089	26	1,960	616	Bright	sS	325	10
104102606070089	26	1,960	616	Bright	zZ	325	10
104102605270089	26	1,960	616	Galvanized	sS	325	10
104102606270089	26	1,960	616	Galvanized	zZ	325	10
104102605100089	26	2,160	661	Bright	sS	325	10
104102606100089	26	2,160	661	Bright	zZ	325	10
104102605300089	26	2,160	661	Galvanized	sS	325	10
104102606300089	26	2,160	661	Galvanized	zZ	325	10
104102805050089	28	1,770	652	Bright	sS	383	10
104102806050089	28	1,770	652	Bright	zZ	383	10
104102805250089	28	1,770	652	Galvanized	sS	383	10
104102806250089	28	1,770	652	Galvanized	zZ	383	10

104102805070089	28	1,960	725	Bright	sS	383	10
104102806070089	28	1,960	725	Bright	zZ	383	10
104102805270089	28	1,960	725	Galvanized	sS	383	10
104102806270089	28	1,960	725	Galvanized	zZ	383	10
104102805100089	28	2,160	778	Bright	sS	383	10
104102806100089	28	2,160	778	Bright	zZ	383	10
104102805300089	28	2,160	778	Galvanized	sS	383	10
104102806300089	28	2,160	778	Galvanized	zZ	383	10
104103005050089	30	1,770	740	Bright	sS	434	10
104103006050089	30	1,770	740	Bright	zZ	434	10
104103005250089	30	1,770	740	Galvanized	sS	434	10
104103006250089	30	1,770	740	Galvanized	zZ	434	10
104103005070089	30	1,960	822	Bright	sS	434	10
104103006070089	30	1,960	822	Bright	zZ	434	10
104103005270089	30	1,960	822	Galvanized	sS	434	10
104103006270089	30	1,960	822	Galvanized	zZ	434	10
104103005100089	30	2,160	883	Bright	sS	434	10
104103006100089	30	2,160	883	Bright	zZ	434	10
104103005300089	30	2,160	883	Galvanized	sS	434	10
104103006300089	30	2,160	883	Galvanized	zZ	434	10
104103205050089	32	1,770	844	Bright	sS	495	10
104103206050089	32	1,770	844	Bright	zZ	495	10
104103205250089	32	1,770	844	Galvanized	sS	495	10

104103206250089	32	1,770	844	Galvanized	zZ	495	10
104103205070089	32	1,960	937	Bright	sS	495	10
104103206070089	32	1,960	937	Bright	zZ	495	10
104103205270089	32	1,960	937	Galvanized	sS	495	10
104103206270089	32	1,960	937	Galvanized	zZ	495	10
104103205100089	32	2,160	1,006	Bright	sS	495	10
104103206100089	32	2,160	1,006	Bright	zZ	495	10
104103205300089	32	2,160	1,006	Galvanized	sS	495	10
104103206300089	32	2,160	1,006	Galvanized	zZ	495	10
104103405050089	34	1,770	952	Bright	sS	559	10
104103406050089	34	1,770	952	Bright	zZ	559	10
104103405250089	34	1,770	952	Galvanized	sS	559	10
104103406250089	34	1,770	952	Galvanized	zZ	559	10
104103405070089	34	1,960	1,058	Bright	sS	559	10
104103406070089	34	1,960	1,058	Bright	zZ	559	10
104103405270089	34	1,960	1,058	Galvanized	sS	559	10
104103406270089	34	1,960	1,058	Galvanized	zZ	559	10
104103405100089	34	2,160	1,136	Bright	sS	559	10
104103406100089	34	2,160	1,136	Bright	zZ	559	10
104103405300089	34	2,160	1,136	Galvanized	sS	559	10
104103406300089	34	2,160	1,136	Galvanized	zZ	559	10
104103605050089	36	1,770	1,072	Bright	sS	629	10
104103606050089	36	1,770	1,072	Bright	zZ	629	10

104103605250089	36	1,770	1,072	Galvanized	sS	629	10
104103606250089	36	1,770	1,072	Galvanized	zZ	629	10
104103605070089	36	1,960	1,191	Bright	sS	629	10
104103606070089	36	1,960	1,191	Bright	zZ	629	10
104103605270089	36	1,960	1,191	Galvanized	sS	629	10
104103606270089	36	1,960	1,191	Galvanized	zZ	629	10
104103605100089	36	2,160	1,279	Bright	sS	629	10
104103606100089	36	2,160	1,279	Bright	zZ	629	10
104103605300089	36	2,160	1,279	Galvanized	sS	629	10
104103606300089	36	2,160	1,279	Galvanized	zZ	629	10
104103805050089	38	1,770	1,194	Bright	sS	701	10
104103806050089	38	1,770	1,194	Bright	zZ	701	10
104103805250089	38	1,770	1,194	Galvanized	sS	701	10
104103806250089	38	1,770	1,194	Galvanized	zZ	701	10
104103805070089	38	1,960	1,327	Bright	sS	701	10
104103806070089	38	1,960	1,327	Bright	zZ	701	10
104103805270089	38	1,960	1,327	Galvanized	sS	701	10
104103806270089	38	1,960	1,327	Galvanized	zZ	701	10
104103805100089	38	2,160	1,425	Bright	sS	701	10
104103806100089	38	2,160	1,425	Bright	zZ	701	10
104103805300089	38	2,160	1,425	Galvanized	sS	701	10
104103806300089	38	2,160	1,425	Galvanized	zZ	701	10
104104005050089	40	1,770	1,323	Bright	sS	777	10

104104006050089	40	1,770	1,323	Bright	zZ	777	10
104104005250089	40	1,770	1,323	Galvanized	sS	777	10
104104006250089	40	1,770	1,323	Galvanized	zZ	777	10
104104005070089	40	1,960	1,471	Bright	sS	777	10
104104006070089	40	1,960	1,471	Bright	zZ	777	10
104104005270089	40	1,960	1,471	Galvanized	sS	777	10
104104006270089	40	1,960	1,471	Galvanized	zZ	777	10
104104005100089	40	2,160	1,579	Bright	sS	777	10
104104006100089	40	2,160	1,579	Bright	zZ	777	10
104104005300089	40	2,160	1,579	Galvanized	sS	777	10
104104006300089	40	2,160	1,579	Galvanized	zZ	777	10
104104205050089	42	1,770	1,459	Bright	sS	856	10
104104206050089	42	1,770	1,459	Bright	zZ	856	10
104104205250089	42	1,770	1,459	Galvanized	sS	856	10
104104206250089	42	1,770	1,459	Galvanized	zZ	856	10
104104205070089	42	1,960	1,621	Bright	sS	856	10
104104206070089	42	1,960	1,621	Bright	zZ	856	10
104104205270089	42	1,960	1,621	Galvanized	sS	856	10
104104206270089	42	1,960	1,621	Galvanized	zZ	856	10
104104205100089	42	2,160	1,741	Bright	sS	856	10
104104206100089	42	2,160	1,741	Bright	zZ	856	10
104104205300089	42	2,160	1,741	Galvanized	sS	856	10
104104206300089	42	2,160	1,741	Galvanized	zZ	856	10

104104405050089	44	1,770	1,601	Bright	sS	940	10
104104406050089	44	1,770	1,601	Bright	zZ	940	10
104104405250089	44	1,770	1,601	Galvanized	sS	940	10
104104406250089	44	1,770	1,601	Galvanized	zZ	940	10
104104406300089	44	2,160	1,741	Galvanized	zZ	940	10
104104405070089	44	1,960	1,780	Bright	sS	940	10
104104406070089	44	1,960	1,780	Bright	zZ	940	10
104104405270089	44	1,960	1,780	Galvanized	sS	940	10
104104406270089	44	1,960	1,780	Galvanized	zZ	940	10
104104405100089	44	2,160	1,910	Bright	sS	940	10
104104406100089	44	2,160	1,910	Bright	zZ	940	10
104104405300089	44	2,160	1,910	Galvanized	sS	940	10
104104605050089	46	1,770	1,750	Bright	sS	1,027	10
104104606050089	46	1,770	1,750	Bright	zZ	1,027	10
104104605250089	46	1,770	1,750	Galvanized	sS	1,027	10
104104606250089	46	1,770	1,750	Galvanized	zZ	1,027	10
104104605070089	46	1,960	1,945	Bright	sS	1,027	10
104104606070089	46	1,960	1,945	Bright	zZ	1,027	10
104104605270089	46	1,960	1,945	Galvanized	sS	1,027	10
104104606270089	46	1,960	1,945	Galvanized	zZ	1,027	10
104104605100089	46	2,160	2,088	Bright	sS	1,027	10
104104606100089	46	2,160	2,088	Bright	zZ	1,027	10
104104605300089	46	2,160	2,088	Galvanized	sS	1,027	10

104104606300089	46	2,160	2,088	Galvanized	zZ	1,027	10
104104805050089	48	1,770	1,906	Bright	sS	1,118	10
104104806050089	48	1,770	1,906	Bright	zZ	1,118	10
104104805250089	48	1,770	1,906	Galvanized	sS	1,118	10
104104806250089	48	1,770	1,906	Galvanized	zZ	1,118	10
104104805070089	48	1,960	2,117	Bright	sS	1,118	10
104104806070089	48	1,960	2,117	Bright	zZ	1,118	10
104104805270089	48	1,960	2,117	Galvanized	sS	1,118	10
104104806270089	48	1,960	2,117	Galvanized	zZ	1,118	10
104104805100089	48	2,160	2,273	Bright	sS	1,118	10
104104806100089	48	2,160	2,273	Bright	zZ	1,118	10
104104805300089	48	2,160	2,273	Galvanized	sS	1,118	10
104104806300089	48	2,160	2,273	Galvanized	zZ	1,118	10
104105005050089	50	1,770	2,068	Bright	sS	1,214	10
104105006050089	50	1,770	2,068	Bright	zZ	1,214	10
104105005250089	50	1,770	2,068	Galvanized	sS	1,214	10
104105006250089	50	1,770	2,068	Galvanized	zZ	1,214	10
104105005070089	50	1,960	2,298	Bright	sS	1,214	10
104105006070089	50	1,960	2,298	Bright	zZ	1,214	10
104105005270089	50	1,960	2,298	Galvanized	sS	1,214	10
104105006270089	50	1,960	2,298	Galvanized	zZ	1,214	10
104105005100089	50	2,160	2,467	Bright	sS	1,214	10
104105006100089	50	2,160	2,467	Bright	zZ	1,214	10

104105005300089	50	2,160	2,467	Galvanized	sS	1,214	10
104105006300089	50	2,160	2,467	Galvanized	zZ	1,214	10
104105205050089	52	1,770	2,237	Bright	sS	1,313	10
104105206050089	52	1,770	2,237	Bright	zZ	1,313	10
104105205250089	52	1,770	2,237	Galvanized	sS	1,313	10
104105206250089	52	1,770	2,237	Galvanized	zZ	1,313	10
104105205070089	52	1,960	2,485	Bright	sS	1,313	10
104105206070089	52	1,960	2,485	Bright	zZ	1,313	10
104105205270089	52	1,960	2,485	Galvanized	sS	1,313	10
104105206270089	52	1,960	2,485	Galvanized	zZ	1,313	10
104105205100089	52	2,160	2,668	Bright	sS	1,313	10
104105206100089	52	2,160	2,668	Bright	zZ	1,313	10
104105205300089	52	2,160	2,668	Galvanized	sS	1,313	10
104105206300089	52	2,160	2,668	Galvanized	zZ	1,313	10
104105405050089	54	1,770	2,412	Bright	sS	1,415	10
104105406050089	54	1,770	2,412	Bright	zZ	1,415	10
104105405250089	54	1,770	2,412	Galvanized	sS	1,415	10
104105406250089	54	1,770	2,412	Galvanized	zZ	1,415	10
104105405070089	54	1,960	2,681	Bright	sS	1,415	10
104105406070089	54	1,960	2,681	Bright	zZ	1,415	10
104105405270089	54	1,960	2,681	Galvanized	sS	1,415	10
104105406270089	54	1,960	2,681	Galvanized	zZ	1,415	10
104105405100089	54	2,160	2,878	Bright	sS	1,415	10

104105406100089	54	2,160	2,878	Bright	zZ	1,415	10
104105405300089	54	2,160	2,878	Galvanized	sS	1,415	10
104105406300089	54	2,160	2,878	Galvanized	zZ	1,415	10
104105605050089	56	1,770	2,594	Bright	sS	1,522	10
104105606050089	56	1,770	2,594	Bright	zZ	1,522	10
104105605250089	56	1,770	2,594	Galvanized	sS	1,522	10
104105606250089	56	1,770	2,594	Galvanized	zZ	1,522	10
104105605070089	56	1,960	2,883	Bright	sS	1,522	10
104105606070089	56	1,960	2,883	Bright	zZ	1,522	10
104105605270089	56	1,960	2,883	Galvanized	sS	1,522	10
104105606270089	56	1,960	2,883	Galvanized	zZ	1,522	10
104105605100089	56	2,160	3,095	Bright	sS	1,522	10
104105606100089	56	2,160	3,095	Bright	zZ	1,522	10
104105605300089	56	2,160	3,095	Galvanized	sS	1,522	10
104105606300089	56	2,160	3,095	Galvanized	zZ	1,522	10
104105805050089	58	1,770	2,790	Bright	sS	1,633	10
104105806050089	58	1,770	2,790	Bright	zZ	1,633	10
104105805250089	58	1,770	2,790	Galvanized	sS	1,633	10
104105806250089	58	1,770	2,790	Galvanized	zZ	1,633	10
104105805070089	58	1,960	3,090	Bright	sS	1,633	10
104105806070089	58	1,960	3,090	Bright	zZ	1,633	10
104105805270089	58	1,960	3,090	Galvanized	sS	1,633	10
104105806270089	58	1,960	3,090	Galvanized	zZ	1,633	10

104105805100089	58	2,160	3,324	Bright	sS	1,633	10
104105806100089	58	2,160	3,324	Bright	zZ	1,633	10
104105805300089	58	2,160	3,324	Galvanized	sS	1,633	10
104105806300089	58	2,160	3,324	Galvanized	zZ	1,633	10
104106005050089	60	1,770	2,986	Bright	sS	1,747	10
104106006050089	60	1,770	2,986	Bright	zZ	1,747	10
104106005250089	60	1,770	2,986	Galvanized	sS	1,747	10
104106006250089	60	1,770	2,986	Galvanized	zZ	1,747	10
104106005070089	60	1,960	3,307	Bright	sS	1,747	10
104106006070089	60	1,960	3,307	Bright	zZ	1,747	10
104106005270089	60	1,960	3,307	Galvanized	sS	1,747	10
104106006270089	60	1,960	3,307	Galvanized	zZ	1,747	10
104106005100089	60	2,160	3,557	Bright	sS	1,747	10
104106006100089	60	2,160	3,557	Bright	zZ	1,747	10
104106005300089	60	2,160	3,557	Galvanized	sS	1,747	10
104106006300089	60	2,160	3,557	Galvanized	zZ	1,747	10
104106205050089	62	1,770	3,188	Bright	sS	1,866	10
104106206050089	62	1,770	3,188	Bright	zZ	1,866	10
104106205250089	62	1,770	3,188	Galvanized	sS	1,866	10
104106206250089	62	1,770	3,188	Galvanized	zZ	1,866	10
104106205070089	62	1,960	3,530	Bright	sS	1,866	10
104106206070089	62	1,960	3,530	Bright	zZ	1,866	10
104106205270089	62	1,960	3,530	Galvanized	sS	1,866	10

104106206270089	62	1,960	3,530	Galvanized	zZ	1,866	10
104106205100089	62	2,160	3,797	Bright	sS	1,866	10
104106206100089	62	2,160	3,797	Bright	zZ	1,866	10
104106205300089	62	2,160	3,797	Galvanized	sS	1,866	10
104106206300089	62	2,160	3,797	Galvanized	zZ	1,866	10
104106405050089	64	1,770	3,397	Bright	sS	1,988	10
104106406050089	64	1,770	3,397	Bright	zZ	1,988	10
104106405250089	64	1,770	3,397	Galvanized	sS	1,988	10
104106406250089	64	1,770	3,397	Galvanized	zZ	1,988	10
104106405070089	64	1,960	3,762	Bright	sS	1,988	10
104106406070089	64	1,960	3,762	Bright	zZ	1,988	10
104106405270089	64	1,960	3,762	Galvanized	sS	1,988	10
104106406270089	64	1,960	3,762	Galvanized	zZ	1,988	10
104106405100089	64	2,160	4,046	Bright	sS	1,988	10
104106406100089	64	2,160	4,046	Bright	zZ	1,988	10
104106405300089	64	2,160	4,046	Galvanized	sS	1,988	10
104106406300089	64	2,160	4,046	Galvanized	zZ	1,988	10
104106605050089	66	1,770	3,613	Bright	sS	2,114	10
104106606050089	66	1,770	3,613	Bright	zZ	2,114	10
104106605250089	66	1,770	3,613	Galvanized	sS	2,114	10
104106606250089	66	1,770	3,613	Galvanized	zZ	2,114	10
104106605070089	66	1,960	4,000	Bright	sS	2,114	10
104106606070089	66	1,960	4,000	Bright	zZ	2,114	10

104106605270089	66	1,960	4,000	Galvanized	sS	2,114	10
104106606270089	66	1,960	4,000	Galvanized	zZ	2,114	10
104106605100089	66	2,160	4,303	Bright	sS	2,114	10
104106606100089	66	2,160	4,303	Bright	zZ	2,114	10
104106605300089	66	2,160	4,303	Galvanized	sS	2,114	10
104106606300089	66	2,160	4,303	Galvanized	zZ	2,114	10
104106805050089	68	1,770	3,825	Bright	sS	2,245	10
104106806050089	68	1,770	3,825	Bright	zZ	2,245	10
104106805250089	68	1,770	3,825	Galvanized	sS	2,245	10
104106806250089	68	1,770	3,825	Galvanized	zZ	2,245	10
104106805070089	68	1,960	4,247	Bright	sS	2,245	10
104106806070089	68	1,960	4,247	Bright	zZ	2,245	10
104106805270089	68	1,960	4,247	Galvanized	sS	2,245	10
104106806270089	68	1,960	4,247	Galvanized	zZ	2,245	10
104106805100089	68	2,160	4,568	Bright	sS	2,245	10
104106806100089	68	2,160	4,568	Bright	zZ	2,245	10
104106805300089	68	2,160	4,568	Galvanized	sS	2,245	10
104106806300089	68	2,160	4,568	Galvanized	zZ	2,245	10
104107005050089	70	1,770	4,064	Bright	sS	2,379	10
104107006050089	70	1,770	4,064	Bright	zZ	2,379	10
104107005250089	70	1,770	4,064	Galvanized	sS	2,379	10
104107006250089	70	1,770	4,064	Galvanized	zZ	2,379	10
104107005070089	70	1,960	4,500	Bright	sS	2,379	10

104107006070089	70	1,960	4,500	Bright	zZ	2,379	10
104107005270089	70	1,960	4,500	Galvanized	sS	2,379	10
104107006270089	70	1,960	4,500	Galvanized	zZ	2,379	10
104107005100089	70	2,160	4,840	Bright	sS	2,379	10
104107006100089	70	2,160	4,840	Bright	zZ	2,379	10
104107005300089	70	2,160	4,840	Galvanized	sS	2,379	10
104107006300089	70	2,160	4,840	Galvanized	zZ	2,379	10
104107205050089	72	1,770	4,299	Bright	sS	2,516	10
104107206050089	72	1,770	4,299	Bright	zZ	2,516	10
104107205250089	72	1,770	4,299	Galvanized	sS	2,516	10
104107206250089	72	1,770	4,299	Galvanized	zZ	2,516	10
104107205070089	72	1,960	4,761	Bright	sS	2,516	10
104107206070089	72	1,960	4,761	Bright	zZ	2,516	10
104107205270089	72	1,960	4,761	Galvanized	sS	2,516	10
104107206270089	72	1,960	4,761	Galvanized	zZ	2,516	10
104107405050089	74	1,770	4,542	Bright	sS	2,658	10
104107406050089	74	1,770	4,542	Bright	zZ	2,658	10
104107405250089	74	1,770	4,542	Galvanized	sS	2,658	10
104107406250089	74	1,770	4,542	Galvanized	zZ	2,658	10
104107405070089	74	1,960	5,029	Bright	sS	2,658	10
104107406070089	74	1,960	5,029	Bright	zZ	2,658	10
104107405270089	74	1,960	5,029	Galvanized	sS	2,658	10
104107406270089	74	1,960	5,029	Galvanized	zZ	2,658	10

104107605070089	76	1,960	4,761	Bright	sS	2,804	10
104107605050089	76	1,770	4,790	Bright	sS	2,804	10
104107606050089	76	1,770	4,790	Bright	zZ	2,804	10
104107605250089	76	1,770	4,790	Galvanized	sS	2,804	10
104107606250089	76	1,770	4,790	Galvanized	zZ	2,804	10
104107606070089	76	1,960	5,305	Bright	zZ	2,804	10
104107605270089	76	1,960	5,305	Galvanized	sS	2,804	10
104107606270089	76	1,960	5,305	Galvanized	zZ	2,804	10
104107805050089	78	1,770	5,046	Bright	sS	2,953	10
104107806050089	78	1,770	5,046	Bright	zZ	2,953	10
104107805250089	78	1,770	5,046	Galvanized	sS	2,953	10
104107806250089	78	1,770	5,046	Galvanized	zZ	2,953	10
104107805070089	78	1,960	5,588	Bright	sS	2,953	10
104107806070089	78	1,960	5,588	Bright	zZ	2,953	10
104107805270089	78	1,960	5,588	Galvanized	sS	2,953	10
104107806270089	78	1,960	5,588	Galvanized	zZ	2,953	10
104108005050089	80	1,770	5,308	Bright	sS	3,107	10
104108006050089	80	1,770	5,308	Bright	zZ	3,107	10
104108005250089	80	1,770	5,308	Galvanized	sS	3,107	10
104108006250089	80	1,770	5,308	Galvanized	zZ	3,107	10
104108005070089	80	1,960	5,878	Bright	sS	3,107	10
104108006070089	80	1,960	5,878	Bright	zZ	3,107	10
104108005270089	80	1,960	5,878	Galvanized	sS	3,107	10

104108006270089	80	1,960	5,878	Galvanized	zZ	3,107	10
104108205050089	82	1,770	5,577	Bright	sS	3,264	10
104108206050089	82	1,770	5,577	Bright	zZ	3,264	10
104108205250089	82	1,770	5,577	Galvanized	sS	3,264	10
104108206250089	82	1,770	5,577	Galvanized	zZ	3,264	10
104108205070089	82	1,960	6,176	Bright	sS	3,264	10
104108206070089	82	1,960	6,176	Bright	zZ	3,264	10
104108205270089	82	1,960	6,176	Galvanized	sS	3,264	10
104108206270089	82	1,960	6,176	Galvanized	zZ	3,264	10
104108405050089	84	1,770	5,852	Bright	sS	3,425	10
104108406050089	84	1,770	5,852	Bright	zZ	3,425	10
104108405250089	84	1,770	5,852	Galvanized	sS	3,425	10
104108406250089	84	1,770	5,852	Galvanized	zZ	3,425	10
104108405070089	84	1,960	6,480	Bright	sS	3,425	10
104108406070089	84	1,960	6,480	Bright	zZ	3,425	10
104108405270089	84	1,960	6,480	Galvanized	sS	3,425	10
104108406270089	84	1,960	6,480	Galvanized	zZ	3,425	10
104108605050089	86	1,770	6,134	Bright	sS	3,590	10
104108606050089	86	1,770	6,134	Bright	zZ	3,590	10
104108605250089	86	1,770	6,134	Galvanized	sS	3,590	10
104108606250089	86	1,770	6,134	Galvanized	zZ	3,590	10
104108605070089	86	1,960	6,793	Bright	sS	3,590	10
104108606070089	86	1,960	6,793	Bright	zZ	3,590	10

104108605270089	86	1,960	6,793	Galvanized	sS	3,590	10
104108606270089	86	1,960	6,793	Galvanized	zZ	3,590	10
104108805050089	88	1,770	6,423	Bright	sS	3,759	10
104108806050089	88	1,770	6,423	Bright	zZ	3,759	10
104108805250089	88	1,770	6,423	Galvanized	sS	3,759	10
104108806250089	88	1,770	6,423	Galvanized	zZ	3,759	10
104108805070089	88	1,960	7,113	Bright	sS	3,759	10
104108806070089	88	1,960	7,113	Bright	zZ	3,759	10
104108805270089	88	1,960	7,113	Galvanized	sS	3,759	10
104108806270089	88	1,960	7,113	Galvanized	zZ	3,759	10
104109005050089	90	1,770	6,718	Bright	sS	3,932	10
104109006050089	90	1,770	6,718	Bright	zZ	3,932	10
104109005250089	90	1,770	6,718	Galvanized	sS	3,932	10
104109006250089	90	1,770	6,718	Galvanized	zZ	3,932	10
104109005070089	90	1,960	7,439	Bright	sS	3,932	10
104109006070089	90	1,960	7,439	Bright	zZ	3,932	10
104109005270089	90	1,960	7,439	Galvanized	sS	3,932	10
104109006270089	90	1,960	7,439	Galvanized	zZ	3,932	10
104109205050089	92	1,770	7,020	Bright	sS	4,109	10
104109206050089	92	1,770	7,020	Bright	zZ	4,109	10
104109205250089	92	1,770	7,020	Galvanized	sS	4,109	10
104109206250089	92	1,770	7,020	Galvanized	zZ	4,109	10
104109205070089	92	1,960	7,773	Bright	sS	4,109	10

104109206070089	92	1,960	7,773	Bright	zZ	4,109	10
104109205270089	92	1,960	7,773	Galvanized	sS	4,109	10
104109206270089	92	1,960	7,773	Galvanized	zZ	4,109	10
104109405050089	94	1,770	7,329	Bright	sS	4,289	10
104109406050089	94	1,770	7,329	Bright	zZ	4,289	10
104109405250089	94	1,770	7,329	Galvanized	sS	4,289	10
104109406250089	94	1,770	7,329	Galvanized	zZ	4,289	10
104109405070089	94	1,960	8,115	Bright	sS	4,289	10
104109406070089	94	1,960	8,115	Bright	zZ	4,289	10
104109405270089	94	1,960	8,115	Galvanized	sS	4,289	10
104109406270089	94	1,960	8,115	Galvanized	zZ	4,289	10
104109605050089	96	1,770	7,644	Bright	sS	4,474	10
104109606050089	96	1,770	7,644	Bright	zZ	4,474	10
104109605250089	96	1,770	7,644	Galvanized	sS	4,474	10
104109606250089	96	1,770	7,644	Galvanized	zZ	4,474	10
104109605070089	96	1,960	8,464	Bright	sS	4,474	10
104109606070089	96	1,960	8,464	Bright	zZ	4,474	10
104109605270089	96	1,960	8,464	Galvanized	sS	4,474	10
104109606270089	96	1,960	8,464	Galvanized	zZ	4,474	10
104109805050089	98	1,770	7,965	Bright	sS	4,662	10
104109806050089	98	1,770	7,965	Bright	zZ	4,662	10
104109805250089	98	1,770	7,965	Galvanized	sS	4,662	10
104109806250089	98	1,770	7,965	Galvanized	zZ	4,662	10

104109805070089	98	1,960	8,820	Bright	sS	4,662	10
104109806070089	98	1,960	8,820	Bright	zZ	4,662	10
104109805270089	98	1,960	8,820	Galvanized	sS	4,662	10
104109806270089	98	1,960	8,820	Galvanized	zZ	4,662	10
104110005050089	100	1,770	8,294	Bright	sS	4,854	10
104110006050089	100	1,770	8,294	Bright	zZ	4,854	10
104110005250089	100	1,770	8,294	Galvanized	sS	4,854	10
104110006250089	100	1,770	8,294	Galvanized	zZ	4,854	10
104110005070089	100	1,960	9,184	Bright	sS	4,854	10
104110006070089	100	1,960	9,184	Bright	zZ	4,854	10
104110005270089	100	1,960	9,184	Galvanized	sS	4,854	10
104110006270089	100	1,960	9,184	Galvanized	zZ	4,854	10
104110205050089	102	1,770	8,629	Bright	sS	5,050	10
104110206050089	102	1,770	8,629	Bright	zZ	5,050	10
104110205250089	102	1,770	8,629	Galvanized	sS	5,050	10
104110206250089	102	1,770	8,629	Galvanized	zZ	5,050	10
104110205070089	102	1,960	9,555	Bright	sS	5,050	10
104110206070089	102	1,960	9,555	Bright	zZ	5,050	10
104110205270089	102	1,960	9,555	Galvanized	sS	5,050	10
104110206270089	102	1,960	9,555	Galvanized	zZ	5,050	10
104110405050089	104	1,770	8,970	Bright	sS	5,250	10
104110406050089	104	1,770	8,970	Bright	zZ	5,250	10
104110405250089	104	1,770	8,970	Galvanized	sS	5,250	10

104110406250089	104	1,770	8,970	Galvanized	zZ	5,250	10
104110405070089	104	1,960	9,933	Bright	sS	5,250	10
104110406070089	104	1,960	9,933	Bright	zZ	5,250	10
104110405270089	104	1,960	9,933	Galvanized	sS	5,250	10
104110406270089	104	1,960	9,933	Galvanized	zZ	5,250	10
104110605050089	106	1,770	9,319	Bright	sS	5,454	10
104110606050089	106	1,770	9,319	Bright	zZ	5,454	10
104110605250089	106	1,770	9,319	Galvanized	sS	5,454	10
104110606250089	106	1,770	9,319	Galvanized	zZ	5,454	10
104110605070089	106	1,960	10,319	Bright	sS	5,454	10
104110606070089	106	1,960	10,319	Bright	zZ	5,454	10
104110605270089	106	1,960	10,319	Galvanized	sS	5,454	10
104110606270089	106	1,960	10,319	Galvanized	zZ	5,454	10
104110805050089	108	1,770	9,673	Bright	sS	5,662	10
104110806050089	108	1,770	9,673	Bright	zZ	5,662	10
104110805250089	108	1,770	9,673	Galvanized	sS	5,662	10
104110806250089	108	1,770	9,673	Galvanized	zZ	5,662	10
104110805070089	108	1,960	10,712	Bright	sS	5,662	10
104110806070089	108	1,960	10,712	Bright	zZ	5,662	10
104110805270089	108	1,960	10,712	Galvanized	sS	5,662	10
104110806270089	108	1,960	10,712	Galvanized	zZ	5,662	10
104111005050089	110	1,770	10,036	Bright	sS	5,873	10
104111006050089	110	1,770	10,036	Bright	zZ	5,873	10

104111005250089	110	1,770	10,036	Galvanized	sS	5,873	10
104111006250089	110	1,770	10,036	Galvanized	zZ	5,873	10
104111005070089	110	1,960	11,113	Bright	sS	5,873	10
104111006070089	110	1,960	11,113	Bright	zZ	5,873	10
104111005270089	110	1,960	11,113	Galvanized	sS	5,873	10
104111006270089	110	1,960	11,113	Galvanized	zZ	5,873	10
104111205050089	112	1,770	10,404	Bright	sS	6,089	10
104111206050089	112	1,770	10,404	Bright	zZ	6,089	10
104111205250089	112	1,770	10,404	Galvanized	sS	6,089	10
104111206250089	112	1,770	10,404	Galvanized	zZ	6,089	10
104111205070089	112	1,960	11,520	Bright	sS	6,089	10
104111206070089	112	1,960	11,520	Bright	zZ	6,089	10
104111205270089	112	1,960	11,520	Galvanized	sS	6,089	10
104111206270089	112	1,960	11,520	Galvanized	zZ	6,089	10
104111405050089	114	1,770	10,779	Bright	sS	6,308	10
104111406050089	114	1,770	10,779	Bright	zZ	6,308	10
104111405250089	114	1,770	10,779	Galvanized	sS	6,308	10
104111406250089	114	1,770	10,779	Galvanized	zZ	6,308	10
104111405070089	114	1,960	11,953	Bright	sS	6,308	10
104111406070089	114	1,960	11,953	Bright	zZ	6,308	10
104111405270089	114	1,960	11,953	Galvanized	sS	6,308	10
104111406270089	114	1,960	11,953	Galvanized	zZ	6,308	10
104111605050089	116	1,770	11,160	Bright	sS	6,532	10

104111606050089	116	1,770	11,160	Bright	zZ	6,532	10
104111605250089	116	1,770	11,160	Galvanized	sS	6,532	10
104111606250089	116	1,770	11,160	Galvanized	zZ	6,532	10
104111605070089	116	1,960	12,358	Bright	sS	6,532	10
104111606070089	116	1,960	12,358	Bright	zZ	6,532	10
104111605270089	116	1,960	12,358	Galvanized	sS	6,532	10
104111606270089	116	1,960	12,358	Galvanized	zZ	6,532	10
104111805050089	118	1,770	11,548	Bright	sS	6,759	10
104111806050089	118	1,770	11,548	Bright	zZ	6,759	10
104111805250089	118	1,770	11,548	Galvanized	sS	6,759	10
104111806250089	118	1,770	11,548	Galvanized	zZ	6,759	10
104111805070089	118	1,960	12,778	Bright	sS	6,759	10
104111806070089	118	1,960	12,778	Bright	zZ	6,759	10
104111805270089	118	1,960	12,778	Galvanized	sS	6,759	10
104111806270089	118	1,960	12,778	Galvanized	zZ	6,759	10
104112005050089	120	1,770	11,943	Bright	sS	6,990	10
104112006050089	120	1,770	11,943	Bright	zZ	6,990	10
104112005250089	120	1,770	11,943	Galvanized	sS	6,990	10
104112006250089	120	1,770	11,943	Galvanized	zZ	6,990	10
104112005070089	120	1,960	13,225	Bright	sS	6,990	10
104112006070089	120	1,960	13,225	Bright	zZ	6,990	10
104112005270089	120	1,960	13,225	Galvanized	sS	6,990	10
104112006270089	120	1,960	13,225	Galvanized	zZ	6,990	10