



## Steel wire rope Diepa H43 (SKZ8 P)

### Product information



Diepa H43 is a wire rope with compacted inner and outer strands and plastic insert. The rope has a very high breaking force.

**Applications:** For all different types of cranes where rotation resistant steel wire rope is not required. Lifting wire for mobile cranes, deck cranes and container cranes where multiple parts is being used in lower lifting operations, and where right -and left hand lays are being used in at the same time. Winch and digging machines

**Lay:** Ordinary lay with internal plastic component.

**Total number of wires:** 4-6 mm 95, 7-15 mm 262, 16-24 mm 319, 25-44 mm 347, 45-64 mm 427, 65-76 mm 487  
**ISO 4309 Rope Category No:** 4-6 mm RCN.02, 7-15 mm RCN.04, 16-44 mm RCN.09, 45-76 mm RCN.13

**Marking:** According to standard

**Finish:** Galvanized or bright.

**Standard:** EN 12385-4

**Warning:** Not to be used with a swivel.

**Fill factor:** 0.7403

**RCN:** 02

Part Code	Rope Diameter, mm	Tensile strength N/mm <sup>2</sup>	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m	Delivery time
103100404070209	4	1,960	15.3	Bright	sZ	8	10
103100403070209	4	1,960	15.3	Bright	zS	8	10
103100404270209	4	1,960	15.3	Galvanized	sZ	8	10
103100403270209	4	1,960	15.3	Galvanized	zS	8	10

103100404100209	4	2,160	16.9	Bright	sZ	8	10
103100403100209	4	2,160	16.9	Bright	zS	8	10
103100404300209	4	2,160	16.9	Galvanized	sZ	8	10
103100403300209	4	2,160	16.9	Galvanized	zS	8	10
103100604070209	6	1,960	34.5	Bright	sZ	18	10
103100603070209	6	1,960	34.5	Bright	zS	18	10
103100604270209	6	1,960	34.5	Galvanized	sZ	18	10
103100603270209	6	1,960	34.5	Galvanized	zS	18	10
103100604100209	6	2,160	38	Bright	sZ	18	10
103100603100209	6	2,160	38	Bright	zS	18	10
103100604300209	6	2,160	38	Galvanized	sZ	18	10
103100603300209	6	2,160	38	Galvanized	zS	18	10
103100704100209	7	2,160	44.6	Bright	sZ	25	10
103100703100209	7	2,160	44.6	Bright	zS	25	10
103100704300209	7	2,160	44.6	Galvanized	sZ	25	10
103100703300209	7	2,160	44.6	Galvanized	zS	25	10
103100704070209	7	1,960	46.9	Bright	sZ	25	10
103100703070209	7	1,960	46.9	Bright	zS	25	10
103100704270209	7	1,960	46.9	Galvanized	sZ	25	10
103100703270209	7	1,960	46.9	Galvanized	zS	25	10
103100804070209	8	1,960	61.3	Bright	sZ	32	10
103100803070209	8	1,960	61.3	Bright	zS	32	10
103100804270209	8	1,960	61.3	Galvanized	sZ	32	10

103100803270209	8	1,960	61.3	Galvanized	zS	32	10
103100804100209	8	2,160	67.5	Bright	sZ	32	10
103100803100209	8	2,160	67.5	Bright	zS	32	10
103100804300209	8	2,160	67.5	Galvanized	sZ	32	10
103100803300209	8	2,160	67.5	Galvanized	zS	32	10
103100904070209	9	1,960	77.5	Bright	sZ	40	10
103100903070209	9	1,960	77.5	Bright	zS	40	10
103100904270209	9	1,960	77.5	Galvanized	sZ	40	10
103100903270209	9	1,960	77.5	Galvanized	zS	40	10
103100904100209	9	2,160	85.7	Bright	sZ	40	10
103100903100209	9	2,160	85.7	Bright	zS	40	10
103100904300209	9	2,160	85.7	Galvanized	sZ	40	10
103100903300209	9	2,160	85.7	Galvanized	zS	40	10
103101004070209	10	1,960	95.8	Bright	sZ	49	10
103101003070209	10	1,960	95.8	Bright	zS	49	10
103101004270209	10	1,960	95.8	Galvanized	sZ	49	10
103101003270209	10	1,960	95.8	Galvanized	zS	49	10
103101004100209	10	2,160	106	Bright	sZ	49	10
103101003100209	10	2,160	106	Bright	zS	49	10
103101004300209	10	2,160	106	Galvanized	sZ	49	10
103101003300209	10	2,160	106	Galvanized	zS	49	10
103101004050209	10	1,770	-	Bright	sZ	49	10
103101003050209	10	1,770	-	Bright	zS	49	10

103101004250209	10	1,770	-	Galvanized	sZ	49	10
103101003250209	10	1,770	-	Galvanized	zS	49	10
103101104070209	11	1,960	136	Bright	sZ	49	10
103101103070209	11	1,960	136	Bright	zS	49	10
103101104270209	11	1,960	136	Galvanized	sZ	49	10
103101103270209	11	1,960	136	Galvanized	zS	49	10
103101104100209	11	2,160	150	Bright	sZ	49	10
103101103100209	11	2,160	150	Bright	zS	49	10
103101104300209	11	2,160	150	Galvanized	sZ	49	10
103101103300209	11	2,160	150	Galvanized	zS	49	10
103101104050209	11	1,770	-	Bright	sZ	49	10
103101103050209	11	1,770	-	Bright	zS	49	10
103101104250209	11	1,770	-	Galvanized	sZ	49	10
103101103250209	11	1,770	-	Galvanized	zS	49	10
103101204070209	12	1,960	136	Bright	sZ	71	10
103101203070209	12	1,960	136	Bright	zS	71	10
103101204270209	12	1,960	136	Galvanized	sZ	71	10
103101203270209	12	1,960	136	Galvanized	zS	71	10
103101204100209	12	2,160	150	Bright	sZ	71	10
103101203100209	12	2,160	150	Bright	zS	71	10
103101204300209	12	2,160	150	Galvanized	sZ	71	10
103101203300209	12	2,160	150	Galvanized	zS	71	10
103101304070209	13	1,960	159	Bright	sZ	83	10

103101303070209	13	1,960	159	Bright	zS	83	10
103101304270209	13	1,960	159	Galvanized	sZ	83	10
103101303270209	13	1,960	159	Galvanized	zS	83	10
103101304100209	13	2,160	175	Bright	sZ	83	10
103101303100209	13	2,160	175	Bright	zS	83	10
103101304300209	13	2,160	175	Galvanized	sZ	83	10
103101303300209	13	2,160	175	Galvanized	zS	83	10
103101404070209	14	1,960	187	Bright	sZ	98	10
103101403070209	14	1,960	187	Bright	zS	98	10
103101404270209	14	1,960	187	Galvanized	sZ	98	10
103101403270209	14	1,960	187	Galvanized	zS	98	10
103101404100209	14	2,160	206	Bright	sZ	98	10
103101403100209	14	2,160	206	Bright	zS	98	10
103101404300209	14	2,160	206	Galvanized	sZ	98	2
103101403300209	14	2,160	206	Galvanized	zS	98	10
103101504070209	15	1,960	212	Bright	sZ	111	10
103101503070209	15	1,960	212	Bright	zS	111	10
103101504270209	15	1,960	212	Galvanized	sZ	111	10
103101503270209	15	1,960	212	Galvanized	zS	111	10
103101504100209	15	2,160	233	Bright	sZ	111	10
103101503100209	15	2,160	233	Bright	zS	111	10
103101504300209	15	2,160	233	Galvanized	sZ	111	10
103101503300209	15	2,160	233	Galvanized	zS	111	10

103101604070209	16	1,960	245	Bright	sZ	128	10
103101603070209	16	1,960	245	Bright	zS	128	10
103101604270209	16	1,960	245	Galvanized	sZ	128	10
103101603270209	16	1,960	245	Galvanized	zS	128	10
103101604100209	16	2,160	270	Bright	sZ	128	10
103101603100209	16	2,160	270	Bright	zS	128	10
103101604300209	16	2,160	270	Galvanized	sZ	128	10
103101603300209	16	2,160	270	Galvanized	zS	128	10
103101704070209	17	1,960	275	Bright	sZ	144	10
103101703070209	17	1,960	275	Bright	zS	144	10
103101704270209	17	1,960	275	Galvanized	sZ	144	10
103101703270209	17	1,960	275	Galvanized	zS	144	10
103101704100209	17	2,160	302	Bright	sZ	144	10
103101703100209	17	2,160	302	Bright	zS	144	10
103101704300209	17	2,160	302	Galvanized	sZ	144	10
103101703300209	17	2,160	302	Galvanized	zS	144	10
103101804070209	18	1,960	311	Bright	sZ	163	10
103101803070209	18	1,960	311	Bright	zS	163	10
103101804270209	18	1,960	311	Galvanized	sZ	163	10
103101803270209	18	1,960	311	Galvanized	zS	163	10
103101804100209	18	2,160	343	Bright	sZ	163	10
103101803100209	18	2,160	343	Bright	zS	163	10
103101804300209	18	2,160	343	Galvanized	sZ	163	10

103101803300209	18	2,160	343	Galvanized	zS	163	10
103101904070209	19	1,960	343	Bright	sZ	179	10
103101903070209	19	1,960	343	Bright	zS	179	10
103101904270209	19	1,960	343	Galvanized	sZ	179	10
103101903270209	19	1,960	343	Galvanized	zS	179	10
103101904100209	19	2,160	377	Bright	sZ	179	10
103101903100209	19	2,160	377	Bright	zS	179	10
103101904300209	19	2,160	377	Galvanized	sZ	179	10
103101903300209	19	2,160	377	Galvanized	zS	179	10
103102004070209	20	1,960	383	Bright	sZ	200	10
103102003070209	20	1,960	383	Bright	zS	200	10
103102004270209	20	1,960	383	Galvanized	sZ	200	10
103102003270209	20	1,960	383	Galvanized	zS	200	10
103102004100209	20	2,160	521	Bright	sZ	200	10
103102003100209	20	2,160	521	Bright	zS	200	10
103102004300209	20	2,160	521	Galvanized	sZ	200	10
103102003300209	20	2,160	521	Galvanized	zS	200	10
103102104070209	21	1,960	430	Bright	sZ	225	10
103102103070209	21	1,960	430	Bright	zS	225	10
103102104270209	21	1,960	430	Galvanized	sZ	225	10
103102103270209	21	1,960	430	Galvanized	zS	225	10
103102104100209	21	2,160	474	Bright	sZ	225	10
103102103100209	21	2,160	474	Bright	zS	225	10

103102104300209	21	2,160	474	Galvanized	sZ	225	10
103102103300209	21	2,160	474	Galvanized	zS	225	10
103102204070209	22	1,960	469	Bright	sZ	245	10
103102203070209	22	1,960	469	Bright	zS	245	10
103102204270209	22	1,960	469	Galvanized	sZ	245	10
103102203270209	22	1,960	469	Galvanized	zS	245	10
103102204100209	22	2,160	516	Bright	sZ	245	10
103102203100209	22	2,160	516	Bright	zS	245	10
103102204300209	22	2,160	516	Galvanized	sZ	245	10
103102203300209	22	2,160	516	Galvanized	zS	245	10
103102304070209	23	1,960	507	Bright	sZ	265	10
103102303070209	23	1,960	507	Bright	zS	265	10
103102304270209	23	1,960	507	Galvanized	sZ	265	10
103102303270209	23	1,960	507	Galvanized	zS	265	10
103102304100209	23	2,160	559	Bright	sZ	265	10
103102303100209	23	2,160	559	Bright	zS	265	10
103102304300209	23	2,160	559	Galvanized	sZ	265	10
103102303300209	23	2,160	559	Galvanized	zS	265	10
103102404070209	24	1,960	550	Bright	sZ	287	10
103102403070209	24	1,960	550	Bright	zS	287	10
103102404270209	24	1,960	550	Galvanized	sZ	287	10
103102403270209	24	1,960	550	Galvanized	zS	287	10
103102404100209	24	2,160	606	Bright	sZ	287	10



103102403100209	24	2,160	606	Bright	zS	287	10
103102404300209	24	2,160	606	Galvanized	sZ	287	10
103102403300209	24	2,160	606	Galvanized	zS	287	10
103102504070209	25	1,960	593	Bright	sZ	310	10
103102503070209	25	1,960	593	Bright	zS	310	10
103102504270209	25	1,960	593	Galvanized	sZ	310	10
103102503270209	25	1,960	593	Galvanized	zS	310	10
103102504100209	25	2,160	653	Bright	sZ	310	10
103102503100209	25	2,160	653	Bright	zS	310	10
103102504300209	25	2,160	653	Galvanized	sZ	310	10
103102503300209	25	2,160	653	Galvanized	zS	310	10
103102604070209	26	1,960	638	Bright	sZ	333	10
103102603070209	26	1,960	638	Bright	zS	333	10
103102604270209	26	1,960	638	Galvanized	sZ	333	10
103102603270209	26	1,960	638	Galvanized	zS	333	10
103102604100209	26	2,160	701	Bright	sZ	333	10
103102603100209	26	2,160	701	Bright	zS	333	10
103102604300209	26	2,160	701	Galvanized	sZ	333	10
103102603300209	26	2,160	701	Galvanized	zS	333	10
103102704070209	27	1,960	694	Bright	sZ	362	10
103102703070209	27	1,960	694	Bright	zS	362	10
103102704270209	27	1,960	694	Galvanized	sZ	362	10
103102703270209	27	1,960	694	Galvanized	zS	362	10

103102704100209	27	2,160	763	Bright	sZ	362	10
103102703100209	27	2,160	763	Bright	zS	362	10
103102704300209	27	2,160	763	Galvanized	sZ	362	10
103102703300209	27	2,160	763	Galvanized	zS	362	10
103102804070209	28	1,960	747	Bright	sZ	390	10
103102803070209	28	1,960	747	Bright	zS	390	10
103102804270209	28	1,960	747	Galvanized	sZ	390	10
103102803270209	28	1,960	747	Galvanized	zS	390	10
103102804100209	28	2,160	822	Bright	sZ	390	10
103102803100209	28	2,160	822	Bright	zS	390	10
103102804300209	28	2,160	822	Galvanized	sZ	390	10
103102803300209	28	2,160	822	Galvanized	zS	390	10
103103004070209	30	1,960	860	Bright	sZ	449	10
103103003070209	30	1,960	860	Bright	zS	449	10
103103004270209	30	1,960	860	Galvanized	sZ	449	10
103103003270209	30	1,960	860	Galvanized	zS	449	10
103103004100209	30	2,160	946	Bright	sZ	449	10
103103003100209	30	2,160	946	Bright	zS	449	10
103103004300209	30	2,160	946	Galvanized	sZ	449	10
103103003300209	30	2,160	946	Galvanized	zS	449	10
103103104070209	31	1,960	925	Bright	sZ	482	10
103103103070209	31	1,960	925	Bright	zS	482	10
103103104270209	31	1,960	925	Galvanized	sZ	482	10

103103103270209	31	1,960	925	Galvanized	zS	482	10
103103104100209	31	2,160	1,017	Bright	sZ	482	10
103103103100209	31	2,160	1,017	Bright	zS	482	10
103103104300209	31	2,160	1,017	Galvanized	sZ	482	10
103103103300209	31	2,160	1,017	Galvanized	zS	482	10
103103204070209	32	1,960	979	Bright	sZ	511	10
103103203070209	32	1,960	979	Bright	zS	511	10
103103204270209	32	1,960	979	Galvanized	sZ	511	10
103103203270209	32	1,960	979	Galvanized	zS	511	10
103103204100209	32	2,160	1,078	Bright	sZ	511	10
103103203100209	32	2,160	1,078	Bright	zS	511	10
103103204300209	32	2,160	1,078	Galvanized	sZ	511	10
103103203300209	32	2,160	1,078	Galvanized	zS	511	10
103103404070209	34	1,960	1,116	Bright	sZ	582	10
103103403070209	34	1,960	1,116	Bright	zS	582	10
103103404270209	34	1,960	1,116	Galvanized	sZ	582	10
103103403270209	34	1,960	1,116	Galvanized	zS	582	10
103103404100209	34	2,160	1,227	Bright	sZ	582	10
103103403100209	34	2,160	1,227	Bright	zS	582	10
103103404300209	34	2,160	1,227	Galvanized	sZ	582	10
103103403300209	34	2,160	1,227	Galvanized	zS	582	10
103103604070209	36	1,960	1,246	Bright	sZ	650	10
103103603070209	36	1,960	1,246	Bright	zS	650	10

103103604270209	36	1,960	1,246	Galvanized	sZ	650	10
103103603270209	36	1,960	1,246	Galvanized	zS	650	10
103103604100209	36	2,160	1,371	Bright	sZ	650	10
103103603100209	36	2,160	1,371	Bright	zS	650	10
103103604300209	36	2,160	1,371	Galvanized	sZ	650	10
103103603300209	36	2,160	1,371	Galvanized	zS	650	10
103103804070209	38	1,960	1,415	Bright	sZ	738	10
103103803070209	38	1,960	1,415	Bright	zS	738	10
103103804270209	38	1,960	1,415	Galvanized	sZ	738	10
103103803270209	38	1,960	1,415	Galvanized	zS	738	10
103103804100209	38	2,160	1,556	Bright	sZ	738	10
103103803100209	38	2,160	1,556	Bright	zS	738	10
103103804300209	38	2,160	1,556	Galvanized	sZ	738	10
103103803300209	38	2,160	1,556	Galvanized	zS	738	10
103104004070209	40	1,960	1,527	Bright	sZ	797	10
103104003070209	40	1,960	1,527	Bright	zS	797	10
103104004270209	40	1,960	1,527	Galvanized	sZ	797	10
103104003270209	40	1,960	1,527	Galvanized	zS	797	10
103104004100209	40	2,160	1,680	Bright	sZ	797	10
103104003100209	40	2,160	1,680	Bright	zS	797	10
103104004300209	40	2,160	1,680	Galvanized	sZ	797	10
103104003300209	40	2,160	1,680	Galvanized	zS	797	10
103104204070209	42	1,960	1,711	Bright	sZ	893	10

103104203070209	42	1,960	1,711	Bright	zS	893	10
103104204270209	42	1,960	1,711	Galvanized	sZ	893	10
103104203270209	42	1,960	1,711	Galvanized	zS	893	10
103104204100209	42	2,160	1,882	Bright	sZ	893	10
103104203100209	42	2,160	1,882	Bright	zS	893	10
103104204300209	42	2,160	1,882	Galvanized	sZ	893	10
103104203300209	42	2,160	1,882	Galvanized	zS	893	10
103104404070209	44	1,960	1,866	Bright	sZ	974	10
103104403070209	44	1,960	1,866	Bright	zS	974	10
103104404270209	44	1,960	1,866	Galvanized	sZ	974	10
103104403270209	44	1,960	1,866	Galvanized	zS	974	10
103104404100209	44	2,160	2,053	Bright	sZ	974	10
103104403100209	44	2,160	2,053	Bright	zS	974	10
103104404300209	44	2,160	2,053	Galvanized	sZ	974	10
103104403300209	44	2,160	2,053	Galvanized	zS	974	10
103104604070209	46	1,960	2,036	Bright	sZ	1,063	10
103104603070209	46	1,960	2,036	Bright	zS	1,063	10
103104604270209	46	1,960	2,036	Galvanized	sZ	1,063	10
103104603270209	46	1,960	2,036	Galvanized	zS	1,063	10
103104604100209	46	2,160	2,239	Bright	sZ	1,063	10
103104603100209	46	2,160	2,239	Bright	zS	1,063	10
103104604300209	46	2,160	2,239	Galvanized	sZ	1,063	10
103104603300209	46	2,160	2,239	Galvanized	zS	1,063	10

103104804070209	48	1,960	2,207	Bright	sZ	1,152	10
103104803070209	48	1,960	2,207	Bright	zS	1,152	10
103104804270209	48	1,960	2,207	Galvanized	sZ	1,152	10
103104803270209	48	1,960	2,207	Galvanized	zS	1,152	10
103104804100209	48	2,160	2,428	Bright	sZ	1,152	10
103104803100209	48	2,160	2,428	Bright	zS	1,152	10
103104804300209	48	2,160	2,428	Galvanized	sZ	1,152	10
103104803300209	48	2,160	2,428	Galvanized	zS	1,152	10
103105004070209	50	1,960	2,388	Bright	sZ	1,246	10
103105003070209	50	1,960	2,388	Bright	zS	1,246	10
103105004270209	50	1,960	2,388	Galvanized	sZ	1,246	10
103105003270209	50	1,960	2,388	Galvanized	zS	1,246	10
103105004100209	50	2,160	2,628	Bright	sZ	1,246	10
103105003100209	50	2,160	2,628	Bright	zS	1,246	10
103105004300209	50	2,160	2,628	Galvanized	sZ	1,246	10
103105003300209	50	2,160	2,628	Galvanized	zS	1,246	10
103105204070209	52	1,960	2,568	Bright	sZ	1,340	10
103105203070209	52	1,960	2,568	Bright	zS	1,340	10
103105204270209	52	1,960	2,568	Galvanized	sZ	1,340	10
103105203270209	52	1,960	2,568	Galvanized	zS	1,340	10
103105204100209	52	2,160	2,825	Bright	sZ	1,340	10
103105203100209	52	2,160	2,825	Bright	zS	1,340	10
103105204300209	52	2,160	2,825	Galvanized	sZ	1,340	10

103105203300209	52	2,160	2,825	Galvanized	zS	1,340	10
103105404070209	54	1,960	2,768	Bright	sZ	1,444	10
103105403070209	54	1,960	2,768	Bright	zS	1,444	10
103105404270209	54	1,960	2,768	Galvanized	sZ	1,444	10
103105403270209	54	1,960	2,768	Galvanized	zS	1,444	10
103105404100209	54	2,160	3,044	Bright	sZ	1,444	10
103105403100209	54	2,160	3,044	Bright	zS	1,444	10
103105404300209	54	2,160	3,044	Galvanized	sZ	1,444	10
103105403300209	54	2,160	3,044	Galvanized	zS	1,444	10
103105604070209	56	1,960	3,030	Bright	sZ	1,581	10
103105603070209	56	1,960	3,030	Bright	zS	1,581	10
103105604270209	56	1,960	3,030	Galvanized	sZ	1,581	10
103105603270209	56	1,960	3,030	Galvanized	zS	1,581	10
103105604100209	56	2,160	3,333	Bright	sZ	1,581	10
103105603100209	56	2,160	3,333	Bright	zS	1,581	10
103105604300209	56	2,160	3,333	Galvanized	sZ	1,581	10
103105603300209	56	2,160	3,333	Galvanized	zS	1,581	10
103105804070209	58	1,960	3,221	Bright	sZ	1,681	10
103105803070209	58	1,960	3,221	Bright	zS	1,681	10
103105804270209	58	1,960	3,221	Galvanized	sZ	1,681	10
103105803270209	58	1,960	3,221	Galvanized	zS	1,681	10
103105804100209	58	2,160	3,542	Bright	sZ	1,681	10
103105803100209	58	2,160	3,542	Bright	zS	1,681	10

103105804300209	58	2,160	3,542	Galvanized	sZ	1,681	10
103105803300209	58	2,160	3,542	Galvanized	zS	1,681	10
103106004070209	60	1,960	3,391	Bright	sZ	1,770	10
103106003070209	60	1,960	3,391	Bright	zS	1,770	10
103106004270209	60	1,960	3,391	Galvanized	sZ	1,770	10
103106003270209	60	1,960	3,391	Galvanized	zS	1,770	10
103106004100209	60	2,160	3,730	Bright	sZ	1,770	10
103106003100209	60	2,160	3,730	Bright	zS	1,770	10
103106004300209	60	2,160	3,730	Galvanized	sZ	1,770	10
103106003300209	60	2,160	3,730	Galvanized	zS	1,770	10
103106204070209	62	1,960	3,680	Bright	sZ	1,922	10
103106203070209	62	1,960	3,680	Bright	zS	1,922	10
103106204270209	62	1,960	3,680	Galvanized	sZ	1,922	10
103106203270209	62	1,960	3,680	Galvanized	zS	1,922	10
103106204100209	62	2,160	4,056	Bright	sZ	1,922	10
103106203100209	62	2,160	4,056	Bright	zS	1,922	10
103106204300209	62	2,160	4,056	Galvanized	sZ	1,922	10
103106203300209	62	2,160	4,056	Galvanized	zS	1,922	10
103106404070209	64	1,960	3,921	Bright	sZ	2,048	10
103106403070209	64	1,960	3,921	Bright	zS	2,048	10
103106404270209	64	1,960	3,921	Galvanized	sZ	2,048	10
103106403270209	64	1,960	3,921	Galvanized	zS	2,048	10
103106404100209	64	2,160	4,321	Bright	sZ	2,048	10



103106403100209	64	2,160	4,321	Bright	zS	2,048	10
103106404300209	64	2,160	4,321	Galvanized	sZ	2,048	10
103106403300209	64	2,160	4,321	Galvanized	zS	2,048	10
103106604070209	66	1,960	4,170	Bright	sZ	2,178	10
103106603070209	66	1,960	4,170	Bright	zS	2,178	10
103106604270209	66	1,960	4,170	Galvanized	sZ	2,178	10
103106603270209	66	1,960	4,170	Galvanized	zS	2,178	10
103106604100209	66	2,160	4,596	Bright	sZ	2,178	10
103106603100209	66	2,160	4,596	Bright	zS	2,178	10
103106604300209	66	2,160	4,596	Galvanized	sZ	2,178	10
103106603300209	66	2,160	4,596	Galvanized	zS	2,178	10
103106804070209	68	1,960	4,427	Bright	sZ	2,312	10
103106803070209	68	1,960	4,427	Bright	zS	2,312	10
103106804270209	68	1,960	4,427	Galvanized	sZ	2,312	10
103106803270209	68	1,960	4,427	Galvanized	zS	2,312	10
103106804100209	68	2,160	4,878	Bright	sZ	2,312	10
103106803100209	68	2,160	4,878	Bright	zS	2,312	10
103106804300209	68	2,160	4,878	Galvanized	sZ	2,312	10
103106803300209	68	2,160	4,878	Galvanized	zS	2,312	10
103107004070209	70	1,960	4,691	Bright	sZ	2,450	10
103107003070209	70	1,960	4,691	Bright	zS	2,450	10
103107004270209	70	1,960	4,691	Galvanized	sZ	2,450	10
103107003270209	70	1,960	4,691	Galvanized	zS	2,450	10

103107004100209	70	2,160	5,169	Bright	sZ	2,450	10
103107003100209	70	2,160	5,169	Bright	zS	2,450	10
103107004300209	70	2,160	5,169	Galvanized	sZ	2,450	10
103107003300209	70	2,160	5,169	Galvanized	zS	2,450	10
103107204070209	72	1,960	4,963	Bright	sZ	2,592	10
103107203070209	72	1,960	4,963	Bright	zS	2,592	10
103107204270209	72	1,960	4,963	Galvanized	sZ	2,592	10
103107203270209	72	1,960	4,963	Galvanized	zS	2,592	10
103107204100209	72	2,160	5,469	Bright	sZ	2,592	10
103107203100209	72	2,160	5,469	Bright	zS	2,592	10
103107204300209	72	2,160	5,469	Galvanized	sZ	2,592	10
103107203300209	72	2,160	5,469	Galvanized	zS	2,592	10
103107404070209	74	1,960	5,242	Bright	sZ	2,738	10
103107403070209	74	1,960	5,242	Bright	zS	2,738	10
103107404270209	74	1,960	5,242	Galvanized	sZ	2,738	10
103107403270209	74	1,960	5,242	Galvanized	zS	2,738	10
103107404100209	74	2,160	5,777	Bright	sZ	2,738	10
103107403100209	74	2,160	5,777	Bright	zS	2,738	10
103107404300209	74	2,160	5,777	Galvanized	sZ	2,738	10
103107403300209	74	2,160	5,777	Galvanized	zS	2,738	10
103107504070209	75	1,960	5,384	Bright	sZ	2,813	10
103107503070209	75	1,960	5,384	Bright	zS	2,813	10
103107504270209	75	1,960	5,384	Galvanized	sZ	2,813	10

103107503270209	75	1,960	5,384	Galvanized	zS	2,813	10
103107504100209	75	2,160	5,934	Bright	sZ	2,813	10
103107503100209	75	2,160	5,934	Bright	zS	2,813	10
103107504300209	75	2,160	5,934	Galvanized	sZ	2,813	10
103107503300209	75	2,160	5,934	Galvanized	zS	2,813	10