



## Steel wire rope Diepa X53 (PZ371)

### Product information



Diepa X53 is a non-rotation resistant wire rope with compacted outer strands, plastic insert and high breaking force.

**Applications:** Lifting wire for mobile cranes, deck cranes and container cranes where multiple parts is being used in lower lifting operations, and where right -and left hand lays are being used in at the same time. Winch and digging machines.

**Lay:** Ordinary Lay with plastic insert.

**Total number of wires:** 4-14mm 201, 15-43mm 329, 44-65mm 409, 66-100mm 580.

**ISO 4309 Rope Category No:** 4-14mm **RCN.04**, 15-44mm **RCN.09**, 45-100mm **RCN.13**

**Optional:** X50 - Ordinary Lay, X55 - Lang Lay, X58 Lang Lay with plastic insert.

From  $\varnothing 76\text{mm}$  tensile strenght 2160 N/mm<sup>2</sup> on request

**Marking:** According to standard

**Finish:** Galvanized or bright

**Standard:** EN 12385-4

**Warning:** Not to be used with a swivel

**Fill factor:** 0.6750

**RCN:** 04

Part Code	Rope Diameter, mm	Tensile strength N/mm <sup>2</sup>	Min. Breaking force kN	Finish	Rope lay.	Weight kg/100m	Delivery time
103100404050189	4	1,770	12.8	Bright	sZ	8	10
103100403050189	4	1,770	12.8	Bright	zS	8	10
103100404250189	4	1,770	12.8	Galvanized	sZ	8	10

103100403250189	4	1,770	12.8	Galvanized	zS	8	10
103100404070189	4	1,960	14.1	Bright	sZ	8	10
103100403070189	4	1,960	14.1	Bright	zS	8	10
103100404270189	4	1,960	14.1	Galvanized	sZ	8	10
103100403270189	4	1,960	14.1	Galvanized	zS	8	10
103100404100189	4	2,160	15.4	Bright	sZ	8	10
103100403100189	4	2,160	15.4	Bright	zS	8	10
103100404300189	4	2,160	15.4	Galvanized	sZ	8	10
103100403300189	4	2,160	15.4	Galvanized	zS	8	10
103100504050189	5	1,770	19.9	Bright	sZ	12	10
103100503050189	5	1,770	19.9	Bright	zS	12	10
103100504250189	5	1,770	19.9	Galvanized	sZ	12	10
103100503250189	5	1,770	19.9	Galvanized	zS	12	10
103100504070189	5	1,960	22.1	Bright	sZ	12	10
103100503070189	5	1,960	22.1	Bright	zS	12	10
103100504270189	5	1,960	22.1	Galvanized	sZ	12	10
103100503270189	5	1,960	22.1	Galvanized	zS	12	10
103100504100189	5	2,160	24	Bright	sZ	12	10
103100503100189	5	2,160	24	Bright	zS	12	10
103100504300189	5	2,160	24	Galvanized	sZ	12	10
103100503300189	5	2,160	24	Galvanized	zS	12	10
103100604050189	6	1,770	28.7	Bright	sZ	17	10
103100603050189	6	1,770	28.7	Bright	zS	17	10

103100604250189	6	1,770	28.7	Galvanized	sZ	17	10
103100603250189	6	1,770	28.7	Galvanized	zS	17	10
103100604070189	6	1,960	31.8	Bright	sZ	17	10
103100603070189	6	1,960	31.8	Bright	zS	17	10
103100604270189	6	1,960	31.8	Galvanized	sZ	17	10
103100603270189	6	1,960	31.8	Galvanized	zS	17	10
103100604100189	6	2,160	34.6	Bright	sZ	17	10
103100603100189	6	2,160	34.6	Bright	zS	17	10
103100604300189	6	2,160	34.6	Galvanized	sZ	17	10
103100603300189	6	2,160	34.6	Galvanized	zS	17	10
103100654050189	6.5	1,770	28.7	Bright	sZ	20	10
103100653050189	6.5	1,770	28.7	Bright	zS	20	10
103100654250189	6.5	1,770	28.7	Galvanized	sZ	20	10
103100653250189	6.5	1,770	28.7	Galvanized	zS	20	10
103100654070189	6.5	1,960	31.8	Bright	sZ	20	10
103100653070189	6.5	1,960	31.8	Bright	zS	20	10
103100654270189	6.5	1,960	31.8	Galvanized	sZ	20	10
103100653270189	6.5	1,960	31.8	Galvanized	zS	20	10
103100654100189	6.5	2,160	34.6	Bright	sZ	20	10
103100653100189	6.5	2,160	34.6	Bright	zS	20	10
103100654300189	6.5	2,160	34.6	Galvanized	sZ	20	10
103100653300189	6.5	2,160	34.6	Galvanized	zS	20	10
103100704050189	7	1,770	39.1	Bright	sZ	23	10

103100703050189	7	1,770	39.1	Bright	zS	23	10
103100704250189	7	1,770	39.1	Galvanized	sZ	23	10
103100703250189	7	1,770	39.1	Galvanized	zS	23	10
103100704070189	7	1,960	43.3	Bright	sZ	23	10
103100703070189	7	1,960	43.3	Bright	zS	23	10
103100704270189	7	1,960	43.3	Galvanized	sZ	23	10
103100703270189	7	1,960	43.3	Galvanized	zS	23	10
103100704100189	7	2,160	47.1	Bright	sZ	23	10
103100703100189	7	2,160	47.1	Bright	zS	23	10
103100704300189	7	2,160	47.1	Galvanized	sZ	23	10
103100703300189	7	2,160	47.1	Galvanized	zS	23	10
103100754050189	7.5	1,770	44.9	Bright	sZ	27	10
103100753050189	7.5	1,770	44.9	Bright	zS	27	10
103100754250189	7.5	1,770	44.9	Galvanized	sZ	27	10
103100753250189	7.5	1,770	44.9	Galvanized	zS	27	10
103100754070189	7.5	1,960	49.7	Bright	sZ	27	10
103100753070189	7.5	1,960	49.7	Bright	zS	27	10
103100754270189	7.5	1,960	49.7	Galvanized	sZ	27	10
103100753270189	7.5	1,960	49.7	Galvanized	zS	27	10
103100754100189	7.5	2,160	54.1	Bright	sZ	27	10
103100753100189	7.5	2,160	54.1	Bright	zS	27	10
103100754300189	7.5	2,160	54.1	Galvanized	sZ	27	10
103100753300189	7.5	2,160	54.1	Galvanized	zS	27	10

103100804050189	8	1,770	51	Bright	sZ	30	10
103100803050189	8	1,770	51	Bright	zS	30	10
103100804250189	8	1,770	51	Galvanized	sZ	30	10
103100803250189	8	1,770	51	Galvanized	zS	30	10
103100804070189	8	1,960	56.5	Bright	sZ	30	10
103100803070189	8	1,960	56.5	Bright	zS	30	10
103100804270189	8	1,960	56.5	Galvanized	sZ	30	10
103100803270189	8	1,960	56.5	Galvanized	zS	30	10
103100804100189	8	2,160	61.6	Bright	sZ	30	10
103100803100189	8	2,160	61.6	Bright	zS	30	10
103100804300189	8	2,160	61.6	Galvanized	sZ	30	10
103100803300189	8	2,160	61.6	Galvanized	zS	30	10
103100854050189	8.5	1,770	57.6	Bright	sZ	34	10
103100853050189	8.5	1,770	57.6	Bright	zS	34	10
103100854250189	8.5	1,770	57.6	Galvanized	sZ	34	10
103100853250189	8.5	1,770	57.6	Galvanized	zS	34	10
103100854070189	8.5	1,960	63.8	Bright	sZ	34	10
103100853070189	8.5	1,960	63.8	Bright	zS	34	10
103100854270189	8.5	1,960	63.8	Galvanized	sZ	34	10
103100853270189	8.5	1,960	63.8	Galvanized	zS	34	10
103100854100189	8.5	2,160	69.5	Bright	sZ	34	10
103100853100189	8.5	2,160	69.5	Bright	zS	34	10
103100854300189	8.5	2,160	69.5	Galvanized	sZ	34	10

103100853300189	8.5	2,160	69.5	Galvanized	zS	34	10
103100904050189	9	1,770	64.6	Bright	sZ	38	10
103100903050189	9	1,770	64.6	Bright	zS	38	10
103100904250189	9	1,770	64.6	Galvanized	sZ	38	10
103100903250189	9	1,770	64.6	Galvanized	zS	38	10
103100904070189	9	1,960	71.5	Bright	sZ	38	10
103100903070189	9	1,960	71.5	Bright	zS	38	10
103100904270189	9	1,960	71.5	Galvanized	sZ	38	10
103100903270189	9	1,960	71.5	Galvanized	zS	38	10
103100904100189	9	2,160	77.9	Bright	sZ	38	10
103100903100189	9	2,160	77.9	Bright	zS	38	10
103100904300189	9	2,160	77.9	Galvanized	sZ	38	10
103100903300189	9	2,160	77.9	Galvanized	zS	38	10
103100954050189	9.5	1,770	72	Bright	sZ	43	10
103100953050189	9.5	1,770	72	Bright	zS	43	10
103100954250189	9.5	1,770	72	Galvanized	sZ	43	10
103100953250189	9.5	1,770	72	Galvanized	zS	43	10
103100954070189	9.5	1,960	79.7	Bright	sZ	43	10
103100953070189	9.5	1,960	79.7	Bright	zS	43	10
103100954270189	9.5	1,960	79.7	Galvanized	sZ	43	10
103100953270189	9.5	1,960	79.7	Galvanized	zS	43	10
103100954100189	9.5	2,160	86.5	Bright	sZ	43	10
103100953100189	9.5	2,160	86.5	Bright	zS	43	10

103100954300189	9.5	2,160	86.5	Galvanized	sZ	43	10
103100953300189	9.5	2,160	86.5	Galvanized	zS	43	10
103101004050189	10	1,770	79.8	Bright	sZ	47	10
103101003050189	10	1,770	79.8	Bright	zS	47	10
103101004250189	10	1,770	79.8	Galvanized	sZ	47	10
103101003250189	10	1,770	79.8	Galvanized	zS	47	10
103101004070189	10	1,960	88.4	Bright	sZ	47	10
103101003070189	10	1,960	88.4	Bright	zS	47	10
103101004270189	10	1,960	88.4	Galvanized	sZ	47	10
103101003270189	10	1,960	88.4	Galvanized	zS	47	10
103101004100189	10	2,160	96.6	Bright	sZ	47	10
103101003100189	10	2,160	96.6	Bright	zS	47	10
103101004300189	10	2,160	96.6	Galvanized	sZ	47	10
103101003300189	10	2,160	96.6	Galvanized	zS	47	10
103101104050189	11	1,770	96.9	Bright	sZ	57	10
103101103050189	11	1,770	96.9	Bright	zS	57	10
103101104250189	11	1,770	96.9	Galvanized	sZ	57	10
103101103250189	11	1,770	96.9	Galvanized	zS	57	10
103101104070189	11	1,960	107	Bright	sZ	57	10
103101103070189	11	1,960	107	Bright	zS	57	10
103101104270189	11	1,960	107	Galvanized	sZ	57	10
103101103270189	11	1,960	107	Galvanized	zS	57	10
103101104100189	11	2,160	117	Bright	sZ	57	10

103101103100189	11	2,160	117	Bright	zS	57	10
103101104300189	11	2,160	117	Galvanized	sZ	57	10
103101103300189	11	2,160	117	Galvanized	zS	57	10
103101204050189	12	1,770	115	Bright	sZ	68	10
103101203050189	12	1,770	115	Bright	zS	68	10
103101204250189	12	1,770	115	Galvanized	sZ	68	10
103101203250189	12	1,770	115	Galvanized	zS	68	10
103101204070189	12	1,960	128	Bright	sZ	68	10
103101203070189	12	1,960	128	Bright	zS	68	10
103101204270189	12	1,960	128	Galvanized	sZ	68	10
103101203270189	12	1,960	128	Galvanized	zS	68	10
103101204100189	12	2,160	139	Bright	sZ	68	10
103101203100189	12	2,160	139	Bright	zS	68	10
103101204300189	12	2,160	139	Galvanized	sZ	68	10
103101203300189	12	2,160	139	Galvanized	zS	68	10
103101304050189	13	1,770	135	Bright	sZ	80	10
103101303050189	13	1,770	135	Bright	zS	80	10
103101304250189	13	1,770	135	Galvanized	sZ	80	10
103101303250189	13	1,770	135	Galvanized	zS	80	10
103101304070189	13	1,960	150	Bright	sZ	80	10
103101303070189	13	1,960	150	Bright	zS	80	10
103101304270189	13	1,960	150	Galvanized	sZ	80	10
103101303270189	13	1,960	150	Galvanized	zS	80	10



103101304100189	13	2,160	163	Bright	sZ	80	10
103101303100189	13	2,160	163	Bright	zS	80	10
103101304300189	13	2,160	163	Galvanized	sZ	80	10
103101303300189	13	2,160	163	Galvanized	zS	80	10
103101404050189	14	1,770	156	Bright	sZ	92	10
103101403050189	14	1,770	156	Bright	zS	92	10
103101404250189	14	1,770	156	Galvanized	sZ	92	10
103101403250189	14	1,770	156	Galvanized	zS	92	10
103101404070189	14	1,960	173	Bright	sZ	92	10
103101403070189	14	1,960	173	Bright	zS	92	10
103101404270189	14	1,960	173	Galvanized	sZ	92	10
103101403270189	14	1,960	173	Galvanized	zS	92	10
103101404100189	14	2,160	188	Bright	sZ	92	10
103101403100189	14	2,160	188	Bright	zS	92	10
103101404300189	14	2,160	188	Galvanized	sZ	92	10
103101403300189	14	2,160	188	Galvanized	zS	92	10
103101504050189	15	1,770	179	Bright	sZ	106	10
103101503050189	15	1,770	179	Bright	zS	106	10
103101504250189	15	1,770	179	Galvanized	sZ	106	10
103101503250189	15	1,770	179	Galvanized	zS	106	10
103101504070189	15	1,960	199	Bright	sZ	106	10
103101503070189	15	1,960	199	Bright	zS	106	10
103101504270189	15	1,960	199	Galvanized	sZ	106	10

103101503270189	15	1,960	199	Galvanized	zS	106	10
103101504100189	15	2,160	217	Bright	sZ	106	10
103101503100189	15	2,160	217	Bright	zS	106	10
103101504300189	15	2,160	217	Galvanized	sZ	106	10
103101503300189	15	2,160	217	Galvanized	zS	106	10
103101604050189	16	1,770	204	Bright	sZ	121	10
103101603050189	16	1,770	204	Bright	zS	121	10
103101604250189	16	1,770	204	Galvanized	sZ	121	10
103101603250189	16	1,770	204	Galvanized	zS	121	10
103101604070189	16	1,960	226	Bright	sZ	121	10
103101603070189	16	1,960	226	Bright	zS	121	10
103101604270189	16	1,960	226	Galvanized	sZ	121	10
103101603270189	16	1,960	226	Galvanized	zS	121	10
103101604100189	16	2,160	246	Bright	sZ	121	10
103101603100189	16	2,160	246	Bright	zS	121	10
103101604300189	16	2,160	246	Galvanized	sZ	121	10
103101603300189	16	2,160	246	Galvanized	zS	121	10
103101704050189	17	1,770	230	Bright	sZ	136	10
103101703050189	17	1,770	230	Bright	zS	136	10
103101704250189	17	1,770	230	Galvanized	sZ	136	10
103101703250189	17	1,770	230	Galvanized	zS	136	10
103101704070189	17	1,960	255	Bright	sZ	136	10
103101703070189	17	1,960	255	Bright	zS	136	10

103101704270189	17	1,960	255	Galvanized	sZ	136	10
103101703270189	17	1,960	255	Galvanized	zS	136	10
103101704100189	17	2,160	278	Bright	sZ	136	10
103101703100189	17	2,160	278	Bright	zS	136	10
103101704300189	17	2,160	278	Galvanized	sZ	136	10
103101703300189	17	2,160	278	Galvanized	zS	136	10
103101804050189	18	1,770	258	Bright	sZ	153	10
103101803050189	18	1,770	258	Bright	zS	153	10
103101804250189	18	1,770	258	Galvanized	sZ	153	10
103101803250189	18	1,770	258	Galvanized	zS	153	10
103101804070189	18	1,960	286	Bright	sZ	153	10
103101803070189	18	1,960	286	Bright	zS	153	10
103101804270189	18	1,960	286	Galvanized	sZ	153	10
103101803270189	18	1,960	286	Galvanized	zS	153	10
103101804100189	18	2,160	312	Bright	sZ	153	10
103101803100189	18	2,160	312	Bright	zS	153	10
103101804300189	18	2,160	312	Galvanized	sZ	153	10
103101803300189	18	2,160	312	Galvanized	zS	153	10
103101904050189	19	1,770	288	Bright	sZ	170	10
103101903050189	19	1,770	288	Bright	zS	170	10
103101904250189	19	1,770	288	Galvanized	sZ	170	10
103101903250189	19	1,770	288	Galvanized	zS	170	10
103101904070189	19	1,960	319	Bright	sZ	170	10

103101903070189	19	1,960	319	Bright	zS	170	10
103101904270189	19	1,960	319	Galvanized	sZ	170	10
103101903270189	19	1,960	319	Galvanized	zS	170	10
103101904100189	19	2,160	347	Bright	sZ	170	10
103101903100189	19	2,160	347	Bright	zS	170	10
103101904300189	19	2,160	347	Galvanized	sZ	170	10
103101903300189	19	2,160	347	Galvanized	zS	170	10
103102004050189	20	1,770	319	Bright	sZ	189	10
103102003050189	20	1,770	319	Bright	zS	189	10
103102004250189	20	1,770	319	Galvanized	sZ	189	10
103102003250189	20	1,770	319	Galvanized	zS	189	10
103102004070189	20	1,960	354	Bright	sZ	189	10
103102003070189	20	1,960	354	Bright	zS	189	10
103102004270189	20	1,960	354	Galvanized	sZ	189	10
103102003270189	20	1,960	354	Galvanized	zS	189	10
103102004100189	20	2,160	385	Bright	sZ	189	10
103102003100189	20	2,160	385	Bright	zS	189	10
103102004300189	20	2,160	385	Galvanized	sZ	189	10
103102003300189	20	2,160	385	Galvanized	zS	189	10
103102104050189	21	1,770	352	Bright	sZ	208	10
103102103050189	21	1,770	352	Bright	zS	208	10
103102104250189	21	1,770	352	Galvanized	sZ	208	10
103102103250189	21	1,770	352	Galvanized	zS	208	10

103102104070189	21	1,960	389	Bright	sZ	208	10
103102103070189	21	1,960	389	Bright	zS	208	10
103102104270189	21	1,960	389	Galvanized	sZ	208	10
103102103270189	21	1,960	389	Galvanized	zS	208	10
103102104100189	21	2,160	424	Bright	sZ	208	10
103102103100189	21	2,160	424	Bright	zS	208	10
103102104300189	21	2,160	424	Galvanized	sZ	208	10
103102103300189	21	2,160	424	Galvanized	zS	208	10
103102204050189	22	1,770	386	Bright	sZ	228	10
103102203050189	22	1,770	386	Bright	zS	228	10
103102204250189	22	1,770	386	Galvanized	sZ	228	10
103102203250189	22	1,770	386	Galvanized	zS	228	10
103102204070189	22	1,960	428	Bright	sZ	228	10
103102203070189	22	1,960	428	Bright	zS	228	10
103102204270189	22	1,960	428	Galvanized	sZ	228	10
103102203270189	22	1,960	428	Galvanized	zS	228	10
103102204100189	22	2,160	465	Bright	sZ	228	10
103102203100189	22	2,160	465	Bright	zS	228	10
103102204300189	22	2,160	465	Galvanized	sZ	228	10
103102203300189	22	2,160	465	Galvanized	zS	228	10
103102304050189	23	1,770	422	Bright	sZ	250	10
103102303050189	23	1,770	422	Bright	zS	250	10
103102304250189	23	1,770	422	Galvanized	sZ	250	10

103102303250189	23	1,770	422	Galvanized	zS	250	10
103102304070189	23	1,960	468	Bright	sZ	250	10
103102303070189	23	1,960	468	Bright	zS	250	10
103102304270189	23	1,960	468	Galvanized	sZ	250	10
103102303270189	23	1,960	468	Galvanized	zS	250	10
103102304100189	23	2,160	509	Bright	sZ	250	10
103102303100189	23	2,160	509	Bright	zS	250	10
103102304300189	23	2,160	509	Galvanized	sZ	250	10
103102303300189	23	2,160	509	Galvanized	zS	250	10
103102404050189	24	1,770	459	Bright	sZ	272	10
103102403050189	24	1,770	459	Bright	zS	272	10
103102404250189	24	1,770	459	Galvanized	sZ	272	10
103102403250189	24	1,770	459	Galvanized	zS	272	10
103102404070189	24	1,960	509	Bright	sZ	272	10
103102403070189	24	1,960	509	Bright	zS	272	10
103102404270189	24	1,960	509	Galvanized	sZ	272	10
103102403270189	24	1,960	509	Galvanized	zS	272	10
103102404100189	24	2,160	554	Bright	sZ	272	10
103102403100189	24	2,160	554	Bright	zS	272	10
103102404300189	24	2,160	554	Galvanized	sZ	272	10
103102403300189	24	2,160	554	Galvanized	zS	272	10
103102504050189	25	1,770	498	Bright	sZ	295	10
103102503050189	25	1,770	498	Bright	zS	295	10

103102504250189	25	1,770	498	Galvanized	sZ	295	10
103102503250189	25	1,770	498	Galvanized	zS	295	10
103102504070189	25	1,960	552	Bright	sZ	295	10
103102503070189	25	1,960	552	Bright	zS	295	10
103102504270189	25	1,960	552	Galvanized	sZ	295	10
103102503270189	25	1,960	552	Galvanized	zS	295	10
103102504100189	25	2,160	601	Bright	sZ	295	10
103102503100189	25	2,160	601	Bright	zS	295	10
103102504300189	25	2,160	601	Galvanized	sZ	295	10
103102503300189	25	2,160	601	Galvanized	zS	295	10
103102604050189	26	1,770	539	Bright	sZ	319	10
103102603050189	26	1,770	539	Bright	zS	319	10
103102604250189	26	1,770	539	Galvanized	sZ	319	10
103102603250189	26	1,770	539	Galvanized	zS	319	10
103102604070189	26	1,960	597	Bright	sZ	319	10
103102603070189	26	1,960	597	Bright	zS	319	10
103102604270189	26	1,960	597	Galvanized	sZ	319	10
103102603270189	26	1,960	597	Galvanized	zS	319	10
103102604100189	26	2,160	650	Bright	sZ	319	10
103102603100189	26	2,160	650	Bright	zS	319	10
103102604300189	26	2,160	650	Galvanized	sZ	319	10
103102603300189	26	2,160	650	Galvanized	zS	319	10
103102704050189	27	1,770	581	Bright	sZ	344	10

103102703050189	27	1,770	581	Bright	zS	344	10
103102704250189	27	1,770	581	Galvanized	sZ	344	10
103102703250189	27	1,770	581	Galvanized	zS	344	10
103102704070189	27	1,960	643	Bright	sZ	344	10
103102703070189	27	1,960	643	Bright	zS	344	10
103102704270189	27	1,960	643	Galvanized	sZ	344	10
103102703270189	27	1,960	643	Galvanized	zS	344	10
103102704100189	27	2,160	701	Bright	sZ	344	10
103102703100189	27	2,160	701	Bright	zS	344	10
103102704300189	27	2,160	701	Galvanized	sZ	344	10
103102703300189	27	2,160	701	Galvanized	zS	344	10
103102804050189	28	1,770	626	Bright	sZ	370	10
103102803050189	28	1,770	626	Bright	zS	370	10
103102804250189	28	1,770	626	Galvanized	sZ	370	10
103102803250189	28	1,770	626	Galvanized	zS	370	10
103102804070189	28	1,960	693	Bright	sZ	370	10
103102803070189	28	1,960	693	Bright	zS	370	10
103102804270189	28	1,960	693	Galvanized	sZ	370	10
103102803270189	28	1,960	693	Galvanized	zS	370	10
103102804100189	28	2,160	754	Bright	sZ	370	10
103102803100189	28	2,160	754	Bright	zS	370	10
103102804300189	28	2,160	754	Galvanized	sZ	370	10
103102803300189	28	2,160	754	Galvanized	zS	370	10



103102904050189	29	1,770	671	Bright	sZ	397	10
103102903050189	29	1,770	671	Bright	zS	397	10
103102904250189	29	1,770	671	Galvanized	sZ	397	10
103102903250189	29	1,770	671	Galvanized	zS	397	10
103102904070189	29	1,960	743	Bright	sZ	397	10
103102903070189	29	1,960	743	Bright	zS	397	10
103102904270189	29	1,960	743	Galvanized	sZ	397	10
103102903270189	29	1,960	743	Galvanized	zS	397	10
103102904100189	29	2,160	809	Bright	sZ	397	10
103102903100189	29	2,160	809	Bright	zS	397	10
103102904300189	29	2,160	809	Galvanized	sZ	397	10
103102903300189	29	2,160	809	Galvanized	zS	397	10
103103004050189	30	1,770	718	Bright	sZ	425	10
103103003050189	30	1,770	718	Bright	zS	425	10
103103004250189	30	1,770	718	Galvanized	sZ	425	10
103103003250189	30	1,770	718	Galvanized	zS	425	10
103103004070189	30	1,960	795	Bright	sZ	425	10
103103003070189	30	1,960	795	Bright	zS	425	10
103103004270189	30	1,960	795	Galvanized	sZ	425	10
103103003270189	30	1,960	795	Galvanized	zS	425	10
103103004100189	30	2,160	866	Bright	sZ	425	10
103103003100189	30	2,160	866	Bright	zS	425	10
103103004300189	30	2,160	866	Galvanized	sZ	425	10

103103003300189	30	2,160	866	Galvanized	zS	425	10
103103104050189	31	1,770	772	Bright	sZ	457	10
103103103050189	31	1,770	772	Bright	zS	457	10
103103104250189	31	1,770	772	Galvanized	sZ	457	10
103103103250189	31	1,770	772	Galvanized	zS	457	10
103103104070189	31	1,960	855	Bright	sZ	457	10
103103103070189	31	1,960	855	Bright	zS	457	10
103103104270189	31	1,960	855	Galvanized	sZ	457	10
103103103270189	31	1,960	855	Galvanized	zS	457	10
103103104100189	31	2,160	932	Bright	sZ	457	10
103103103100189	31	2,160	932	Bright	zS	457	10
103103104300189	31	2,160	932	Galvanized	sZ	457	10
103103103300189	31	2,160	932	Galvanized	zS	457	10
103103204050189	32	1,770	823	Bright	sZ	487	10
103103203050189	32	1,770	823	Bright	zS	487	10
103103204250189	32	1,770	823	Galvanized	sZ	487	10
103103203250189	32	1,770	823	Galvanized	zS	487	10
103103204070189	32	1,960	911	Bright	sZ	487	10
103103203070189	32	1,960	911	Bright	zS	487	10
103103204270189	32	1,960	911	Galvanized	sZ	487	10
103103203270189	32	1,960	911	Galvanized	zS	487	10
103103204100189	32	2,160	992	Bright	sZ	487	10
103103203100189	32	2,160	992	Bright	zS	487	10

103103204300189	32	2,160	992	Galvanized	sZ	487	10
103103203300189	32	2,160	992	Galvanized	zS	487	10
103103304050189	33	1,770	875	Bright	sZ	518	10
103103303050189	33	1,770	875	Bright	zS	518	10
103103304250189	33	1,770	875	Galvanized	sZ	518	10
103103303250189	33	1,770	875	Galvanized	zS	518	10
103103304070189	33	1,960	969	Bright	sZ	518	10
103103303070189	33	1,960	969	Bright	zS	518	10
103103304270189	33	1,960	969	Galvanized	sZ	518	10
103103303270189	33	1,960	969	Galvanized	zS	518	10
103103304100189	33	2,160	1,055	Bright	sZ	518	10
103103303100189	33	2,160	1,055	Bright	zS	518	10
103103304300189	33	2,160	1,055	Galvanized	sZ	518	10
103103303300189	33	2,160	1,055	Galvanized	zS	518	10
103103404050189	34	1,770	929	Bright	sZ	549	10
103103403050189	34	1,770	929	Bright	zS	549	10
103103404250189	34	1,770	929	Galvanized	sZ	549	10
103103403250189	34	1,770	929	Galvanized	zS	549	10
103103404070189	34	1,960	1,030	Bright	sZ	549	10
103103403070189	34	1,960	1,030	Bright	zS	549	10
103103404270189	34	1,960	1,030	Galvanized	sZ	549	10
103103403270189	34	1,960	1,030	Galvanized	zS	549	10
103103404100189	34	2,160	1,121	Bright	sZ	549	10

103103403100189	34	2,160	1,121	Bright	zS	549	10
103103404300189	34	2,160	1,121	Galvanized	sZ	549	10
103103403300189	34	2,160	1,121	Galvanized	zS	549	10
103103504050189	35	1,770	984	Bright	sZ	582	10
103103503050189	35	1,770	984	Bright	zS	582	10
103103504250189	35	1,770	984	Galvanized	sZ	582	10
103103503250189	35	1,770	984	Galvanized	zS	582	10
103103504070189	35	1,960	1,090	Bright	sZ	582	10
103103503070189	35	1,960	1,090	Bright	zS	582	10
103103504270189	35	1,960	1,090	Galvanized	sZ	582	10
103103503270189	35	1,960	1,090	Galvanized	zS	582	10
103103504100189	35	2,160	1,187	Bright	sZ	582	10
103103503100189	35	2,160	1,187	Bright	zS	582	10
103103504300189	35	2,160	1,187	Galvanized	sZ	582	10
103103503300189	35	2,160	1,187	Galvanized	zS	582	10
103103604050189	36	1,770	1,041	Bright	sZ	616	10
103103603050189	36	1,770	1,041	Bright	zS	616	10
103103604250189	36	1,770	1,041	Galvanized	sZ	616	10
103103603250189	36	1,770	1,041	Galvanized	zS	616	10
103103604070189	36	1,960	1,153	Bright	sZ	616	10
103103603070189	36	1,960	1,153	Bright	zS	616	10
103103604270189	36	1,960	1,153	Galvanized	sZ	616	10
103103603270189	36	1,960	1,153	Galvanized	zS	616	10

103103604100189	36	2,160	1,256	Bright	sZ	616	10
103103603100189	36	2,160	1,256	Bright	zS	616	10
103103604300189	36	2,160	1,256	Galvanized	sZ	616	10
103103603300189	36	2,160	1,256	Galvanized	zS	616	10
103103704050189	37	1,770	1,100	Bright	sZ	651	10
103103703050189	37	1,770	1,100	Bright	zS	651	10
103103704250189	37	1,770	1,100	Galvanized	sZ	651	10
103103703250189	37	1,770	1,100	Galvanized	zS	651	10
103103704070189	37	1,960	1,221	Bright	sZ	651	10
103103703070189	37	1,960	1,221	Bright	zS	651	10
103103704270189	37	1,960	1,221	Galvanized	sZ	651	10
103103703270189	37	1,960	1,221	Galvanized	zS	651	10
103103704100189	37	2,160	1,328	Bright	sZ	651	10
103103703100189	37	2,160	1,328	Bright	zS	651	10
103103704300189	37	2,160	1,328	Galvanized	sZ	651	10
103103703300189	37	2,160	1,328	Galvanized	zS	651	10
103103804050189	38	1,770	1,168	Bright	sZ	686	10
103103803050189	38	1,770	1,168	Bright	zS	686	10
103103804250189	38	1,770	1,168	Galvanized	sZ	686	10
103103803250189	38	1,770	1,168	Galvanized	zS	686	10
103103804070189	38	1,960	1,298	Bright	sZ	686	10
103103803070189	38	1,960	1,298	Bright	zS	686	10
103103804270189	38	1,960	1,298	Galvanized	sZ	686	10

103103803270189	38	1,960	1,298	Galvanized	zS	686	10
103103804100189	38	2,160	1,413	Bright	sZ	686	10
103103803100189	38	2,160	1,413	Bright	zS	686	10
103103804300189	38	2,160	1,413	Galvanized	sZ	686	10
103103803300189	38	2,160	1,413	Galvanized	zS	686	10
103103904050189	39	1,770	1,222	Bright	sZ	723	10
103103903050189	39	1,770	1,222	Bright	zS	723	10
103103904250189	39	1,770	1,222	Galvanized	sZ	723	10
103103903250189	39	1,770	1,222	Galvanized	zS	723	10
103103904070189	39	1,960	1,353	Bright	sZ	723	10
103103903070189	39	1,960	1,353	Bright	zS	723	10
103103904270189	39	1,960	1,353	Galvanized	sZ	723	10
103103903270189	39	1,960	1,353	Galvanized	zS	723	10
103103904100189	39	2,160	1,474	Bright	sZ	723	10
103103903100189	39	2,160	1,474	Bright	zS	723	10
103103904300189	39	2,160	1,474	Galvanized	sZ	723	10
103103903300189	39	2,160	1,474	Galvanized	zS	723	10
103104004050189	40	1,770	1,285	Bright	sZ	761	10
103104003050189	40	1,770	1,285	Bright	zS	761	10
103104004250189	40	1,770	1,285	Galvanized	sZ	761	10
103104003250189	40	1,770	1,285	Galvanized	zS	761	10
103104004070189	40	1,960	1,424	Bright	sZ	761	10
103104003070189	40	1,960	1,424	Bright	zS	761	10

103104004270189	40	1,960	1,424	Galvanized	sZ	761	10
103104003270189	40	1,960	1,424	Galvanized	zS	761	10
103104004100189	40	2,160	1,551	Bright	sZ	761	10
103104003100189	40	2,160	1,551	Bright	zS	761	10
103104004300189	40	2,160	1,551	Galvanized	sZ	761	10
103104003300189	40	2,160	1,551	Galvanized	zS	761	10
103104104050189	41	1,770	1,351	Bright	sZ	799	10
103104103050189	41	1,770	1,351	Bright	zS	799	10
103104104250189	41	1,770	1,351	Galvanized	sZ	799	10
103104103250189	41	1,770	1,351	Galvanized	zS	799	10
103104104070189	41	1,960	1,496	Bright	sZ	799	10
103104103070189	41	1,960	1,496	Bright	zS	799	10
103104104270189	41	1,960	1,496	Galvanized	sZ	799	10
103104103270189	41	1,960	1,496	Galvanized	zS	799	10
103104104100189	41	2,160	1,629	Bright	sZ	799	10
103104103100189	41	2,160	1,629	Bright	zS	799	10
103104104300189	41	2,160	1,629	Galvanized	sZ	799	10
103104103300189	41	2,160	1,629	Galvanized	zS	799	10
103104204050189	42	1,770	1,418	Bright	sZ	838	10
103104203050189	42	1,770	1,418	Bright	zS	838	10
103104204250189	42	1,770	1,418	Galvanized	sZ	838	10
103104203250189	42	1,770	1,418	Galvanized	zS	838	10
103104204070189	42	1,960	1,574	Bright	sZ	838	10

103104203070189	42	1,960	1,574	Bright	zS	838	10
103104204270189	42	1,960	1,574	Galvanized	sZ	838	10
103104203270189	42	1,960	1,574	Galvanized	zS	838	10
103104204100189	42	2,160	1,713	Bright	sZ	838	10
103104203100189	42	2,160	1,713	Bright	zS	838	10
103104204300189	42	2,160	1,713	Galvanized	sZ	838	10
103104203300189	42	2,160	1,713	Galvanized	zS	838	10
103104304050189	43	1,770	1,486	Bright	sZ	879	10
103104303050189	43	1,770	1,486	Bright	zS	879	10
103104304250189	43	1,770	1,486	Galvanized	sZ	879	10
103104303250189	43	1,770	1,486	Galvanized	zS	879	10
103104304070189	43	1,960	1,645	Bright	sZ	879	10
103104303070189	43	1,960	1,645	Bright	zS	879	10
103104304270189	43	1,960	1,645	Galvanized	sZ	879	10
103104303270189	43	1,960	1,645	Galvanized	zS	879	10
103104304100189	43	2,160	1,792	Bright	sZ	879	10
103104303100189	43	2,160	1,792	Bright	zS	879	10
103104304300189	43	2,160	1,792	Galvanized	sZ	879	10
103104303300189	43	2,160	1,792	Galvanized	zS	879	10
103104404050189	44	1,770	1,556	Bright	sZ	920	10
103104403050189	44	1,770	1,556	Bright	zS	920	10
103104404250189	44	1,770	1,556	Galvanized	sZ	920	10
103104403250189	44	1,770	1,556	Galvanized	zS	920	10



103104404070189	44	1,960	1,723	Bright	sZ	920	10
103104403070189	44	1,960	1,723	Bright	zS	920	10
103104404270189	44	1,960	1,723	Galvanized	sZ	920	10
103104403270189	44	1,960	1,723	Galvanized	zS	920	10
103104404100189	44	2,160	1,876	Bright	sZ	920	10
103104403100189	44	2,160	1,876	Bright	zS	920	10
103104404300189	44	2,160	1,876	Galvanized	sZ	920	10
103104403300189	44	2,160	1,876	Galvanized	zS	920	10
103104504050189	45	1,770	1,615	Bright	sZ	955	10
103104503050189	45	1,770	1,615	Bright	zS	955	10
103104504250189	45	1,770	1,615	Galvanized	sZ	955	10
103104503250189	45	1,770	1,615	Galvanized	zS	955	10
103104504070189	45	1,960	1,788	Bright	sZ	955	10
103104503070189	45	1,960	1,788	Bright	zS	955	10
103104504270189	45	1,960	1,788	Galvanized	sZ	955	10
103104503270189	45	1,960	1,788	Galvanized	zS	955	10
103104504100189	45	2,160	1,948	Bright	sZ	955	10
103104503100189	45	2,160	1,948	Bright	zS	955	10
103104504300189	45	2,160	1,948	Galvanized	sZ	955	10
103104503300189	45	2,160	1,948	Galvanized	zS	955	10
103104604050189	46	1,770	1,700	Bright	sZ	1,006	10
103104603050189	46	1,770	1,700	Bright	zS	1,006	10
103104604250189	46	1,770	1,700	Galvanized	sZ	1,006	10

103104603250189	46	1,770	1,700	Galvanized	zS	1,006	10
103104604070189	46	1,960	1,883	Bright	sZ	1,006	10
103104603070189	46	1,960	1,883	Bright	zS	1,006	10
103104604270189	46	1,960	1,883	Galvanized	sZ	1,006	10
103104603270189	46	1,960	1,883	Galvanized	zS	1,006	10
103104604100189	46	2,160	2,050	Bright	sZ	1,006	10
103104603100189	46	2,160	2,050	Bright	zS	1,006	10
103104604300189	46	2,160	2,050	Galvanized	sZ	1,006	10
103104603300189	46	2,160	2,050	Galvanized	zS	1,006	10
103104704050189	47	1,770	1,762	Bright	sZ	1,042	10
103104703050189	47	1,770	1,762	Bright	zS	1,042	10
103104704250189	47	1,770	1,762	Galvanized	sZ	1,042	10
103104703250189	47	1,770	1,762	Galvanized	zS	1,042	10
103104704070189	47	1,960	1,951	Bright	sZ	1,042	10
103104703070189	47	1,960	1,951	Bright	zS	1,042	10
103104704270189	47	1,960	1,951	Galvanized	sZ	1,042	10
103104703270189	47	1,960	1,951	Galvanized	zS	1,042	10
103104704100189	47	2,160	2,125	Bright	sZ	1,042	10
103104703100189	47	2,160	2,125	Bright	zS	1,042	10
103104704300189	47	2,160	2,125	Galvanized	sZ	1,042	10
103104703300189	47	2,160	2,125	Galvanized	zS	1,042	10
103104804050189	48	1,770	1,851	Bright	sZ	1,095	10
103104803050189	48	1,770	1,851	Bright	zS	1,095	10

103104804250189	48	1,770	1,851	Galvanized	sZ	1,095	10
103104803250189	48	1,770	1,851	Galvanized	zS	1,095	10
103104804070189	48	1,960	2,050	Bright	sZ	1,095	10
103104803070189	48	1,960	2,050	Bright	zS	1,095	10
103104804270189	48	1,960	2,050	Galvanized	sZ	1,095	10
103104803270189	48	1,960	2,050	Galvanized	zS	1,095	10
103104804100189	48	2,160	2,233	Bright	sZ	1,095	10
103104803100189	48	2,160	2,233	Bright	zS	1,095	10
103104804300189	48	2,160	2,233	Galvanized	sZ	1,095	10
103104803300189	48	2,160	2,233	Galvanized	zS	1,095	10
103104904050189	49	1,770	1,915	Bright	sZ	1,133	10
103104903050189	49	1,770	1,915	Bright	zS	1,133	10
103104904250189	49	1,770	1,915	Galvanized	sZ	1,133	10
103104903250189	49	1,770	1,915	Galvanized	zS	1,133	10
103104904070189	49	1,960	2,121	Bright	sZ	1,133	10
103104903070189	49	1,960	2,121	Bright	zS	1,133	10
103104904270189	49	1,960	2,121	Galvanized	sZ	1,133	10
103104903270189	49	1,960	2,121	Galvanized	zS	1,133	10
103104904100189	49	2,160	2,309	Bright	sZ	1,133	10
103104903100189	49	2,160	2,309	Bright	zS	1,133	10
103104904300189	49	2,160	2,309	Galvanized	sZ	1,133	10
103104903300189	49	2,160	2,309	Galvanized	zS	1,133	10
103105004050189	50	1,770	2,009	Bright	sZ	1,188	10

103105003050189	50	1,770	2,009	Bright	zS	1,188	10
103105004250189	50	1,770	2,009	Galvanized	sZ	1,188	10
103105003250189	50	1,770	2,009	Galvanized	zS	1,188	10
103105004070189	50	1,960	2,224	Bright	sZ	1,188	10
103105003070189	50	1,960	2,224	Bright	zS	1,188	10
103105004270189	50	1,960	2,224	Galvanized	sZ	1,188	10
103105003270189	50	1,960	2,224	Galvanized	zS	1,188	10
103105004100189	50	2,160	2,423	Bright	sZ	1,188	10
103105003100189	50	2,160	2,423	Bright	zS	1,188	10
103105004300189	50	2,160	2,423	Galvanized	sZ	1,188	10
103105003300189	50	2,160	2,423	Galvanized	zS	1,188	10
103105104050189	51	1,770	2,075	Bright	sZ	1,227	10
103105103050189	51	1,770	2,075	Bright	zS	1,227	10
103105104250189	51	1,770	2,075	Galvanized	sZ	1,227	10
103105103250189	51	1,770	2,075	Galvanized	zS	1,227	10
103105104070189	51	1,960	2,298	Bright	sZ	1,227	10
103105103070189	51	1,960	2,298	Bright	zS	1,227	10
103105104270189	51	1,960	2,298	Galvanized	sZ	1,227	10
103105103270189	51	1,960	2,298	Galvanized	zS	1,227	10
103105104100189	51	2,160	2,502	Bright	sZ	1,227	10
103105103100189	51	2,160	2,502	Bright	zS	1,227	10
103105104300189	51	2,160	2,502	Galvanized	sZ	1,227	10
103105103300189	51	2,160	2,502	Galvanized	zS	1,227	10

103105204050189	52	1,770	2,173	Bright	sZ	1,285	10
103105203050189	52	1,770	2,173	Bright	zS	1,285	10
103105204250189	52	1,770	2,173	Galvanized	sZ	1,285	10
103105203250189	52	1,770	2,173	Galvanized	zS	1,285	10
103105204070189	52	1,960	2,406	Bright	sZ	1,285	10
103105203070189	52	1,960	2,406	Bright	zS	1,285	10
103105204270189	52	1,960	2,406	Galvanized	sZ	1,285	10
103105203270189	52	1,960	2,406	Galvanized	zS	1,285	10
103105204100189	52	2,160	2,620	Bright	sZ	1,285	10
103105203100189	52	2,160	2,620	Bright	zS	1,285	10
103105204300189	52	2,160	2,620	Galvanized	sZ	1,285	10
103105203300189	52	2,160	2,620	Galvanized	zS	1,285	10
103105304050189	53	1,770	2,241	Bright	sZ	1,325	10
103105303050189	53	1,770	2,241	Bright	zS	1,325	10
103105304250189	53	1,770	2,241	Galvanized	sZ	1,325	10
103105303250189	53	1,770	2,241	Galvanized	zS	1,325	10
103105304070189	53	1,960	2,481	Bright	sZ	1,325	10
103105303070189	53	1,960	2,481	Bright	zS	1,325	10
103105304270189	53	1,960	2,481	Galvanized	sZ	1,325	10
103105303270189	53	1,960	2,481	Galvanized	zS	1,325	10
103105304100189	53	2,160	2,702	Bright	sZ	1,325	10
103105303100189	53	2,160	2,702	Bright	zS	1,325	10
103105304300189	53	2,160	2,702	Galvanized	sZ	1,325	10

103105303300189	53	2,160	2,702	Galvanized	zS	1,325	10
103105404050189	54	1,770	2,343	Bright	sZ	1,386	10
103105403050189	54	1,770	2,343	Bright	zS	1,386	10
103105404250189	54	1,770	2,343	Galvanized	sZ	1,386	10
103105403250189	54	1,770	2,343	Galvanized	zS	1,386	10
103105404070189	54	1,960	2,594	Bright	sZ	1,386	10
103105403070189	54	1,960	2,594	Bright	zS	1,386	10
103105404270189	54	1,960	2,594	Galvanized	sZ	1,386	10
103105403270189	54	1,960	2,594	Galvanized	zS	1,386	10
103105404100189	54	2,160	2,826	Bright	sZ	1,386	10
103105403100189	54	2,160	2,826	Bright	zS	1,386	10
103105404300189	54	2,160	2,826	Galvanized	sZ	1,386	10
103105403300189	54	2,160	2,826	Galvanized	zS	1,386	10
103105504050189	55	1,770	2,413	Bright	sZ	1,427	10
103105503050189	55	1,770	2,413	Bright	zS	1,427	10
103105504250189	55	1,770	2,413	Galvanized	sZ	1,427	10
103105503250189	55	1,770	2,413	Galvanized	zS	1,427	10
103105504070189	55	1,960	2,672	Bright	sZ	1,427	10
103105503070189	55	1,960	2,672	Bright	zS	1,427	10
103105504270189	55	1,960	2,672	Galvanized	sZ	1,427	10
103105503270189	55	1,960	2,672	Galvanized	zS	1,427	10
103105504100189	55	2,160	2,910	Bright	sZ	1,427	10
103105503100189	55	2,160	2,910	Bright	zS	1,427	10

103105504300189	55	2,160	2,910	Galvanized	sZ	1,427	10
103105503300189	55	2,160	2,910	Galvanized	zS	1,427	10
103105604050189	56	1,770	2,519	Bright	sZ	1,491	10
103105603050189	56	1,770	2,519	Bright	zS	1,491	10
103105604250189	56	1,770	2,519	Galvanized	sZ	1,491	10
103105603250189	56	1,770	2,519	Galvanized	zS	1,491	10
103105604070189	56	1,960	2,791	Bright	sZ	1,491	10
103105603070189	56	1,960	2,791	Bright	zS	1,491	10
103105604270189	56	1,960	2,791	Galvanized	sZ	1,491	10
103105603270189	56	1,960	2,791	Galvanized	zS	1,491	10
103105604100189	56	2,160	3,039	Bright	sZ	1,491	10
103105603100189	56	2,160	3,039	Bright	zS	1,491	10
103105604300189	56	2,160	3,039	Galvanized	sZ	1,491	10
103105603300189	56	2,160	3,039	Galvanized	zS	1,491	10
103105704050189	57	1,770	2,592	Bright	sZ	1,533	10
103105703050189	57	1,770	2,592	Bright	zS	1,533	10
103105704250189	57	1,770	2,592	Galvanized	sZ	1,533	10
103105703250189	57	1,770	2,592	Galvanized	zS	1,533	10
103105704070189	57	1,960	2,870	Bright	sZ	1,533	10
103105703070189	57	1,960	2,870	Bright	zS	1,533	10
103105704270189	57	1,960	2,870	Galvanized	sZ	1,533	10
103105703270189	57	1,960	2,870	Galvanized	zS	1,533	10
103105704100189	57	2,160	3,125	Bright	sZ	1,533	10

103105703100189	57	2,160	3,125	Bright	zS	1,533	10
103105704300189	57	2,160	3,125	Galvanized	sZ	1,533	10
103105703300189	57	2,160	3,125	Galvanized	zS	1,533	10
103105804050189	58	1,770	2,703	Bright	sZ	1,599	10
103105803050189	58	1,770	2,703	Bright	zS	1,599	10
103105804250189	58	1,770	2,703	Galvanized	sZ	1,599	10
103105803250189	58	1,770	2,703	Galvanized	zS	1,599	10
103105804070189	58	1,960	2,993	Bright	sZ	1,599	10
103105803070189	58	1,960	2,993	Bright	zS	1,599	10
103105804270189	58	1,960	2,993	Galvanized	sZ	1,599	10
103105803270189	58	1,960	2,993	Galvanized	zS	1,599	10
103105804100189	58	2,160	3,260	Bright	sZ	1,599	10
103105803100189	58	2,160	3,260	Bright	zS	1,599	10
103105804300189	58	2,160	3,260	Galvanized	sZ	1,599	10
103105803300189	58	2,160	3,260	Galvanized	zS	1,599	10
103105904050189	59	1,770	2,776	Bright	sZ	1,642	10
103105903050189	59	1,770	2,776	Bright	zS	1,642	10
103105904250189	59	1,770	2,776	Galvanized	sZ	1,642	10
103105903250189	59	1,770	2,776	Galvanized	zS	1,642	10
103105904070189	59	1,960	3,074	Bright	sZ	1,642	10
103105903070189	59	1,960	3,074	Bright	zS	1,642	10
103105904270189	59	1,960	3,074	Galvanized	sZ	1,642	10
103105903270189	59	1,960	3,074	Galvanized	zS	1,642	10



103105904100189	59	2,160	3,348	Bright	sZ	1,642	10
103105903100189	59	2,160	3,348	Bright	zS	1,642	10
103105904300189	59	2,160	3,348	Galvanized	sZ	1,642	10
103105903300189	59	2,160	3,348	Galvanized	zS	1,642	10
103106004050189	60	1,770	2,893	Bright	sZ	1,711	10
103106003050189	60	1,770	2,893	Bright	zS	1,711	10
103106004250189	60	1,770	2,893	Galvanized	sZ	1,711	10
103106003250189	60	1,770	2,893	Galvanized	zS	1,711	10
103106004070189	60	1,960	3,203	Bright	sZ	1,711	10
103106003070189	60	1,960	3,203	Bright	zS	1,711	10
103106004270189	60	1,960	3,203	Galvanized	sZ	1,711	10
103106003270189	60	1,960	3,203	Galvanized	zS	1,711	10
103106004100189	60	2,160	3,489	Bright	sZ	1,711	10
103106003100189	60	2,160	3,489	Bright	zS	1,711	10
103106004300189	60	2,160	3,489	Galvanized	sZ	1,711	10
103106003300189	60	2,160	3,489	Galvanized	zS	1,711	10
103106104050189	61	1,770	2,968	Bright	sZ	1,756	10
103106103050189	61	1,770	2,968	Bright	zS	1,756	10
103106104250189	61	1,770	2,968	Galvanized	sZ	1,756	10
103106103250189	61	1,770	2,968	Galvanized	zS	1,756	10
103106104070189	61	1,960	3,286	Bright	sZ	1,756	10
103106103070189	61	1,960	3,286	Bright	zS	1,756	10
103106104270189	61	1,960	3,286	Galvanized	sZ	1,756	10

103106103270189	61	1,960	3,286	Galvanized	zS	1,756	10
103106104100189	61	2,160	3,579	Bright	sZ	1,756	10
103106103100189	61	2,160	3,579	Bright	zS	1,756	10
103106104300189	61	2,160	3,579	Galvanized	sZ	1,756	10
103106103300189	61	2,160	3,579	Galvanized	zS	1,756	10
103106204050189	62	1,770	3,089	Bright	sZ	1,827	10
103106203050189	62	1,770	3,089	Bright	zS	1,827	10
103106204250189	62	1,770	3,089	Galvanized	sZ	1,827	10
103106203250189	62	1,770	3,089	Galvanized	zS	1,827	10
103106204070189	62	1,960	3,420	Bright	sZ	1,827	10
103106203070189	62	1,960	3,420	Bright	zS	1,827	10
103106204270189	62	1,960	3,420	Galvanized	sZ	1,827	10
103106203270189	62	1,960	3,420	Galvanized	zS	1,827	10
103106204100189	62	2,160	3,725	Bright	sZ	1,827	10
103106203100189	62	2,160	3,725	Bright	zS	1,827	10
103106204300189	62	2,160	3,725	Galvanized	sZ	1,827	10
103106203300189	62	2,160	3,725	Galvanized	zS	1,827	10
103106304050189	63	1,770	3,165	Bright	sZ	1,873	10
103106303050189	63	1,770	3,165	Bright	zS	1,873	10
103106304250189	63	1,770	3,165	Galvanized	sZ	1,873	10
103106303250189	63	1,770	3,165	Galvanized	zS	1,873	10
103106304070189	63	1,960	3,505	Bright	sZ	1,873	10
103106303070189	63	1,960	3,505	Bright	zS	1,873	10

103106304270189	63	1,960	3,505	Galvanized	sZ	1,873	10
103106303270189	63	1,960	3,505	Galvanized	zS	1,873	10
103106304100189	63	2,160	3,818	Bright	sZ	1,873	10
103106303100189	63	2,160	3,818	Bright	zS	1,873	10
103106304300189	63	2,160	3,818	Galvanized	sZ	1,873	10
103106303300189	63	2,160	3,818	Galvanized	zS	1,873	10
103106404050189	64	1,770	3,291	Bright	sZ	1,947	10
103106403050189	64	1,770	3,291	Bright	zS	1,947	10
103106404250189	64	1,770	3,291	Galvanized	sZ	1,947	10
103106403250189	64	1,770	3,291	Galvanized	zS	1,947	10
103106404070189	64	1,960	3,645	Bright	sZ	1,947	10
103106403070189	64	1,960	3,645	Bright	zS	1,947	10
103106404270189	64	1,960	3,645	Galvanized	sZ	1,947	10
103106403270189	64	1,960	3,645	Galvanized	zS	1,947	10
103106404100189	64	2,160	3,969	Bright	sZ	1,947	10
103106403100189	64	2,160	3,969	Bright	zS	1,947	10
103106404300189	64	2,160	3,969	Galvanized	sZ	1,947	10
103106403300189	64	2,160	3,969	Galvanized	zS	1,947	10
103106504050189	65	1,770	3,370	Bright	sZ	1,993	10
103106503050189	65	1,770	3,370	Bright	zS	1,993	10
103106504250189	65	1,770	3,370	Galvanized	sZ	1,993	10
103106503250189	65	1,770	3,370	Galvanized	zS	1,993	10
103106504070189	65	1,960	3,732	Bright	sZ	1,993	10

103106503070189	65	1,960	3,732	Bright	zS	1,993	10
103106504270189	65	1,960	3,732	Galvanized	sZ	1,993	10
103106503270189	65	1,960	3,732	Galvanized	zS	1,993	10
103106504100189	65	2,160	4,064	Bright	sZ	1,993	10
103106503100189	65	2,160	4,064	Bright	zS	1,993	10
103106504300189	65	2,160	4,064	Galvanized	sZ	1,993	10
103106503300189	65	2,160	4,064	Galvanized	zS	1,993	10
103106604050189	66	1,770	3,500	Bright	sZ	2,071	10
103106603050189	66	1,770	3,500	Bright	zS	2,071	10
103106604250189	66	1,770	3,500	Galvanized	sZ	2,071	10
103106603250189	66	1,770	3,500	Galvanized	zS	2,071	10
103106604070189	66	1,960	3,876	Bright	sZ	2,071	10
103106603070189	66	1,960	3,876	Bright	zS	2,071	10
103106604270189	66	1,960	3,876	Galvanized	sZ	2,071	10
103106603270189	66	1,960	3,876	Galvanized	zS	2,071	10
103106604100189	66	2,160	4,221	Bright	sZ	2,071	10
103106603100189	66	2,160	4,221	Bright	zS	2,071	10
103106604300189	66	2,160	4,221	Galvanized	sZ	2,071	10
103106603300189	66	2,160	4,221	Galvanized	zS	2,071	10
103106704050189	67	1,770	3,580	Bright	sZ	2,118	10
103106703050189	67	1,770	3,580	Bright	zS	2,118	10
103106704250189	67	1,770	3,580	Galvanized	sZ	2,118	10
103106703250189	67	1,770	3,580	Galvanized	zS	2,118	10

103106704070189	67	1,960	3,964	Bright	sZ	2,118	10
103106703070189	67	1,960	3,964	Bright	zS	2,118	10
103106704270189	67	1,960	3,964	Galvanized	sZ	2,118	10
103106703270189	67	1,960	3,964	Galvanized	zS	2,118	10
103106704100189	67	2,160	4,318	Bright	sZ	2,118	10
103106703100189	67	2,160	4,318	Bright	zS	2,118	10
103106704300189	67	2,160	4,318	Galvanized	sZ	2,118	10
103106703300189	67	2,160	4,318	Galvanized	zS	2,118	10
103106804050189	68	1,770	3,715	Bright	sZ	2,198	10
103106803050189	68	1,770	3,715	Bright	zS	2,198	10
103106804250189	68	1,770	3,715	Galvanized	sZ	2,198	10
103106803250189	68	1,770	3,715	Galvanized	zS	2,198	10
103106804070189	68	1,960	4,114	Bright	sZ	2,198	10
103106803070189	68	1,960	4,114	Bright	zS	2,198	10
103106804270189	68	1,960	4,114	Galvanized	sZ	2,198	10
103106803270189	68	1,960	4,114	Galvanized	zS	2,198	10
103106804100189	68	2,160	4,481	Bright	sZ	2,198	10
103106803100189	68	2,160	4,481	Bright	zS	2,198	10
103106804300189	68	2,160	4,481	Galvanized	sZ	2,198	10
103106803300189	68	2,160	4,481	Galvanized	zS	2,198	10
103106904050189	69	1,770	3,798	Bright	sZ	2,246	10
103106903050189	69	1,770	3,798	Bright	zS	2,246	10
103106904250189	69	1,770	3,798	Galvanized	sZ	2,246	10

103106903250189	69	1,770	3,798	Galvanized	zS	2,246	10
103106904070189	69	1,960	4,205	Bright	sZ	2,246	10
103106903070189	69	1,960	4,205	Bright	zS	2,246	10
103106904270189	69	1,960	4,205	Galvanized	sZ	2,246	10
103106903270189	69	1,960	4,205	Galvanized	zS	2,246	10
103106904100189	69	2,160	4,580	Bright	sZ	2,246	10
103106903100189	69	2,160	4,580	Bright	zS	2,246	10
103106904300189	69	2,160	4,580	Galvanized	sZ	2,246	10
103106903300189	69	2,160	4,580	Galvanized	zS	2,246	10
103107004050189	70	1,770	3,937	Bright	sZ	2,329	10
103107003050189	70	1,770	3,937	Bright	zS	2,329	10
103107004250189	70	1,770	3,937	Galvanized	sZ	2,329	10
103107003250189	70	1,770	3,937	Galvanized	zS	2,329	10
103107004070189	70	1,960	4,360	Bright	sZ	2,329	10
103107003070189	70	1,960	4,360	Bright	zS	2,329	10
103107004270189	70	1,960	4,360	Galvanized	sZ	2,329	10
103107003270189	70	1,960	4,360	Galvanized	zS	2,329	10
103107004100189	70	2,160	4,749	Bright	sZ	2,329	10
103107003100189	70	2,160	4,749	Bright	zS	2,329	10
103107004300189	70	2,160	4,749	Galvanized	sZ	2,329	10
103107003300189	70	2,160	4,749	Galvanized	zS	2,329	10
103107104050189	71	1,770	4,021	Bright	sZ	2,378	10
103107103050189	71	1,770	4,021	Bright	zS	2,378	10

103107104250189	71	1,770	4,021	Galvanized	sZ	2,378	10
103107103250189	71	1,770	4,021	Galvanized	zS	2,378	10
103107104070189	71	1,960	4,452	Bright	sZ	2,378	10
103107103070189	71	1,960	4,452	Bright	zS	2,378	10
103107104270189	71	1,960	4,452	Galvanized	sZ	2,378	10
103107103270189	71	1,960	4,452	Galvanized	zS	2,378	10
103107104100189	71	2,160	4,849	Bright	sZ	2,378	10
103107103100189	71	2,160	4,849	Bright	zS	2,378	10
103107104300189	71	2,160	4,849	Galvanized	sZ	2,378	10
103107103300189	71	2,160	4,849	Galvanized	zS	2,378	10
103107204050189	72	1,770	4,134	Bright	sZ	2,446	10
103107203050189	72	1,770	4,134	Bright	zS	2,446	10
103107204250189	72	1,770	4,134	Galvanized	sZ	2,446	10
103107203250189	72	1,770	4,134	Galvanized	zS	2,446	10
103107204070189	72	1,960	4,579	Bright	sZ	2,446	10
103107203070189	72	1,960	4,579	Bright	zS	2,446	10
103107204270189	72	1,960	4,579	Galvanized	sZ	2,446	10
103107203270189	72	1,960	4,579	Galvanized	zS	2,446	10
103107204100189	72	2,160	4,986	Bright	sZ	2,446	10
103107203100189	72	2,160	4,986	Bright	zS	2,446	10
103107204300189	72	2,160	4,986	Galvanized	sZ	2,446	10
103107203300189	72	2,160	4,986	Galvanized	zS	2,446	10
103107304050189	73	1,770	4,251	Bright	sZ	2,514	10

103107303050189	73	1,770	4,251	Bright	zS	2,514	10
103107304250189	73	1,770	4,251	Galvanized	sZ	2,514	10
103107303250189	73	1,770	4,251	Galvanized	zS	2,514	10
103107304070189	73	1,960	4,706	Bright	sZ	2,514	10
103107303070189	73	1,960	4,706	Bright	zS	2,514	10
103107304270189	73	1,960	4,706	Galvanized	sZ	2,514	10
103107303270189	73	1,960	4,706	Galvanized	zS	2,514	10
103107304100189	73	2,160	5,126	Bright	sZ	2,514	10
103107303100189	73	2,160	5,126	Bright	zS	2,514	10
103107304300189	73	2,160	5,126	Galvanized	sZ	2,514	10
103107303300189	73	2,160	5,126	Galvanized	zS	2,514	10
103107404050189	74	1,770	4,367	Bright	sZ	2,584	10
103107403050189	74	1,770	4,367	Bright	zS	2,584	10
103107404250189	74	1,770	4,367	Galvanized	sZ	2,584	10
103107403250189	74	1,770	4,367	Galvanized	zS	2,584	10
103107404070189	74	1,960	4,837	Bright	sZ	2,584	10
103107403070189	74	1,960	4,837	Bright	zS	2,584	10
103107404270189	74	1,960	4,837	Galvanized	sZ	2,584	10
103107403270189	74	1,960	4,837	Galvanized	zS	2,584	10
103107404100189	74	2,160	5,268	Bright	sZ	2,584	10
103107403100189	74	2,160	5,268	Bright	zS	2,584	10
103107404300189	74	2,160	5,268	Galvanized	sZ	2,584	10
103107403300189	74	2,160	5,268	Galvanized	zS	2,584	10



103107504050189	75	1,770	4,486	Bright	sZ	2,654	10
103107503050189	75	1,770	4,486	Bright	zS	2,654	10
103107504250189	75	1,770	4,486	Galvanized	sZ	2,654	10
103107503250189	75	1,770	4,486	Galvanized	zS	2,654	10
103107504070189	75	1,960	4,968	Bright	sZ	2,654	10
103107503070189	75	1,960	4,968	Bright	zS	2,654	10
103107504270189	75	1,960	4,968	Galvanized	sZ	2,654	10
103107503270189	75	1,960	4,968	Galvanized	zS	2,654	10
103107504100189	75	2,160	5,410	Bright	sZ	2,654	10
103107503100189	75	2,160	5,410	Bright	zS	2,654	10
103107504300189	75	2,160	5,410	Galvanized	sZ	2,654	10
103107503300189	75	2,160	5,410	Galvanized	zS	2,654	10
103107604050189	76	1,770	4,607	Bright	sZ	2,725	10
103107603050189	76	1,770	4,607	Bright	zS	2,725	10
103107604250189	76	1,770	4,607	Galvanized	sZ	2,725	10
103107603250189	76	1,770	4,607	Galvanized	zS	2,725	10
103107604070189	76	1,960	5,102	Bright	sZ	2,725	10
103107603070189	76	1,960	5,102	Bright	zS	2,725	10
103107604270189	76	1,960	5,102	Galvanized	sZ	2,725	10
103107603270189	76	1,960	5,102	Galvanized	zS	2,725	10
103107704050189	77	1,770	4,729	Bright	sZ	2,797	10
103107703050189	77	1,770	4,729	Bright	zS	2,797	10
103107704250189	77	1,770	4,729	Galvanized	sZ	2,797	10

103107703250189	77	1,770	4,729	Galvanized	zS	2,797	10
103107704070189	77	1,960	5,237	Bright	sZ	2,797	10
103107703070189	77	1,960	5,237	Bright	zS	2,797	10
103107704270189	77	1,960	5,237	Galvanized	sZ	2,797	10
103107703270189	77	1,960	5,237	Galvanized	zS	2,797	10
103107804050189	78	1,770	4,853	Bright	sZ	2,871	10
103107803050189	78	1,770	4,853	Bright	zS	2,871	10
103107804250189	78	1,770	4,853	Galvanized	sZ	2,871	10
103107803250189	78	1,770	4,853	Galvanized	zS	2,871	10
103107804070189	78	1,960	5,374	Bright	sZ	2,871	10
103107803070189	78	1,960	5,374	Bright	zS	2,871	10
103107804270189	78	1,960	5,374	Galvanized	sZ	2,871	10
103107803270189	78	1,960	5,374	Galvanized	zS	2,871	10
103107904050189	79	1,770	4,978	Bright	sZ	2,945	10
103107903050189	79	1,770	4,978	Bright	zS	2,945	10
103107904250189	79	1,770	4,978	Galvanized	sZ	2,945	10
103107903250189	79	1,770	4,978	Galvanized	zS	2,945	10
103107904070189	79	1,960	5,512	Bright	sZ	2,945	10
103107903070189	79	1,960	5,512	Bright	zS	2,945	10
103107904270189	79	1,960	5,512	Galvanized	sZ	2,945	10
103107903270189	79	1,960	5,512	Galvanized	zS	2,945	10
103108004050189	80	1,770	5,104	Bright	sZ	3,020	10
103108003050189	80	1,770	5,104	Bright	zS	3,020	10

103108004250189	80	1,770	5,104	Galvanized	sZ	3,020	10
103108003250189	80	1,770	5,104	Galvanized	zS	3,020	10
103108004070189	80	1,960	5,653	Bright	sZ	3,020	10
103108003070189	80	1,960	5,653	Bright	zS	3,020	10
103108004270189	80	1,960	5,653	Galvanized	sZ	3,020	10
103108003270189	80	1,960	5,653	Galvanized	zS	3,020	10
103108104050189	81	1,770	5,233	Bright	sZ	3,096	10
103108103050189	81	1,770	5,233	Bright	zS	3,096	10
103108104250189	81	1,770	5,233	Galvanized	sZ	3,096	10
103108103250189	81	1,770	5,233	Galvanized	zS	3,096	10
103108104070189	81	1,960	5,794	Bright	sZ	3,096	10
103108103070189	81	1,960	5,794	Bright	zS	3,096	10
103108104270189	81	1,960	5,794	Galvanized	sZ	3,096	10
103108103270189	81	1,960	5,794	Galvanized	zS	3,096	10
103108204050189	82	1,770	5,364	Bright	sZ	3,173	10
103108203050189	82	1,770	5,364	Bright	zS	3,173	10
103108204250189	82	1,770	5,364	Galvanized	sZ	3,173	10
103108203250189	82	1,770	5,364	Galvanized	zS	3,173	10
103108204070189	82	1,960	5,939	Bright	sZ	3,173	10
103108203070189	82	1,960	5,939	Bright	zS	3,173	10
103108204270189	82	1,960	5,939	Galvanized	sZ	3,173	10
103108203270189	82	1,960	5,939	Galvanized	zS	3,173	10
103108304050189	83	1,770	5,494	Bright	sZ	3,250	10

103108303050189	83	1,770	5,494	Bright	zS	3,250	10
103108304250189	83	1,770	5,494	Galvanized	sZ	3,250	10
103108303250189	83	1,770	5,494	Galvanized	zS	3,250	10
103108304070189	83	1,960	6,084	Bright	sZ	3,250	10
103108303070189	83	1,960	6,084	Bright	zS	3,250	10
103108304270189	83	1,960	6,084	Galvanized	sZ	3,250	10
103108303270189	83	1,960	6,084	Galvanized	zS	3,250	10
103108404050189	84	1,770	5,628	Bright	sZ	3,329	10
103108403050189	84	1,770	5,628	Bright	zS	3,329	10
103108404250189	84	1,770	5,628	Galvanized	sZ	3,329	10
103108403250189	84	1,770	5,628	Galvanized	zS	3,329	10
103108404070189	84	1,960	6,232	Bright	sZ	3,329	10
103108403070189	84	1,960	6,232	Bright	zS	3,329	10
103108404270189	84	1,960	6,232	Galvanized	sZ	3,329	10
103108403270189	84	1,960	6,232	Galvanized	zS	3,329	10
103108504050189	85	1,770	5,763	Bright	sZ	3,409	10
103108503050189	85	1,770	5,763	Bright	zS	3,409	10
103108504250189	85	1,770	5,763	Galvanized	sZ	3,409	10
103108503250189	85	1,770	5,763	Galvanized	zS	3,409	10
103108504070189	85	1,960	6,381	Bright	sZ	3,409	10
103108503070189	85	1,960	6,381	Bright	zS	3,409	10
103108504270189	85	1,960	6,381	Galvanized	sZ	3,409	10
103108503270189	85	1,960	6,381	Galvanized	zS	3,409	10

103108604050189	86	1,770	5,899	Bright	sZ	3,490	10
103108603050189	86	1,770	5,899	Bright	zS	3,490	10
103108604250189	86	1,770	5,899	Galvanized	sZ	3,490	10
103108603250189	86	1,770	5,899	Galvanized	zS	3,490	10
103108604070189	86	1,960	6,532	Bright	sZ	3,490	10
103108603070189	86	1,960	6,532	Bright	zS	3,490	10
103108604270189	86	1,960	6,532	Galvanized	sZ	3,490	10
103108603270189	86	1,960	6,532	Galvanized	zS	3,490	10
103108704050189	87	1,770	6,037	Bright	sZ	3,571	10
103108703050189	87	1,770	6,037	Bright	zS	3,571	10
103108704250189	87	1,770	6,037	Galvanized	sZ	3,571	10
103108703250189	87	1,770	6,037	Galvanized	zS	3,571	10
103108704070189	87	1,960	6,685	Bright	sZ	3,571	10
103108703070189	87	1,960	6,685	Bright	zS	3,571	10
103108704270189	87	1,960	6,685	Galvanized	sZ	3,571	10
103108703270189	87	1,960	6,685	Galvanized	zS	3,571	10
103108804050189	88	1,770	6,177	Bright	sZ	3,654	10
103108803050189	88	1,770	6,177	Bright	zS	3,654	10
103108804250189	88	1,770	6,177	Galvanized	sZ	3,654	10
103108803250189	88	1,770	6,177	Galvanized	zS	3,654	10
103108804070189	88	1,960	6,840	Bright	sZ	3,654	10
103108803070189	88	1,960	6,840	Bright	zS	3,654	10
103108804270189	88	1,960	6,840	Galvanized	sZ	3,654	10

103108803270189	88	1,960	6,840	Galvanized	zS	3,654	10
103108904050189	89	1,770	6,318	Bright	sZ	3,737	10
103108903050189	89	1,770	6,318	Bright	zS	3,737	10
103108904250189	89	1,770	6,318	Galvanized	sZ	3,737	10
103108903250189	89	1,770	6,318	Galvanized	zS	3,737	10
103108904070189	89	1,960	6,996	Bright	sZ	3,737	10
103108903070189	89	1,960	6,996	Bright	zS	3,737	10
103108904270189	89	1,960	6,996	Galvanized	sZ	3,737	10
103108903270189	89	1,960	6,996	Galvanized	zS	3,737	10
103109004050189	90	1,770	6,461	Bright	sZ	3,822	10
103109003050189	90	1,770	6,461	Bright	zS	3,822	10
103109004250189	90	1,770	6,461	Galvanized	sZ	3,822	10
103109003250189	90	1,770	6,461	Galvanized	zS	3,822	10
103109004070189	90	1,960	7,154	Bright	sZ	3,822	10
103109003070189	90	1,960	7,154	Bright	zS	3,822	10
103109004270189	90	1,960	7,154	Galvanized	sZ	3,822	10
103109003270189	90	1,960	7,154	Galvanized	zS	3,822	10
103109104050189	91	1,770	6,605	Bright	sZ	3,907	10
103109103050189	91	1,770	6,605	Bright	zS	3,907	10
103109104250189	91	1,770	6,605	Galvanized	sZ	3,907	10
103109103250189	91	1,770	6,605	Galvanized	zS	3,907	10
103109104070189	91	1,960	7,314	Bright	sZ	3,907	10
103109103070189	91	1,960	7,314	Bright	zS	3,907	10

103109104270189	91	1,960	7,314	Galvanized	sZ	3,907	10
103109103270189	91	1,960	7,314	Galvanized	zS	3,907	10
103109204050189	92	1,770	6,751	Bright	sZ	3,994	10
103109203050189	92	1,770	6,751	Bright	zS	3,994	10
103109204250189	92	1,770	6,751	Galvanized	sZ	3,994	10
103109203250189	92	1,770	6,751	Galvanized	zS	3,994	10
103109204070189	92	1,960	7,476	Bright	sZ	3,994	10
103109203070189	92	1,960	7,476	Bright	zS	3,994	10
103109204270189	92	1,960	7,476	Galvanized	sZ	3,994	10
103109203270189	92	1,960	7,476	Galvanized	zS	3,994	10
103109304050189	93	1,770	6,899	Bright	sZ	4,081	10
103109303050189	93	1,770	6,899	Bright	zS	4,081	10
103109304250189	93	1,770	6,899	Galvanized	sZ	4,081	10
103109303250189	93	1,770	6,899	Galvanized	zS	4,081	10
103109304070189	93	1,960	7,639	Bright	sZ	4,081	10
103109303070189	93	1,960	7,639	Bright	zS	4,081	10
103109304270189	93	1,960	7,639	Galvanized	sZ	4,081	10
103109303270189	93	1,960	7,639	Galvanized	zS	4,081	10
103109404050189	94	1,770	7,047	Bright	sZ	4,169	10
103109403050189	94	1,770	7,047	Bright	zS	4,169	10
103109404250189	94	1,770	7,047	Galvanized	sZ	4,169	10
103109403250189	94	1,770	7,047	Galvanized	zS	4,169	10
103109404070189	94	1,960	7,804	Bright	sZ	4,169	10

103109403070189	94	1,960	7,804	Bright	zS	4,169	10
103109404270189	94	1,960	7,804	Galvanized	sZ	4,169	10
103109403270189	94	1,960	7,804	Galvanized	zS	4,169	10
103109504050189	95	1,770	7,199	Bright	sZ	4,258	10
103109503050189	95	1,770	7,199	Bright	zS	4,258	10
103109504250189	95	1,770	7,199	Galvanized	sZ	4,258	10
103109503250189	95	1,770	7,199	Galvanized	zS	4,258	10
103109504070189	95	1,960	7,971	Bright	sZ	4,258	10
103109503070189	95	1,960	7,971	Bright	zS	4,258	10
103109504270189	95	1,960	7,971	Galvanized	sZ	4,258	10
103109503270189	95	1,960	7,971	Galvanized	zS	4,258	10
103109604050189	96	1,770	7,351	Bright	sZ	4,348	10
103109603050189	96	1,770	7,351	Bright	zS	4,348	10
103109604250189	96	1,770	7,351	Galvanized	sZ	4,348	10
103109603250189	96	1,770	7,351	Galvanized	zS	4,348	10
103109604070189	96	1,960	8,140	Bright	sZ	4,348	10
103109603070189	96	1,960	8,140	Bright	zS	4,348	10
103109604270189	96	1,960	8,140	Galvanized	sZ	4,348	10
103109603270189	96	1,960	8,140	Galvanized	zS	4,348	10
103109704050189	97	1,770	7,505	Bright	sZ	4,439	10
103109703050189	97	1,770	7,505	Bright	zS	4,439	10
103109704250189	97	1,770	7,505	Galvanized	sZ	4,439	10
103109703250189	97	1,770	7,505	Galvanized	zS	4,439	10



103109704070189	97	1,960	8,310	Bright	sZ	4,439	10
103109703070189	97	1,960	8,310	Bright	zS	4,439	10
103109704270189	97	1,960	8,310	Galvanized	sZ	4,439	10
103109703270189	97	1,960	8,310	Galvanized	zS	4,439	10
103109804050189	98	1,770	7,660	Bright	sZ	4,531	10
103109803050189	98	1,770	7,660	Bright	zS	4,531	10
103109804250189	98	1,770	7,660	Galvanized	sZ	4,531	10
103109803250189	98	1,770	7,660	Galvanized	zS	4,531	10
103109804070189	98	1,960	8,482	Bright	sZ	4,531	10
103109803070189	98	1,960	8,482	Bright	zS	4,531	10
103109804270189	98	1,960	8,482	Galvanized	sZ	4,531	10
103109803270189	98	1,960	8,482	Galvanized	zS	4,531	10
103109904050189	99	1,770	7,817	Bright	sZ	4,624	10
103109903050189	99	1,770	7,817	Bright	zS	4,624	10
103109904250189	99	1,770	7,817	Galvanized	sZ	4,624	10
103109903250189	99	1,770	7,817	Galvanized	zS	4,624	10
103109904070189	99	1,960	8,656	Bright	sZ	4,624	10
103109903070189	99	1,960	8,656	Bright	zS	4,624	10
103109904270189	99	1,960	8,656	Galvanized	sZ	4,624	10
103109903270189	99	1,960	8,656	Galvanized	zS	4,624	10
103110004050189	100	1,770	7,976	Bright	sZ	4,718	10
103110003050189	100	1,770	7,976	Bright	zS	4,718	10
103110004250189	100	1,770	7,976	Galvanized	sZ	4,718	10

103110003250189	100	1,770	7,976	Galvanized	zS	4,718	10
103110004070189	100	1,960	8,832	Bright	sZ	4,718	10
103110003070189	100	1,960	8,832	Bright	zS	4,718	10
103110004270189	100	1,960	8,832	Galvanized	sZ	4,718	10
103110003270189	100	1,960	8,832	Galvanized	zS	4,718	10