


Overhead cranes




Ladle crane



## Steel Wire Rope verosteel 8

### Product information



**Wire rope construction:** verosteel 8 is 8-strand non-rotation-resistant rope with compacted outer strands.

**Features:**

- Intensive lubricated and produced either in galvanized or in ungalvanized wires.
- Provides excellent spooling behavior on multilayer drum.
- Very flexible rope construction with high abrasion resistance and good service life.
- Recommended in application with high environment temperature.

**ISO 4309**

**Rope Category No:** Up to 42mm **RCN.09**, 43-48mm **RCN.11**, > 48mm **RCN.13**.

**Marking:** According to standard

**Standard:** EN 12385-4

**Warning:** verosteel 8 may not be used with a swivel.

**Fill factor:** 0.702

**RCN:** 09

**Tolerance Ø:** +2% to +4%

Part Code	Rope Diameter, mm	Tensile strength N/mm <sup>2</sup>	Steel area mm <sup>2</sup>	Min. Breaking force kN.	Finish	Weight kg/100m	Delivery time
103101604070329	16	1,960	-	-	Bright	-	-
103101704070329	17	1,960	-	-	Bright	-	-
103101804070329	18	1,960	-	-	Bright	-	-
103101904070329	19	1,960	-	-	Bright	-	-

103102004070329	20	1,960	-	-	Bright	-	-
103102104070329	21	1,960	-	-	Bright	-	-
103102204070329	22	1,960	-	-	Bright	-	-
103102304070329	23	1,960	-	-	Bright	-	-
103102404070329	24	1,960	-	-	Bright	-	-
103102504070329	25	1,960	-	-	Bright	-	-
103102604070329	26	1,960	-	-	Bright	-	-
103102704070329	27	1,960	-	-	Bright	-	-
103102804070329	28	1,960	-	-	Bright	-	-
103102904070329	29	1,960	-	-	Bright	-	-
103103004070329	30	1,960	-	-	Bright	-	-
103103104070329	31	1,960	-	-	Bright	-	-
103103204070329	32	1,960	-	-	Bright	-	-
103103304070329	33	1,960	-	-	Bright	-	-
103103404070329	34	1,960	-	-	Bright	-	-
103103504070329	35	1,960	-	-	Bright	-	-
103103604070329	36	1,960	-	-	Bright	-	-
103103704070329	37	1,960	-	-	Bright	-	-
103103804070329	38	1,960	-	-	Bright	-	-
103103904070329	39	1,960	-	-	Bright	-	-
103104004070329	40	1,960	-	-	Bright	-	-
103104104070329	41	1,960	-	-	Bright	-	-
103104204070329	42	1,960	-	-	Bright	-	-

103104304070329	43	1,960	-	-	Bright	-	-
103104404070329	44	1,960	-	-	Bright	-	-
103104504070329	45	1,960	-	-	Bright	-	-
103104604070329	46	1,960	-	-	Bright	-	-
103104704070329	47	1,960	-	-	Bright	-	-
103104804070329	48	1,960	-	-	Bright	-	-
103104904070329	49	1,960	-	-	Bright	-	-
103105004070329	50	1,960	-	-	Bright	-	-

## Technical data