


Offshore crane



Piling crane




Mobile port crane



## Steel Wire Rope Verotop P

### Product information



**Wire rope construction:** Verotop P is a rotation-resistant rope with compacted strands and a rope core covered with a plastic layer.

#### Features:

- Very high breaking strength.
- Provides a very stable rope structure and achieves excellent bending fatigue results.
- Offers excellent crushing and very good abrasion resistance.
- Possesses perfect spooling behavior on multilayer drum.

**ISO 4309 Rope Category No:** All Diameters **RCN.23-3.**

**Marking:** According to standard

**Standard:** EN 12385-4

**Note:** verotop P can be used either with or without swivel.

**Fill factor:** 0.73

**RCN:** 23-3

**Tolerance Ø:** +2% to +4%

Part Code	Rope Diameter, mm	Tensile strength N/mm <sup>2</sup>	Steel area mm <sup>2</sup>	Min. Breaking force kN.	Finish	Weight kg/100m	Delivery time
104101606070149	16	1,960	-	-	Bright	-	-
104101706070149	17	1,960	-	-	Bright	-	-
104101806070149	18	1,960	-	-	Bright	-	-
104101906070149	19	1,960	-	-	Bright	-	-

104102006070149	20	1,960	-	-	Bright	-	-
104102106070149	21	1,960	-	-	Bright	-	-
104102206070149	22	1,960	-	-	Bright	-	-
104102246070149	22.4	1,960	-	-	Bright	-	-
104102306070149	23	1,960	-	-	Bright	-	-
104102406070149	24	1,960	-	-	Bright	-	-
104102506070149	25	1,960	-	-	Bright	-	-
104102546070149	25.4	1,960	-	-	Bright	-	-
104102606070149	26	1,960	-	-	Bright	-	-
104102706070149	27	1,960	-	-	Bright	-	-
104102806070149	28	1,960	-	-	Bright	-	-
104102866070149	28.6	1,960	-	-	Bright	-	-
104102906070149	29	1,960	-	-	Bright	-	-
104103006070149	30	1,960	-	-	Bright	-	-
104103106070149	31	1,960	-	-	Bright	-	-
104103206070149	32	1,960	-	-	Bright	-	-
104103306070149	33	1,960	-	-	Bright	-	-
104103406070149	34	1,960	-	-	Bright	-	-
104103506070149	35	1,960	-	-	Bright	-	-
104103606070149	36	1,960	-	-	Bright	-	-
104103806070149	38	1,960	-	-	Bright	-	-
104104006070149	40	1,960	-	-	Bright	-	-
104104206070149	42	1,960	-	-	Bright	-	-

104104306070149	43	1,960	-	-	Bright	-	-
104104406070149	44	1,960	-	-	Bright	-	-
104104506070149	45	1,960	-	-	Bright	-	-
104104606070149	46	1,960	-	-	Bright	-	-
104104806070149	48	1,960	-	-	Bright	-	-
104105006070149	50	1,960	-	-	Bright	-	-
104105206070149	52	1,960	-	-	Bright	-	-
104105406070149	54	1,960	-	-	Bright	-	-

## Technical data