



Portable Davit Crane 5PT10

Product information

544 kg capacity portable Davit Crane

- Load ratings up to 544 kg
- Portable, heaviest component 16,3 kg
- Rugged and affordable
- Manual or power winch operation (E2)
- 360° rotation
- Boom adjustable to meet wide range of height and reach combinations
- Easy, No-Tools Assembly/Disassembly (all individual components less than 16.5 kg)
- Variety of bases
- 2-Year warranty
- Proof of load 125% of WLL (Optional)

Machinery directive: 2006/42/EC as amended by Directive 95/16/EC.

Marking: CE-marked

Finish: Powder coat

Note: Five corrosion-resistant surfaces (powder coating (5PT20), galvanized (5PT20G), stainless 304 (S) and 316 (S316) and three layers of epoxy)

| Part Code | Code | WLL ton | Weight kg | Delivery time |
|--------------|-----------|---------|-----------|---------------|
| 60115PT10 | 5PT10 | 0.54 | 56 | 10 |
| 60115PT10M1 | 5PT10-M1 | 0.544 | 68.5 | 10 |
| 60115PT10GM1 | 5PT10G-M1 | 0.544 | 68.5 | 10 |
| 60115PT10SM3 | 5PT10S-M3 | 0.544 | 68.5 | 10 |
| 60115PT10M2 | 5PT10-M2 | 0.544 | 74.5 | 10 |
| 60115PT10GM2 | 5PT10G-M2 | 0.544 | 74.5 | 10 |
| 60115PT10E2 | 5PT10-E2 | 0.544 | 94 | 10 |

Technical data

Commander 2000, 5PT10 with Pedestal Base

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

Blueprint

