



## Steel wire rope Diepa B45 (D 1315 C) , rotation resistant

### Product information



Diepa B45 is a rotation resistant wire rope with non-compacted outer strands.

**Applications:** Can be universally used as hoisting rope for mobile cranes, crawler cranes, tower cranes.

**Total numbers of wires:** 328.

**ISO 4309 Rope Category No:** 4-49 mm RCN.23-2 / 50-70 mm RCN.27

**Marking:** According to standard

**Finish:** Galvanized or bright.

**Standard:** EN 12385-4

**Fill factor:** 0.6511

**RCN:** 23-2

Tower crane



Mobile crane



Crawler crane



Part Code	Rope Diameter mm	Tensile strength N/mm <sup>2</sup>	Min. Breaking force kN.	Finish	Weight kg/100m	Delivery time
102100604050169	6	1,770	25.4	Bright	16	10
102100606050169	6	1,770	25.4	Bright	16	10
102100604250169	6	1,770	25.4	Galvanized	16	10
102100606250169	6	1,770	25.4	Galvanized	16	10

102100604070169	6	1,960	28.1	Bright	16	10
102100606070169	6	1,960	28.1	Bright	16	10
102100604270169	6	1,960	28.1	Galvanized	16	10
102100606270169	6	1,960	28.1	Galvanized	16	10
102100604100169	6	2,160	29.8	Bright	16	10
102100606100169	6	2,160	29.8	Bright	16	10
102100604300169	6	2,160	29.8	Galvanized	16	10
102100606300169	6	2,160	29.8	Galvanized	16	10
102100704050169	7	1,770	34.6	Bright	22	10
102100706050169	7	1,770	34.6	Bright	22	10
102100704250169	7	1,770	34.6	Galvanized	22	10
102100706250169	7	1,770	34.6	Galvanized	22	10
102100704070169	7	1,960	38.3	Bright	22	10
102100706070169	7	1,960	38.3	Bright	22	10
102100704270169	7	1,960	38.3	Galvanized	22	10
102100706270169	7	1,960	38.3	Galvanized	22	10
102100704100169	7	2,160	40.6	Bright	22	10
102100706100169	7	2,160	40.6	Bright	22	10
102100704300169	7	2,160	40.6	Galvanized	22	10
102100706300169	7	2,160	40.6	Galvanized	22	10
102100804050169	8	1,770	45.2	Bright	28	10
102100806050169	8	1,770	45.2	Bright	28	10
102100804250169	8	1,770	45.2	Galvanized	28	10

102100806250169	8	1,770	45.2	Galvanized	28	10
102100804070169	8	1,960	49.5	Bright	28	10
102100806070169	8	1,960	49.5	Bright	28	10
102100804270169	8	1,960	49.5	Galvanized	28	10
102100806270169	8	1,960	49.5	Galvanized	28	10
102100804100169	8	2,160	53	Bright	28	10
102100806100169	8	2,160	53	Bright	28	10
102100804300169	8	2,160	53	Galvanized	28	10
102100806300169	8	2,160	53	Galvanized	28	10
102100904050169	9	1,770	57.2	Bright	36	10
102100906050169	9	1,770	57.2	Bright	36	10
102100904250169	9	1,770	57.2	Galvanized	36	10
102100906250169	9	1,770	57.2	Galvanized	36	10
102100904070169	9	1,960	62.8	Bright	36	10
102100906070169	9	1,960	62.8	Bright	36	10
102100904270169	9	1,960	62.8	Galvanized	36	10
102100906270169	9	1,960	62.8	Galvanized	36	10
102100904100169	9	2,160	67	Bright	36	10
102100906100169	9	2,160	67	Bright	36	10
102100904300169	9	2,160	67	Galvanized	36	10
102100906300169	9	2,160	67	Galvanized	36	10
102101004050169	10	1,770	70.6	Bright	44	10
102101006050169	10	1,770	70.6	Bright	44	10

102101004250169	10	1,770	70.6	Galvanized	44	10
102101006250169	10	1,770	70.6	Galvanized	44	10
102101004070169	10	1,960	78	Bright	44	10
102101006070169	10	1,960	78	Bright	44	10
102101004270169	10	1,960	78	Galvanized	44	10
102101006270169	10	1,960	78	Galvanized	44	10
102101004100169	10	2,160	82.9	Bright	44	10
102101006100169	10	2,160	82.9	Bright	44	10
102101004300169	10	2,160	82.9	Galvanized	44	10
102101006300169	10	2,160	82.9	Galvanized	44	10
102101104050169	11	1,770	86.8	Bright	55	10
102101106050169	11	1,770	86.8	Bright	55	10
102101104250169	11	1,770	86.8	Galvanized	55	10
102101106250169	11	1,770	86.8	Galvanized	55	10
102101104070169	11	1,960	97.1	Bright	55	10
102101106070169	11	1,960	97.1	Bright	55	10
102101104270169	11	1,960	97.1	Galvanized	55	10
102101106270169	11	1,960	97.1	Galvanized	55	10
102101104100169	11	2,160	103	Bright	55	10
102101106100169	11	2,160	103	Bright	55	10
102101104300169	11	2,160	103	Galvanized	55	10
102101106300169	11	2,160	103	Galvanized	55	10
102101204050169	12	1,770	103	Bright	65	10

102101206050169	12	1,770	103	Bright	65	10
102101204250169	12	1,770	103	Galvanized	65	10
102101206250169	12	1,770	103	Galvanized	65	10
102101204070169	12	1,960	115	Bright	65	10
102101206070169	12	1,960	115	Bright	65	10
102101204270169	12	1,960	115	Galvanized	65	10
102101206270169	12	1,960	115	Galvanized	65	10
102101204100169	12	2,160	122	Bright	65	10
102101206100169	12	2,160	122	Bright	65	10
102101204300169	12	2,160	122	Galvanized	65	10
102101206300169	12	2,160	122	Galvanized	65	10
102101304050169	13	1,770	120	Bright	75	10
102101306050169	13	1,770	120	Bright	75	10
102101304250169	13	1,770	120	Galvanized	75	10
102101306250169	13	1,770	120	Galvanized	75	10
102101304070169	13	1,960	133	Bright	75	10
102101306070169	13	1,960	133	Bright	75	10
102101304270169	13	1,960	133	Galvanized	75	10
102101306270169	13	1,960	133	Galvanized	75	10
102101304100169	13	2,160	140	Bright	75	10
102101306100169	13	2,160	140	Bright	75	10
102101304300169	13	2,160	140	Galvanized	75	10
102101306300169	13	2,160	140	Galvanized	75	10

102101404050169	14	1,770	139	Bright	87	10
102101406050169	14	1,770	139	Bright	87	10
102101404250169	14	1,770	139	Galvanized	87	10
102101406250169	14	1,770	139	Galvanized	87	10
102101404070169	14	1,960	154	Bright	87	10
102101406070169	14	1,960	154	Bright	87	10
102101404270169	14	1,960	154	Galvanized	87	10
102101406270169	14	1,960	154	Galvanized	87	10
102101404100169	14	2,160	163	Bright	87	10
102101406100169	14	2,160	163	Bright	87	10
102101404300169	14	2,160	163	Galvanized	87	10
102101406300169	14	2,160	163	Galvanized	87	10
102101504050169	15	1,770	158	Bright	99	10
102101506050169	15	1,770	158	Bright	99	10
102101504250169	15	1,770	158	Galvanized	99	10
102101506250169	15	1,770	158	Galvanized	99	10
102101504070169	15	1,960	176	Bright	99	10
102101506070169	15	1,960	176	Bright	99	10
102101504270169	15	1,960	176	Galvanized	99	10
102101506270169	15	1,960	176	Galvanized	99	10
102101504100169	15	2,160	185	Bright	99	10
102101506100169	15	2,160	185	Bright	99	10
102101504300169	15	2,160	185	Galvanized	99	10

102101506300169	15	2,160	185	Galvanized	99	10
102101604050169	16	1,770	179	Bright	113	10
102101606050169	16	1,770	179	Bright	113	10
102101604250169	16	1,770	179	Galvanized	113	10
102101606250169	16	1,770	179	Galvanized	113	10
102101604070169	16	1,960	199	Bright	113	10
102101606070169	16	1,960	199	Bright	113	10
102101604270169	16	1,960	199	Galvanized	113	10
102101606270169	16	1,960	199	Galvanized	113	10
102101604100169	16	2,160	210	Bright	113	10
102101606100169	16	2,160	210	Bright	113	10
102101604300169	16	2,160	210	Galvanized	113	10
102101606300169	16	2,160	210	Galvanized	113	10
102101704050169	17	1,770	203	Bright	128	10
102101706050169	17	1,770	203	Bright	128	10
102101704250169	17	1,770	203	Galvanized	128	10
102101706250169	17	1,770	203	Galvanized	128	10
102101704070169	17	1,960	226	Bright	128	10
102101706070169	17	1,960	226	Bright	128	10
102101704270169	17	1,960	226	Galvanized	128	10
102101706270169	17	1,960	226	Galvanized	128	10
102101704100169	17	2,160	238	Bright	128	10
102101706100169	17	2,160	238	Bright	128	10

102101704300169	17	2,160	238	Galvanized	128	10
102101706300169	17	2,160	238	Galvanized	128	10
102101804050169	18	1,770	227	Bright	143	10
102101806050169	18	1,770	227	Bright	143	10
102101804250169	18	1,770	227	Galvanized	143	10
102101806250169	18	1,770	227	Galvanized	143	10
102101804070169	18	1,960	252	Bright	143	10
102101806070169	18	1,960	252	Bright	143	10
102101804270169	18	1,960	252	Galvanized	143	10
102101806270169	18	1,960	252	Galvanized	143	10
102101804100169	18	2,160	266	Bright	143	10
102101806100169	18	2,160	266	Bright	143	10
102101804300169	18	2,160	266	Galvanized	143	10
102101806300169	18	2,160	266	Galvanized	143	10
102101904050169	19	1,770	255	Bright	160	10
102101906050169	19	1,770	255	Bright	160	10
102101904250169	19	1,770	255	Galvanized	160	10
102101906250169	19	1,770	255	Galvanized	160	10
102101904070169	19	1,960	283	Bright	160	10
102101906070169	19	1,960	283	Bright	160	10
102101904270169	19	1,960	283	Galvanized	160	10
102101906270169	19	1,960	283	Galvanized	160	10
102101904100169	19	2,160	300	Bright	160	10



102101906100169	19	2,160	300	Bright	160	10
102101904300169	19	2,160	300	Galvanized	160	10
102101906300169	19	2,160	300	Galvanized	160	10
102102004050169	20	1,770	282	Bright	177	10
102102006050169	20	1,770	282	Bright	177	10
102102004250169	20	1,770	282	Galvanized	177	10
102102006250169	20	1,770	282	Galvanized	177	10
102102004070169	20	1,960	313	Bright	177	10
102102006070169	20	1,960	313	Bright	177	10
102102004270169	20	1,960	313	Galvanized	177	10
102102006270169	20	1,960	313	Galvanized	177	10
102102004100169	20	2,160	332	Bright	177	10
102102006100169	20	2,160	332	Bright	177	10
102102004300169	20	2,160	332	Galvanized	177	10
102102006300169	20	2,160	332	Galvanized	177	10
102102104050169	21	1,770	311	Bright	196	10
102102106050169	21	1,770	311	Bright	196	10
102102104250169	21	1,770	311	Galvanized	196	10
102102106250169	21	1,770	311	Galvanized	196	10
102102104070169	21	1,960	346	Bright	196	10
102102106070169	21	1,960	346	Bright	196	10
102102104270169	21	1,960	346	Galvanized	196	10
102102106270169	21	1,960	346	Galvanized	196	10

102102104100169	21	2,160	366	Bright	196	10
102102106100169	21	2,160	366	Bright	196	10
102102104300169	21	2,160	366	Galvanized	196	10
102102106300169	21	2,160	366	Galvanized	196	10
102102204050169	22	1,770	340	Bright	214	10
102102206050169	22	1,770	340	Bright	214	10
102102204250169	22	1,770	340	Galvanized	214	10
102102206250169	22	1,770	340	Galvanized	214	10
102102204070169	22	1,960	379	Bright	214	10
102102206070169	22	1,960	379	Bright	214	10
102102204270169	22	1,960	379	Galvanized	214	10
102102206270169	22	1,960	379	Galvanized	214	10
102102204100169	22	2,160	400	Bright	214	10
102102206100169	22	2,160	400	Bright	214	10
102102204300169	22	2,160	400	Galvanized	214	10
102102206300169	22	2,160	400	Galvanized	214	10
102102304050169	23	1,770	372	Bright	234	10
102102306050169	23	1,770	372	Bright	234	10
102102304250169	23	1,770	372	Galvanized	234	10
102102306250169	23	1,770	372	Galvanized	234	10
102102304070169	23	1,960	413	Bright	234	10
102102306070169	23	1,960	413	Bright	234	10
102102304270169	23	1,960	413	Galvanized	234	10

102102306270169	23	1,960	413	Galvanized	234	10
102102304100169	23	2,160	437	Bright	234	10
102102306100169	23	2,160	437	Bright	234	10
102102304300169	23	2,160	437	Galvanized	234	10
102102306300169	23	2,160	437	Galvanized	234	10
102102404050169	24	1,770	405	Bright	254	10
102102406050169	24	1,770	405	Bright	254	10
102102404250169	24	1,770	405	Galvanized	254	10
102102406250169	24	1,770	405	Galvanized	254	10
102102404070169	24	1,960	449	Bright	254	10
102102406070169	24	1,960	449	Bright	254	10
102102404270169	24	1,960	449	Galvanized	254	10
102102406270169	24	1,960	449	Galvanized	254	10
102102404100169	24	2,160	475	Bright	254	10
102102406100169	24	2,160	475	Bright	254	10
102102404300169	24	2,160	475	Galvanized	254	10
102102406300169	24	2,160	475	Galvanized	254	10
102102504050169	25	1,770	440	Bright	277	10
102102506050169	25	1,770	440	Bright	277	10
102102504250169	25	1,770	440	Galvanized	277	10
102102506250169	25	1,770	440	Galvanized	277	10
102102504070169	25	1,960	490	Bright	277	10
102102506070169	25	1,960	490	Bright	277	10

102102504270169	25	1,960	490	Galvanized	277	10
102102506270169	25	1,960	490	Galvanized	277	10
102102504100169	25	2,160	518	Bright	277	10
102102506100169	25	2,160	518	Bright	277	10
102102504300169	25	2,160	518	Galvanized	277	10
102102506300169	25	2,160	518	Galvanized	277	10
102102604050169	26	1,770	474	Bright	298	10
102102606050169	26	1,770	474	Bright	298	10
102102604250169	26	1,770	474	Galvanized	298	10
102102606250169	26	1,770	474	Galvanized	298	10
102102604070169	26	1,960	527	Bright	298	10
102102606070169	26	1,960	527	Bright	298	10
102102604270169	26	1,960	527	Galvanized	298	10
102102606270169	26	1,960	527	Galvanized	298	10
102102604100169	26	2,160	558	Bright	298	10
102102606100169	26	2,160	558	Bright	298	10
102102604300169	26	2,160	558	Galvanized	298	10
102102606300169	26	2,160	558	Galvanized	298	10
102102804050169	28	1,770	553	Bright	347	10
102102806050169	28	1,770	553	Bright	347	10
102102804250169	28	1,770	553	Galvanized	347	10
102102806250169	28	1,770	553	Galvanized	347	10
102102804070169	28	1,960	614	Bright	347	10

102102806070169	28	1,960	614	Bright	347	10
102102804270169	28	1,960	614	Galvanized	347	10
102102806270169	28	1,960	614	Galvanized	347	10
102102804100169	28	2,160	649	Bright	347	10
102102806100169	28	2,160	649	Bright	347	10
102102804300169	28	2,160	649	Galvanized	347	10
102102806300169	28	2,160	649	Galvanized	347	10
102102704050169	27	1,770	515	Bright	354	10
102102706050169	27	1,770	515	Bright	354	10
102102704250169	27	1,770	515	Galvanized	354	10
102102706250169	27	1,770	515	Galvanized	354	10
102102704070169	27	1,960	572	Bright	354	10
102102706070169	27	1,960	572	Bright	354	10
102102704270169	27	1,960	572	Galvanized	354	10
102102706270169	27	1,960	572	Galvanized	354	10
102102704100169	27	2,160	605	Bright	354	10
102102706100169	27	2,160	605	Bright	354	10
102102704300169	27	2,160	605	Galvanized	354	10
102102706300169	27	2,160	605	Galvanized	354	10
102102904050169	29	1,770	593	Bright	373	10
102102906050169	29	1,770	593	Bright	373	10
102102904250169	29	1,770	593	Galvanized	373	10
102102906250169	29	1,770	593	Galvanized	373	10

102102904070169	29	1,960	659	Bright	373	10
102102906070169	29	1,960	659	Bright	373	10
102102904270169	29	1,960	659	Galvanized	373	10
102102906270169	29	1,960	659	Galvanized	373	10
102102904100169	29	2,160	697	Bright	373	10
102102906100169	29	2,160	697	Bright	373	10
102102904300169	29	2,160	697	Galvanized	373	10
102102906300169	29	2,160	697	Galvanized	373	10
102103004050169	30	1,770	637	Bright	400	10
102103006050169	30	1,770	637	Bright	400	10
102103004250169	30	1,770	637	Galvanized	400	10
102103006250169	30	1,770	637	Galvanized	400	10
102103004070169	30	1,960	708	Bright	400	10
102103006070169	30	1,960	708	Bright	400	10
102103004270169	30	1,960	708	Galvanized	400	10
102103006270169	30	1,960	708	Galvanized	400	10
102103004100169	30	2,160	749	Bright	400	10
102103006100169	30	2,160	749	Bright	400	10
102103004300169	30	2,160	749	Galvanized	400	10
102103006300169	30	2,160	749	Galvanized	400	10
102103104050169	31	1,770	678	Bright	426	10
102103106050169	31	1,770	678	Bright	426	10
102103104250169	31	1,770	678	Galvanized	426	10

102103106250169	31	1,770	678	Galvanized	426	10
102103104070169	31	1,960	753	Bright	426	10
102103106070169	31	1,960	753	Bright	426	10
102103104270169	31	1,960	753	Galvanized	426	10
102103106270169	31	1,960	753	Galvanized	426	10
102103104100169	31	2,160	797	Bright	426	10
102103106100169	31	2,160	797	Bright	426	10
102103104300169	31	2,160	797	Galvanized	426	10
102103106300169	31	2,160	797	Galvanized	426	10
102103204050169	32	1,770	723	Bright	455	10
102103206050169	32	1,770	723	Bright	455	10
102103204250169	32	1,770	723	Galvanized	455	10
102103206250169	32	1,770	723	Galvanized	455	10
102103204070169	32	1,960	804	Bright	455	10
102103206070169	32	1,960	804	Bright	455	10
102103204270169	32	1,960	804	Galvanized	455	10
102103206270169	32	1,960	804	Galvanized	455	10
102103204100169	32	2,160	851	Bright	455	10
102103206100169	32	2,160	851	Bright	455	10
102103204300169	32	2,160	851	Galvanized	455	10
102103206300169	32	2,160	851	Galvanized	455	10
102103304050169	33	1,770	766	Bright	481	10
102103306050169	33	1,770	766	Bright	481	10

102103304250169	33	1,770	766	Galvanized	481	10
102103306250169	33	1,770	766	Galvanized	481	10
102103304070169	33	1,960	852	Bright	481	10
102103306070169	33	1,960	852	Bright	481	10
102103304270169	33	1,960	852	Galvanized	481	10
102103306270169	33	1,960	852	Galvanized	481	10
102103304100169	33	2,160	901	Bright	481	10
102103306100169	33	2,160	901	Bright	481	10
102103304300169	33	2,160	901	Galvanized	481	10
102103306300169	33	2,160	901	Galvanized	481	10
102103404050169	34	1,770	814	Bright	511	10
102103406050169	34	1,770	814	Bright	511	10
102103404250169	34	1,770	814	Galvanized	511	10
102103406250169	34	1,770	814	Galvanized	511	10
102103404070169	34	1,960	904	Bright	511	10
102103406070169	34	1,960	904	Bright	511	10
102103404270169	34	1,960	904	Galvanized	511	10
102103406270169	34	1,960	904	Galvanized	511	10
102103404100169	34	2,160	956	Bright	511	10
102103406100169	34	2,160	956	Bright	511	10
102103404300169	34	2,160	956	Galvanized	511	10
102103406300169	34	2,160	956	Galvanized	511	10
102103504050169	35	1,770	858	Bright	539	10



102103506050169	35	1,770	858	Bright	539	10
102103504250169	35	1,770	858	Galvanized	539	10
102103506250169	35	1,770	858	Galvanized	539	10
102103504070169	35	1,960	954	Bright	539	10
102103506070169	35	1,960	954	Bright	539	10
102103504270169	35	1,960	954	Galvanized	539	10
102103506270169	35	1,960	954	Galvanized	539	10
102103504100169	35	2,160	1,009	Bright	539	10
102103506100169	35	2,160	1,009	Bright	539	10
102103504300169	35	2,160	1,009	Galvanized	539	10
102103506300169	35	2,160	1,009	Galvanized	539	10
102103604050169	36	1,770	914	Bright	574	10
102103606050169	36	1,770	914	Bright	574	10
102103604250169	36	1,770	914	Galvanized	574	10
102103606250169	36	1,770	914	Galvanized	574	10
102103604070169	36	1,960	1,016	Bright	574	10
102103606070169	36	1,960	1,016	Bright	574	10
102103604270169	36	1,960	1,016	Galvanized	574	10
102103606270169	36	1,960	1,016	Galvanized	574	10
102103604100169	36	2,160	1,074	Bright	574	10
102103606100169	36	2,160	1,074	Bright	574	10
102103604300169	36	2,160	1,074	Galvanized	574	10
102103606300169	36	2,160	1,074	Galvanized	574	10

102103704050169	37	1,770	961	Bright	604	10
102103706050169	37	1,770	961	Bright	604	10
102103704250169	37	1,770	961	Galvanized	604	10
102103706250169	37	1,770	961	Galvanized	604	10
102103704070169	37	1,960	1,068	Bright	604	10
102103706070169	37	1,960	1,068	Bright	604	10
102103704270169	37	1,960	1,068	Galvanized	604	10
102103706270169	37	1,960	1,068	Galvanized	604	10
102103704100169	37	2,160	1,130	Bright	604	10
102103706100169	37	2,160	1,130	Bright	604	10
102103704300169	37	2,160	1,130	Galvanized	604	10
102103706300169	37	2,160	1,130	Galvanized	604	10
102103804050169	38	1,770	1,015	Bright	638	10
102103806050169	38	1,770	1,015	Bright	638	10
102103804250169	38	1,770	1,015	Galvanized	638	10
102103806250169	38	1,770	1,015	Galvanized	638	10
102103804070169	38	1,960	1,129	Bright	638	10
102103806070169	38	1,960	1,129	Bright	638	10
102103804270169	38	1,960	1,129	Galvanized	638	10
102103806270169	38	1,960	1,129	Galvanized	638	10
102103804100169	38	2,160	1,193	Bright	638	10
102103806100169	38	2,160	1,193	Bright	638	10
102103804300169	38	2,160	1,193	Galvanized	638	10

102103806300169	38	2,160	1,193	Galvanized	638	10
102103904050169	39	1,770	1,067	Bright	671	10
102103906050169	39	1,770	1,067	Bright	671	10
102103904250169	39	1,770	1,067	Galvanized	671	10
102103906250169	39	1,770	1,067	Galvanized	671	10
102103904070169	39	1,960	1,186	Bright	671	10
102103906070169	39	1,960	1,186	Bright	671	10
102103904270169	39	1,960	1,186	Galvanized	671	10
102103906270169	39	1,960	1,186	Galvanized	671	10
102103904100169	39	2,160	1,255	Bright	671	10
102103906100169	39	2,160	1,255	Bright	671	10
102103904300169	39	2,160	1,255	Galvanized	671	10
102103906300169	39	2,160	1,255	Galvanized	671	10
102104004050169	40	1,770	1,125	Bright	707	10
102104006050169	40	1,770	1,125	Bright	707	10
102104004250169	40	1,770	1,125	Galvanized	707	10
102104006250169	40	1,770	1,125	Galvanized	707	10
102104004070169	40	1,960	1,250	Bright	707	10
102104006070169	40	1,960	1,250	Bright	707	10
102104004270169	40	1,960	1,250	Galvanized	707	10
102104006270169	40	1,960	1,250	Galvanized	707	10
102104004100169	40	2,160	1,323	Bright	707	10
102104006100169	40	2,160	1,323	Bright	707	10

102104004300169	40	2,160	1,323	Galvanized	707	10
102104006300169	40	2,160	1,323	Galvanized	707	10
102104104050169	41	1,770	1,183	Bright	743	10
102104106050169	41	1,770	1,183	Bright	743	10
102104104250169	41	1,770	1,183	Galvanized	743	10
102104106250169	41	1,770	1,183	Galvanized	743	10
102104104070169	41	1,960	1,315	Bright	743	10
102104106070169	41	1,960	1,315	Bright	743	10
102104104270169	41	1,960	1,315	Galvanized	743	10
102104106270169	41	1,960	1,315	Galvanized	743	10
102104104100169	41	2,160	1,391	Bright	743	10
102104106100169	41	2,160	1,391	Bright	743	10
102104104300169	41	2,160	1,391	Galvanized	743	10
102104106300169	41	2,160	1,391	Galvanized	743	10
102104204050169	42	1,770	1,240	Bright	779	10
102104206050169	42	1,770	1,240	Bright	779	10
102104204250169	42	1,770	1,240	Galvanized	779	10
102104206250169	42	1,770	1,240	Galvanized	779	10
102104204070169	42	1,960	1,379	Bright	779	10
102104206070169	42	1,960	1,379	Bright	779	10
102104204270169	42	1,960	1,379	Galvanized	779	10
102104206270169	42	1,960	1,379	Galvanized	779	10
102104204100169	42	2,160	1,458	Bright	779	10

102104206100169	42	2,160	1,458	Bright	779	10
102104204300169	42	2,160	1,458	Galvanized	779	10
102104206300169	42	2,160	1,458	Galvanized	779	10
102104304050169	43	1,770	1,297	Bright	815	10
102104306050169	43	1,770	1,297	Bright	815	10
102104304250169	43	1,770	1,297	Galvanized	815	10
102104306250169	43	1,770	1,297	Galvanized	815	10
102104304070169	43	1,960	1,441	Bright	815	10
102104306070169	43	1,960	1,441	Bright	815	10
102104304270169	43	1,960	1,441	Galvanized	815	10
102104306270169	43	1,960	1,441	Galvanized	815	10
102104304100169	43	2,160	1,524	Bright	815	10
102104306100169	43	2,160	1,524	Bright	815	10
102104304300169	43	2,160	1,524	Galvanized	815	10
102104306300169	43	2,160	1,524	Galvanized	815	10
102104404050169	44	1,770	1,361	Bright	855	10
102104406050169	44	1,770	1,361	Bright	855	10
102104404250169	44	1,770	1,361	Galvanized	855	10
102104406250169	44	1,770	1,361	Galvanized	855	10
102104404070169	44	1,960	1,513	Bright	855	10
102104406070169	44	1,960	1,513	Bright	855	10
102104404270169	44	1,960	1,513	Galvanized	855	10
102104406270169	44	1,960	1,513	Galvanized	855	10

102104404100169	44	2,160	1,600	Bright	855	10
102104406100169	44	2,160	1,600	Bright	855	10
102104404300169	44	2,160	1,600	Galvanized	855	10
102104406300169	44	2,160	1,600	Galvanized	855	10
102104504050169	45	1,770	1,422	Bright	893	10
102104506050169	45	1,770	1,422	Bright	893	10
102104504250169	45	1,770	1,422	Galvanized	893	10
102104506250169	45	1,770	1,422	Galvanized	893	10
102104504070169	45	1,960	1,580	Bright	893	10
102104506070169	45	1,960	1,580	Bright	893	10
102104504270169	45	1,960	1,580	Galvanized	893	10
102104506270169	45	1,960	1,580	Galvanized	893	10
102104504100169	45	2,160	1,671	Bright	893	10
102104506100169	45	2,160	1,671	Bright	893	10
102104504300169	45	2,160	1,671	Galvanized	893	10
102104506300169	45	2,160	1,671	Galvanized	893	10

## Technical data