



Fixing Socket with Cross-hole

Product information

Fastening insert with a cross hole and flat end enables quick and cost-effective structural connections. This fastening insert with a cross hole is designed for installation at slab edges and slab faces in precast concrete elements. It is anchored into the concrete using reinforcing steel, which is inserted through the cross hole on-site.

Finish: Galvanized.

Warning: This product is not to be used for lifting.

Part Code	dxLxh mm	e mm	g mm	s mm	Weight kg	Delivery time
6505K2109ZN	M 6x35	6.3	6	15	0.8	100
6505K2115ZN	M 8x40	8.3	8	15	1.1	100
6505K2117ZN	M 8x53	8.3	8	28	1.4	100
6505K2124ZN	M 10x45	10.3	10	15	1.5	100
6505K2127ZN	M 10x57	10.3	10	25	2	100
6505K2139ZN	M 12x55	12.3	12	20	2.6	100
6505K2135ZN	M 10x57*	10.3	10	24	3	100
6505K2141ZN	M 12x78	12.3	12	43	4	100
6505K2149ZN	M 12x62*	12.3	12	25	4	100
6505K2161ZN	M 16x80	12.3	15	30	9.8	100
6505K2162ZN	M 16x100	12.3	15	50	11.5	100
6505K2171ZN	M 20x95	14.3	18	35	16.5	100
6505K2172ZN	M 20x115	14.3	18	55	20	100
65059916K2181ZN	M 24x120	14.3	21	40	28.6	100

Blueprint

