

Lifting Loop

Product information



Lifting loop with crimped threaded spigot for lifting and transporting.

Every loop within the Schroeder lifting socket system carries a tag showing the manufacturer, thread and load group, ensuring correct identification.

The tags for identifying

- means of lifting (lifting loops) and
- lifting sockets

as well as the nailing plates have the same colour for each thread size.

The requirements of the "Safety rules for lifting sockets and systems for precast concrete elements" plus the instructions for installation and use must be complied with.

This product complies with the requirements of the European Machinery Directive 2006/42/EC.

Marking: According to standard, Manufacturer ID, thread and load group.

Standard: CEN/TR 15728 - VDI/BV-BS 6205

Safety factor: 4:1

Part Code	Thread mm	g mm	L mm	s mm	Weight kg	Delivery time
6504K4212MA	M 12	22	130	6	0.06	100
6504K4212R	Rd 12	22	130	6	0.06	100
6504K4214MA	M 14	25	150	7	0.1	100
6504K4216MA	M 16	27	170	8	0.13	2
6504K4216R	Rd 16	27	170	8	0.13	100
6504K4220MA	M 20	35	210	10	0.26	2
6504K4220R	Rd 20	35	210	10	0.26	100
6504K4224MA	M 24	43	260	12	0.43	2
6504K4224R	Rd 24	43	260	12	0.43	100
6504K4230MA	M 30	56	340	16	1.05	2
6504K4230R	Rd 30	56	340	16	1.05	100
6504K4236MA	M 36	68	380	18	1.52	100
6504K4236R	Rd 36	68	380	18	1.52	100
6504K4242M	M 42	80	420	20	2.18	100
6504K4252R	Rd 52	97	550	26	4.75	100

Blueprint

