



Pillar Jib Crane OB

Product information

Freestanding jib crane for indoor use. The over braced profile jib crane is braced above the track profile. This jib crane provides the most free-running travel along the arm and gives excellent flexibility for rotations of 270°.

The jib crane is supplied in kit form and consists of two main parts: the pillar and the arm. The pillar is designed and fabricated to suspend the required jib arm type. The arm is fixed to the column using a pivot pin.

Floor fixing is done with chemical anchors or anchor rods with foundation.

Features:

- Capacity up to 1000 kg
- Outreach up to 6 m
- Column height up to 5 m
- Electrical festoon supply: runs inside the arm track

Material: Stainless steel 304/316

Finish: Zinc plated/powder coating

WLL ton	Length m	B mm	D mm	H mm	h mm	R mm	h1 mm	Delivery time
0.08	3	500	450	3,000	2,470	3,000	65	10
0.08	4	600	450	3,000	2,370	4,000	65	10
0.08	5	900	450	3,000	2,070	5,000	65	10
0.08	6	900	600	3,000	2,070	6,000	77	10
0.125	3	500	450	3,000	2,470	3,000	77	10
0.125	4	600	450	3,000	2,370	4,000	77	10
0.125	5	900	600	3,000	2,070	5,000	77	10
0.125	6	1,000	600	3,000	1,970	6,000	77	10
0.25	3	600	450	3,000	2,370	3,000	77	10
0.25	4	800	600	3,000	2,170	4,000	77	10
0.25	5	900	600	3,000	2,070	5,000	94	10
0.25	6	1,000	700	3,000	1,970	6,000	94	10
0.5	3	800	600	3,500	2,670	3,000	94	10
0.5	4	900	600	3,500	2,570	4,000	94	10
0.5	5	1,000	700	3,500	2,470	5,000	123	10
0.5	6	1,100	700	3,500	2,370	6,000	123	10
1	3	900	700	3,500	2,570	3,000	123	10
1	4	1,000	700	3,500	2,470	4,000	123	10

Blueprint

