



## Column Mounted Jib Crane with Clamp Around

### Product information

This column mounted jib crane consists of an arm and a pair of brackets that can be clamped around an existing building column/stanchion/pillar. This jib crane provides the most free-running travel along the arm and gives excellent flexibility for rotations of 180°.

Column fixing is done with clamping brackets.

#### Features:

- Capacity up to 1000 kg
- Outreach up to 6 m
- Electrical festoon supply: runs inside the arm track

**Finish:** Zinc plated/powder coating, Stainless steel 304/316

| WLL ton | Length m | Thread | B mm  | R mm  | B2 mm | h1 mm | W1  | W2  | Delivery time |
|---------|----------|--------|-------|-------|-------|-------|-----|-----|---------------|
| 0.08    | 3        | M20    | 500   | 3,000 | 720   | 65    | 500 | 380 | 10            |
| 0.08    | 4        | M20    | 600   | 4,000 | 820   | 65    | 500 | 380 | 10            |
| 0.08    | 5        | M20    | 900   | 5,000 | 1,120 | 65    | 500 | 380 | 10            |
| 0.08    | 6        | M20    | 900   | 6,000 | 1,120 | 77    | 500 | 380 | 10            |
| 0.125   | 3        | M20    | 500   | 3,000 | 720   | 77    | 500 | 380 | 10            |
| 0.125   | 4        | M20    | 600   | 4,000 | 820   | 77    | 500 | 380 | 10            |
| 0.125   | 5        | M20    | 900   | 5,000 | 1,120 | 77    | 500 | 380 | 10            |
| 0.125   | 6        | M20    | 1,000 | 6,000 | 1,220 | 77    | 500 | 380 | 10            |
| 0.25    | 3        | M20    | 600   | 3,000 | 820   | 77    | 500 | 380 | 10            |
| 0.25    | 4        | M20    | 800   | 4,000 | 1,020 | 77    | 500 | 380 | 10            |
| 0.25    | 5        | M20    | 900   | 5,000 | 1,120 | 94    | 500 | 380 | 10            |
| 0.25    | 6        | M20    | 1,000 | 6,000 | 1,220 | 94    | 500 | 380 | 10            |
| 0.5     | 3        | M20    | 800   | 3,000 | 1,020 | 94    | 500 | 380 | 10            |
| 0.5     | 4        | M20    | 900   | 4,000 | 1,120 | 94    | 500 | 380 | 10            |
| 0.5     | 5        | M20    | 1,000 | 5,000 | 1,220 | 123   | 500 | 380 | 10            |
| 0.5     | 6        | M20    | 1,100 | 6,000 | 1,320 | 123   | 500 | 380 | 10            |
| 1       | 3        | M20    | 900   | 3,000 | 1,120 | 123   | 500 | 380 | 10            |
| 1       | 4        | M20    | 1,000 | 4,000 | 1,220 | 123   | 500 | 380 | 10            |

# Blueprint

