

## Rigging Screw stainless Jaw/Terminal

### Product information



Stainless steel rigging screws design: fork / terminal a.k.a jaw / terminal.

Also available with other end fittings on request. The larger size rigging screws from M20 and up are designed with a rounded fork head and are available with Stainless Steel with bronze threaded inserts for smooth adjustment.

**Material:** Stainless steel AISI 316.

**Marking:** Thread and/or wire size

**Temperature range:** -50°C to +100°C and briefly up to +200°C

**Finish:** Polished.

**Warning:** It is strongly recommended to lubricate threads first, before tensioning.

Part Code	Size	Length mm mm	Pin diameter mm	Rope Ø range mm	Packing Qty.	PIN	A mm	B mm	D mm	L1 mm	L2 mm	Weight kg/100pc	Packing Qty.	Delivery time
492123200280	M6	170-232	5	3	10	5	7.5	9.4	6.35	232	170	8.5	10	10
492128100280	M8	205-281	6	5	10	6	9.5	13	9	281	205	13.2	10	2
492131200280	M10	228-312	8	5	10	8	11	14	9	312	228	22.5	10	10
492132700280	M10	248-328	8	6	10	8	11	17	12.6	328	248	25.6	10	10
492139300280	M12	287-393	12	6	5	12	14	14	12.58	393	287	47.5	5	10
492143900280	M14	319-439	12	7	5	12	14	25	14.2	439	319	58	5	10
492141600280	M12	310-416	12	8	5	12	14	25	16	416	310	53.5	5	10
492149800280	M16	365-498	14	8	5	14	18	32	16	498	365	89.5	5	10
492150600280	M16	373-506	14	10	5	14	18	33	17.8	506	373	93	5	10
492150400280	M16	371-504	14	10	5	14	22	33	17.8	504	371	93	5	2
492158700280	M20	427-587	19	10	Bulk	19	24	48	17.8	587	427	170.1	-	10

# Blueprint

